

# MISSOURI VITAL STATISTICS

1968

## PUBLIC HEALTH STATISTICS

### Division of Health

MISSOURI

VITAL STATISTICS

1968

## PUBLIC HEALTH STATISTICS

### Division of Health



**MISSOURI  
PUBLIC HEALTH STATISTICS  
VITAL STATISTICS**

**PREFACE**

**1968**

This is the final publication of statistical data relating to vital events in Missouri during 1968. This annual report of Vital Statistics was compiled for use in Public Health and related fields, as an aid for studying births, deaths, marriages and divorces. This is published as part of the Missouri Public Health Statistics series.

**Prepared by**

**Bureau of Statistical Services**

**October, 1969**

While there is no additional data for 1969, there has been some revision. The classification of causes of death have been changed to comply with the EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1967.

The appearance and size of this report has received considerable alteration. Electronic data processing is being used for the first time in preparing this report and the report itself is reprinted from actual EDP printouts. With programming behind us for next year we expect the 1969 Annual Vital Statistics report to be available several months earlier than has been the case in past years.

**BUREAU OF STATISTICAL SERVICES**

**1969**

**DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI**

**DIVISION OF HEALTH**

**BROADWAY STATE OFFICE BUILDING  
JEFFERSON CITY, MISSOURI 65101**



## PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1968. This annual report of Vital Statistics was compiled for use in Public Health and related fields, as an aid for studying births, deaths, marriages and divorces. This is published as part of the Public Health Statistics series.

While there is no additional information in this years report, there has been some revision. The classification of causes of death have been changed to comply with the EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1967.

The appearance and size of this report has received considerable alteration. Electronic data processing is being used for the first time in preparing this report and the report itself is reprinted from actual EDP printouts. With programming behind us for next year we expect the 1969 Annual Vital Statistics Report to be available several months earlier than has been the case in past years.

## BUREAU OF STATISTICAL SERVICES

1969



## COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records; beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of children's toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people of Missouri.

## RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration<sup>1</sup>, improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

## POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1965; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961 to date as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 to date estimates<sup>2</sup> were the net change, natural increase and net migration. The net migration based upon the experience during the period 1950-1960.

## USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas (1965 figures):

Recorded live births, City of Springfield - 3,377

Resident live births, City of Springfield - 1,780

Recorded live births, Gasconade County - 3

Resident live births, Gasconade County - 156

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area, due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

## RACE AND COLOR

The category "White" includes, in addition to persons reported as white, those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as Negro are recorded as "Nonwhite"; all other classes are recorded as "White". Any person reported as a mixed race which includes Negro is recorded as "Nonwhite".

## CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the Eighth Revision International Classification of Diseases, Adapted, Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

## PROCEDURES FOR RATES AND WHOLE NUMBERS

The rounding of numbers in this report was accomplished by dropping any digit in the hundredths position of the calculated rate or percent. Therefore, when the rate or percent is less than one-tenth the entry has been left blank.

In the case of whole numbers if a blank or dash (-) is shown, this means none or zero (0).

<sup>1</sup>This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents underreporting. This report does not include information from those Missouri residents who marry and seek divorce outside of the State. As yet, there is no interchange between states of these events. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate. These data are recorded.

<sup>2</sup>Estimates computed as of April, 1969.



## TABLE OF CONTENTS

### BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS

Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911-1968 .....	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944 .....	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1968 .....	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1968 ....	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1968 .....	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1968 .....	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1968 ....	17
B	Trends in Fetal Death Rates by Color, 1932-1968 .....	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1968 .....	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1968 .....	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1968 .....	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1968 .....	27
C	Trends in Maternal Death Rates by Color, 1932-1968 .....	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1968 .....	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1968 ....	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1968 .....	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1968 .....	39
D	Trends in Infant Death Rates by Color, 1932-1968 .....	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1968 ....	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1968 .....	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1968 .....	130

### MARRIAGES

E	Trends in Marriage Rates, 1949-1968 .....	132
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1968 .....	133
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1968 ...	135
20	Reported Marriages by Marital Status, Missouri: 1968 .....	136
21	Reported Marriages by Color of Groom, Missouri: 1968 .....	136

### DIVORCES

F	Trends in Divorce Rates, 1949-1968 .....	137
22	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1968 .....	138
23	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1968 .....	139
24	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1968 .....	140
25	Reported Divorces and Annulments by Complainant Versus to Whom Decree Granted, Missouri: 1968 .	140
26	Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1968 ...	140
27	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1968 .....	141
28	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1968 .....	141
29	Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1968 .....	142
30	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1968 .....	142




# BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS



GRAPH A.

LIVE BIRTH AND DEATH RATES 1911-1968  
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Division of Health of Missouri; 1960, taken from the United States Census of Population, PC (1) 27B. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths
1911	22.3	13.1
1912	22.6	12.6
1913	22.1	12.4
1914	21.3	12.0
1915	20.5	11.7
1916	20.8	12.7
1917	19.3	13.1
1918	19.2	15.6
1919	18.2	11.7
1920	19.2	12.5
1921	19.5	10.6
1922	18.7	11.2
1923	19.3	12.1
1924	19.7	11.5
1925	19.4	11.7

Year	Live Births	Deaths
1926	18.7	10.0
1927	18.6	11.4
1928	17.6	12.6
1929	16.8	12.2
1930	17.0	11.8
1931	16.2	11.9
1932	16.0	11.7
1933	15.3	11.5
1934	15.9	12.3
1935	15.1	11.4
1936	14.7	12.8
1937	15.1	11.9
1938	15.7	11.3
1939	15.8	11.3
1940	16.5	11.6

Year	Live Births	Deaths
1941	17.4	11.4
1942	19.0	11.0
1943	20.2	12.0
1944	19.7	11.9
1945	18.7	12.1
1946	21.5	11.3
1947	23.4	11.6
1948	22.1	11.1
1949	21.5	11.1
1950	21.6	11.0
1951	22.5	11.0
1952	22.4	11.2
1953	22.5	11.1
1954	22.8	10.7
1955	22.7	10.4

Year	Live Births	Deaths
1956	23.1	10.7
1957	23.1	11.3
1958	22.8	11.0
1959	23.3	11.0
1960	22.6	11.2
1961	22.3	10.8
1962	21.3	11.1
1963	20.4	11.4
1964	19.8	11.1
1965	18.1	11.2
1966	17.4	11.5
1967	16.6	11.2
1968	16.4	11.5

TABLE 1

**POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION  
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944**

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.



**TABLE 2**  
**POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000**  
**POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1968**

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718
1965	4,476	84,162	18.8	51,101	11.4	81,216	18.1	50,249	11.2	30,967
1966	4,492	80,750	18.0	52,476	11.7	77,946	17.4	51,581	11.5	26,365
1967	4,504	77,940	17.3	51,245	11.4	74,823	16.6	50,544	11.2	24,279
1968	4,513	77,028	17.0	52,834	11.7	74,304	16.4	52,019	11.5	22,285

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,  
URBAN AND RURAL, MISSOURI 1968

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	74,304	37,348	36,956	100.0	100.0	100.0
TOTAL MALE	38,266	19,305	18,961	51.5	51.7	51.3
TOTAL FEMALE	36,038	18,043	17,995	48.5	48.3	48.7
WHITE TOTAL	63,129	27,645	35,484	100.0	100.0	100.0
MALE	32,528	14,319	18,209	51.5	51.8	51.3
FEMALE	30,601	13,326	17,275	48.5	48.2	48.7
NONWHITE TOTAL	11,175	9,703	1,472	100.0	100.0	100.0
MALE	5,738	4,986	752	51.3	51.4	51.1
FEMALE	5,437	4,717	720	48.7	48.6	48.9
ATTENDANT-COLOR						
GRAND TOTAL	74,304	37,348	36,956	100.0	100.0	100.0
M. D.	66,511	35,074	31,437	89.5	93.9	85.1
D. O.	7,608	2,232	5,376	10.2	6.0	14.5
MIDWIFE	134	34	100	.2	.1	.3
OTHERS	51	8	43	.1		.1
WHITE TOTAL	63,129	27,645	35,484	100.0	100.0	100.0
M. D.	55,853	25,548	30,305	88.5	92.4	85.4
D. O.	7,206	2,090	5,116	11.4	7.6	14.4
MIDWIFE	22	1	21			.1
OTHERS	48	6	42	.1		.1
NONWHITE TOTAL	11,175	9,703	1,472	100.0	100.0	100.0
M. D.	10,658	9,526	1,132	95.4	98.2	76.9
D. O.	402	142	260	3.6	1.5	17.7
MIDWIFE	112	33	79	1.0	.3	5.4
OTHERS	3	2	1			.1

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.  
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1960 CENSUS.  
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.



TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,  
URBAN AND RURAL, MISSOURI 1968

	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
LIVE BIRTHS	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	63,129	11,175	27,645	9,703	35,484	1,472	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	59,935	6,679	25,952	5,805	33,983	874	94.9	59.8	93.9	59.8	95.8	59.4
ILLEGITIMATE	3,116	4,473	1,654	3,878	1,462	595	4.9	40.0	6.0	40.0	4.1	40.4
NOT STATED	78	23	39	20	39	3	.1	.2	.1	.2	.1	.2
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	63,129	11,175	27,645	9,703	35,484	1,472	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	906	142	369	130	537	12	1.4	1.3	1.3	1.3	1.5	.8
NOT DEFORMED TOTAL	59,257	10,571	25,692	9,200	33,565	1,371	93.9	94.6	92.9	94.8	94.6	93.1
NOT STATED/UNKNOWN	2,966	462	1,584	373	1,382	89	4.7	4.1	5.7	3.8	3.9	6.0
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	58,920	9,538	25,735	8,254	33,185	1,284	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	52,142	9,076	23,796	8,095	28,346	981	88.5	95.2	92.5	98.1	85.4	76.4
D. O.	6,717	356	1,933	125	4,784	231	11.4	3.7	7.5	1.5	14.4	18.0
MIDWIFE	21	103	1	32	20	71		1.1		.4	.1	5.5
OTHERS	40	3	5	2	35	1	.1				.1	.1
UNDER 5.5 LBS TOTAL	3,991	1,615	1,815	1,434	2,176	181	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,521	1,563	1,668	1,416	1,853	147	88.2	96.8	91.9	98.7	85.2	81.2
D. O.	465	43	147	17	318	26	11.7	2.7	8.1	1.2	14.6	14.4
MIDWIFE		9		1		8		.6		.1		4.4
OTHERS	5				5		.1				.2	
NOT STATED TOTAL	218	22	95	15	123	7	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	190	19	84	15	106	4	87.2	86.4	88.4	100.0	86.2	57.1
D. O.	24	3	10		14	3	11.0	13.6	10.5		11.4	42.9
MIDWIFE	1				1		.5				.8	
OTHERS	3		1		2		1.4		1.1		1.6	
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	63,129	11,175	27,645	9,703	35,484	1,472	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	61,749	10,682	27,454	9,644	34,295	1,038	97.8	95.6	99.3	99.4	96.6	70.5
CLINIC	1,090	328	128	1	962	327	1.7	2.9	.5		2.7	22.2
RESIDENCE	250	162	57	57	193	105	.4	1.4	.2	.6	.5	7.1
OTHER	40	3	6	1	34	2	.1				.1	.1

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,  
URBAN AND RURAL, MISSOURI 1968

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURENCE												
TOTAL	63,129	11,175	27,645	9,703	35,484	1,472	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	4,845	927	2,239	813	2,606	114	7.7	8.3	8.1	8.4	7.3	7.7
FEBRUARY	4,797	843	2,194	730	2,603	113	7.6	7.5	7.9	7.5	7.3	7.7
MARCH	4,929	872	2,229	754	2,700	118	7.8	7.8	8.1	7.8	7.6	8.0
APRIL	4,738	775	2,106	655	2,632	120	7.5	6.9	7.6	6.8	7.4	8.2
MAY	5,195	860	2,290	753	2,905	107	8.2	7.7	8.3	7.8	8.2	7.3
JUNE	5,227	1,012	2,249	872	2,978	140	8.3	9.1	8.1	9.0	8.4	9.5
JULY	5,673	1,001	2,442	867	3,231	134	9.0	9.0	8.8	8.9	9.1	9.1
AUGUST	5,638	1,045	2,489	904	3,149	141	8.9	9.4	9.0	9.3	8.9	9.6
SEPTEMBER	5,486	935	2,425	828	3,061	107	8.7	8.4	8.8	8.5	8.6	7.3
OCTOBER	5,643	951	2,331	829	3,312	122	8.9	8.5	8.4	8.5	9.3	8.3
NOVEMBER	5,428	902	2,291	780	3,137	122	8.6	8.1	8.3	8.0	8.8	8.3
DECEMBER	5,530	1,052	2,360	918	3,170	134	8.8	9.4	8.5	9.5	8.9	9.1



TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1968

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,513,434	74,304	1,127	77,028	1,160	16.4	15.1	17.0	15.0
COUNTIES INCLUDING CITIES									
ADAIR	18,699	396	1	662	4	21.1	2.5	35.4	6.0
ANDREW	9,735	144	1			14.7	6.9		
ATCHISON	7,197	125	1	195	2	17.3	8.0	27.0	10.2
AUDRIAN	24,939	383	5	500	7	15.3	13.0	20.0	14.0
BARRY	15,231	248	4	243	3	16.2	16.1	15.9	12.3
BARTON	8,816	124		123		14.0		13.9	
BATES	13,252	190	4	205	6	14.3	21.0	15.4	29.2
BENTON	7,502	100	1	13	1	13.3	10.0	1.7	76.9
BOLLINGER	7,187	97	1	37	1	13.4	10.3	5.1	27.0
BOONE	58,613	1,323	19	1,954	36	22.5	14.3	33.3	18.4
BUCHANAN	80,027	1,342	20	1,804	24	16.7	14.9	22.5	13.3
BUTLER	28,627	467	5	900	12	16.3	10.7	31.4	13.3
CALDWELL	7,121	93	1			13.0	10.7		
CALLAWAY	22,139	331	5	152	2	14.9	15.1	6.8	13.1
CAMDEN	9,247	136	2	37		14.7	14.7	4.0	
CAPE GIRARDEAU	40,544	678	8	1,206	11	16.7	11.7	29.7	9.1
CARROLL	11,308	174	2	137	1	15.3	11.4	12.1	7.2
CARTER	3,110	64		1		20.5		.3	
CASS	41,587	666	10	677	8	16.0	15.0	16.2	11.8
CEDAR	7,481	117	4	174	2	15.6	34.1	23.2	11.4
CHARITON	10,030	150	4			14.9	26.6		
CHRISTIAN	11,177	191	1	1		17.0	5.2		
CLARK	7,815	129				16.5			
CLAY	154,722	1,943	24	1,521	17	12.5	12.3	9.8	11.1
CLINTON	10,448	166	2	116	1	15.8	12.0	11.1	8.6
COLE	41,866	759	12	1,330	16	18.1	15.8	31.7	12.0
COOPER	13,208	187	4	153	1	14.1	21.3	11.5	6.5
CRAWFORD	12,320	235	2	332	4	19.0	8.5	26.9	12.0
DADE	5,759	53				9.2			
DALLAS	7,491	104	2			13.8	19.2		
DAVIESS	7,451	94	3	17		12.6	31.9	2.2	
DEKALB	5,909	90	5	3	2	15.2	55.5	.5	666.6
DENT	8,929	125	2	1	1	13.9	16.0	.1	1000.0

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1968 ESTIMATE.

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1968

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTH	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
DOUGLAS	7,098	131	3	7	1	18.4	22.9	.9	142.8
DUNKLIN	31,006	515	10	577	12	16.6	19.4	18.6	20.7
FRANKLIN	49,257	944	11	661	8	19.1	11.6	13.4	12.1
GASCONADE	10,761	123	1	78		11.4	8.1	7.2	
GENTRY	6,711	99		138	1	14.7		20.5	7.2
GREENE	134,477	2,499	27	3,468	40	18.5	10.8	25.7	11.5
GRUNDY	10,125	128	3	165	3	12.6	23.4	16.2	18.1
HARRISON	8,769	109	1	106	3	12.4	9.1	12.0	28.3
HENRY	16,773	214	2	291	3	12.7	9.3	17.3	10.3
HICKORY	3,416	39	1	14	1	11.4	25.6	4.0	71.4
HOLT	5,905	66	1			11.1	15.1		
HOWARD	9,267	142	2	119	4	15.3	14.0	12.8	33.6
HOWELL	19,109	343	5	474	6	17.9	14.5	24.8	12.6
IRON	6,427	153	1	153		23.8	6.5	23.8	
JACKSON	632,398	11,454	171	13,982	196	18.1	14.9	22.1	14.0
JASPER	70,729	1,263	20	1,407	19	17.8	15.8	19.8	13.5
JEFFERSON	105,869	1,877	24	483	10	17.7	12.7	4.5	20.7
JOHNSON	36,501	527	5	563	5	14.4	9.4	15.4	8.8
KNOX	5,260	78				14.8			
LACLEDE	17,014	305	4	341	5	17.9	13.1	20.0	14.6
LAFAYETTE	22,749	373	8	304	6	16.3	21.4	13.3	19.7
LAWRENCE	21,081	323	6	283	5	15.3	18.5	13.4	17.6
LEWIS	10,303	145		3		14.0		.2	
LINCOLN	14,827	264	1	362	2	17.8	3.7	24.4	5.5
LINN	13,374	165	6	210	8	12.3	36.3	15.7	38.0
LIVINGSTON	13,752	227	1	313	1	16.5	4.4	22.7	3.1
MC DONALD	9,335	176	8			18.8	45.4		
MACON	13,641	189	4	187	2	13.8	21.1	13.7	10.6
MADISON	7,444	112	2	606	8	15.0	17.8	81.4	13.2
MARIES	6,400	95	1			14.8	10.5		
MARION	26,363	452	5	634	9	17.1	11.0	24.0	14.1
MERCER	4,183	31		39		7.4		9.3	
MILLER	12,469	204	5	28	2	16.3	24.5	2.2	71.4

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
POPULATION USED WAS THE JULY 1968 ESTIMATE.



TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1968

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	17,284	355	11	228	5	20.5	30.9	13.1	21.9
MONITEAU	9,311	124	4	2		13.3	32.2	.2	
MONROE	9,297	131	3	4		14.0	22.9	.4	
MONTGOMERY	9,979	149	2	1		14.9	13.4	.1	
MORGAN	7,972	117	1	1		14.6	8.5	.1	
NEW MADRID	23,635	403	12	82	5	17.0	29.7	3.4	60.9
NEWTON	28,533	401	3	500	8	14.0	7.4	17.5	16.0
NODAWAY	18,884	289	2	250	3	15.3	6.9	13.2	12.0
OREGON	7,525	114	2	51		15.1	17.5	6.7	
OSAGE	9,577	175			1	18.2			
OZARK	4,842	72		25	3	14.8		5.1	120.0
PEMISCOT	29,972	546	12	580	9	18.2	21.9	19.3	15.5
PERRY	12,736	209	1	378	2	16.4	4.7	29.6	5.2
PETTIS	34,718	455	8	541	8	13.1	17.5	15.5	14.7
PHELPS	26,105	444	5	613	5	17.0	11.2	23.4	8.1
PIKE	15,065	287	7	280	6	19.0	24.3	18.5	21.4
PLATTE	32,744	479	2	1		14.6	4.1		
POLK	10,912	186	2	61		17.0	10.7	5.5	
PULASKI	43,749	338	10	928	15	7.7	29.5	21.2	16.1
PUTNAM	5,071	75	1	85	1	14.7	13.3	16.7	11.7
RALLS	6,873	92	1			13.3	10.8		
RANDOLPH	19,236	320	6	359	6	16.6	18.7	18.6	16.7
RAY	14,859	218	3	180	2	14.6	13.7	12.1	11.1
REYNOLDS	3,805	90	1			23.6	11.1		
RIPLEY	6,810	105	2	61	2	15.4	19.0	8.9	32.7
ST. CHARLES	88,173	1,832	21	1,422	14	20.7	11.4	16.1	9.8
ST. CLAIR	6,372	70	1	22		10.9	14.2	3.4	
ST. FRANCOIS	32,934	553	5	207	7	16.7	9.0	6.2	33.8
STE. GENEVIEVE	11,321	192	1	1		16.9	5.2		
ST. LOUIS CITY	607,208	12,366	256	17,643	349	20.3	20.7	29.0	19.7
ST. LOUIS COUNTY	1,068,692	14,516	206	11,745	150	13.5	14.1	10.9	12.7
SALINE	21,804	341	5	274	7	15.6	14.6	12.5	25.5
SCHUYLER	4,050	46	1			11.3	21.7		

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1968 ESTIMATE.

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1968

- II -

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1968 ESTIMATE.

TABLE 5

# RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	47,075	780	69,109	1,023
TOTAL CITIES 10,000 POP. & OVER	37,348	620	54,591	841
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	9,727	160	14,518	182
CITIES OVER 10,000 POP.				
BELLEFONTAINE NEIGHBORS	77	2		
BERKELEY	284	6		
BRENTWOOD	233	1	1	
CAPE GIRARDEAU CITY	441	6	1,203	11
CARTHAGE	165	1	365	5
CLAYTON	139	6	636	13
COLUMBIA	871	12	1,953	36
CRESTWOOD	140	3		
FERGUSON	388	5		
FLORISSANT	1,123	14	654	11
FULTON	115	2	152	2
GLADSTONE	260	3		
HANNIBAL	303	5	634	9
MARION CO. PART	302	5	634	9
RALLS CO. PART	1			
INDEPENDENCE	1,780	27	1,329	27
JEFFERSON CITY	426	12	1,329	16
JENNINGS	243	3		
JOPLIN	627	9	1,150	17
JASPER CO. PART	609	8	969	13
NEWTON CO. PART	18	1	181	4
KANSAS CITY	9,045	134	12,653	171
JACKSON CO. PART	7,891	120	12,650	169
CLAY CO. PART	979	14	3	2
PLATTE CO. PART	175			
KIRKSVILLE	282	1	661	4
KIRKWOOD	416	6	1,069	10
MAPLEWOOD	235	2		



TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
MEXICO	191	3	483	7
MOBERLY	201	3	356	6
OVERLAND	445	11	1	
POPLAR BLUFF	245	2	896	12
RAYTOWN	424	4		
RICHMOND HEIGHTS	192	2	3,049	36
ROLLA	206	3	613	5
ST. ANN	313	8	1	
ST. CHARLES	734	11	1,420	13
ST. JOSEPH	1,124	18	1,803	24
ST. LOUIS CITY	12,366	256	17,643	349
SEDALIA	313	6	541	7
SIKESTON	259	2	528	10
SCOTT CO. PART	259	2	528	10
NEW MADRID CO. PART				
SPRINGFIELD	1,974	23	3,468	40
UNIVERSITY CITY	479	4		
WEBSTER GROVES	289	4		
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	79	3	230	5
BALLWIN	186	3	1	
BEL-RIDGE	78			
BELTON	207	5		
BETHANY	33		106	3
BLUE SPRINGS	87	1		
BOLIVER	63		37	
BONNE TERRE	62	2	120	4
BOONVILLE	91	1	152	1
BOWLING GREEN	44	1		
BRECKENRIDGE HILLS	60			
BRIDGETON	353	3	1	
BROOKFIELD	58	4	113	5
BUTLER	52	1	201	6
CALIFORNIA	32	1		

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
CAMERON	54	1	114	1
CLINTON CO. PART	50	1	114	1
DE KALB CO. PART	4			
CANTON	29			
CARROLLTON	72	1	135	1
CARUTHERSVILLE	157	3	3	
CENTRALIA	51	1		
CHAFFEE	44		86	1
CHARLESTON	109	4	183	5
CHILLICOTHE	144		313	1
CLINTON	100	1	239	3
CREVE COEUR	160	7	3,055	26
CRYSTAL CITY	61	1		
DELLWOOD	73			
DESOTO	104	2	8	
DES PERES	32			
DEXTER	83	2	240	
EAST PRAIRIE	66	1	40	
ELDON	52	1	1	
EL DORADO SPRINGS	42	2	174	2
ELLISVILLE	50		74	
EXCELSIOR SPRINGS	154	2	155	3
CLAY CO. PART	150	2	155	3
RAY CO. PART	4			
FARMINGTON	104		5	
FAYETTE	41		119	4
FESTUS	128	1	1	
FLAT RIVER	71	1	1	
FREDERICKTOWN	45	1	606	8
FRONTENAC	14			
GLENDALE	102	4		
GRANDVIEW	348	2		
HANLEY HILLS	26			
HARRISONVILLE	89	1	305	2
HAYTI	92	3	549	8
HAZELWOOD	339	3	1	

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER			
	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
HERMANN	30		76	
HIGGINSVILLE	75		1	
HILLSDALE VILLAGE	37	2		
JACKSON	80	2	2	
KENNETT	165	6	509	7
KINLOCH	134	1		
LADUE	70		1	
LAMAR	59		122	
LEBANON	165	2	341	5
LEE'S SUMMIT	265	5	1	
LEXINGTON	75	2	239	5
LIBERTY	201	3		
LOUISIANA	75	4	271	6
MACON	84	1	184	2
MALDEN	77	3	66	3
MARCELINE	29	1	97	3
MARSHALL	154	2	238	6
MARYVILLE	116	1	249	3
MOLINE ACRES	31	2		
MONETT	97	2	209	3
BARRY CO. PART	73	2	209	3
LAWRENCE CO. PART	24			
MOUNTAIN GROVE	48	1	45	
NEOSHO	80		198	3
NEVADA	115	2	167	3
NEW MADRID	50	2	6	
NORMANDY	110	3	717	12
NORTH KANSAS CITY	101		1,125	9
NORTHWOODS	37			
O'FALLON	128	2	1	
OLIVETTE	78	2		
PACIFIC	79	1		
FRANKLIN CO. PART	72	1		
ST. LOUIS CO. PART	7			
PAGEDALE	63	1		
PALMYRA	46			



TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	75		378	2
PINELAWN	81	2		
PLEASANT HILL	56	1		
PORTAGEVILLE	42	1	5	
POTOSI	55	4	1	
RICHMOND	65	2		
RIVERVIEW	81	1		
ROCK HILL	90			
ST. CLAIR	59	1		
ST. JOHN	112			
STE. GENEVIEVE	72	1		
SALEM	49			
SHREWSBURY	61	1		
SLATER	38			
SUGAR CREEK	68	3		
SULLIVAN	71	1	331	4
CRAWFORD CO. PART	18		331	4
FRANKLIN CO. PART	53	1		
SUNSET HILLS	17	1		
TRENTON	78	1	165	3
UNION	107	1		
VALLEY PARK	86			
VANDALIA	45	1		
WARRENSBURG	152		270	1
WASHINGTON	165	1	660	3
WEBB CITY	109	5	73	1
WELLSTON	194	5		
WENTZVILLE	56			
WEST PLAINS	80	3	350	3
WINDSOR	21		52	
WOODSON TERRACE	67	1		1


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,  
SEX AND COLOR OF CHILD, MISSOURI 1968

## AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	37,348	14,319	13,326	4,986	4,717
10-14 YEARS	169	22	15	67	65
15-19 YEARS	7,629	2,357	2,111	1,645	1,516
20-24 YEARS	13,894	5,631	5,228	1,544	1,491
25-29 YEARS	8,978	3,728	3,587	880	783
30-34 YEARS	3,933	1,537	1,463	462	471
35-39 YEARS	2,055	785	683	303	284
40-44 YEARS	638	234	223	79	102
45-49 YEARS	37	16	10	6	5
50 YEARS AND OVER					
UNKNOWN	15	9	6		
RURAL					
ALL AGES	36,956	18,209	17,275	752	720
10-14 YEARS	45	11	13	8	13
15-19 YEARS	6,046	2,854	2,742	230	220
20-24 YEARS	13,716	6,807	6,505	213	191
25-29 YEARS	9,524	4,803	4,455	132	134
30-34 YEARS	4,494	2,231	2,068	107	88
35-39 YEARS	2,338	1,120	1,115	46	57
40-44 YEARS	732	353	349	15	15
45-49 YEARS	47	27	19		1
50 YEARS AND OVER					
UNKNOWN	14	3	9	1	1
COMBINED TOTALS					
ALL AGES	74,304	32,528	30,601	5,738	5,437
10-14 YEARS	214	33	28	75	78
15-19 YEARS	13,675	5,211	4,853	1,875	1,736
20-24 YEARS	27,610	12,438	11,733	1,757	1,682
25-29 YEARS	18,502	8,531	8,042	1,012	917
30-34 YEARS	8,427	3,768	3,531	569	559
35-39 YEARS	4,393	1,905	1,798	349	341
40-44 YEARS	1,370	587	572	94	117
45-49 YEARS	84	43	29	6	6
50 YEARS AND OVER					
UNKNOWN	29	12	15	1	1

GRAPH B.  
FETAL DEATH RATES 1932-1968  
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1945	24.1	21.7	53.2	1958	16.1	14.7	24.8
1933	37.5	34.2	88.9	1946	23.6	21.4	51.2	1959	15.4	14.0	24.2
1934	33.9	31.3	73.9	1947	20.8	18.8	44.7	1960	15.2	13.8	24.3
1935	38.5	35.8	79.2	1948	20.7	18.7	42.7	1961	14.7	12.8	27.0
1936	36.0	33.4	74.7	1949	19.3	17.5	35.9	1962	15.1	13.2	26.5
1937	33.9	31.3	70.1	1950	19.2	17.2	37.2	1963	13.9	12.1	24.7
1938	35.0	32.0	76.4	1951	18.2	16.4	34.3	1964	15.5	13.3	28.7
1939	30.7	27.8	71.3	1952	17.5	16.1	29.7	1965	14.3	12.8	23.0
1940	32.5	29.8	69.5	1953	17.8	15.9	33.1	1966	13.3	11.7	21.7
1941	32.5	29.7	71.4	1954	17.2	15.9	27.7	1967	13.8	12.6	20.5
1942	28.9	26.2	65.0	1955	16.7	14.9	29.8	1968	15.1	13.4	24.9
1943	26.1	23.6	59.0	1956	16.6	15.4	25.4				
1944	26.1	23.3	59.8	1957	16.5	15.7	22.1				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.



TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1968

WEIGHT	TOTAL	RESIDENT WHITE	NON- WHITE	TOTAL	RECORDED WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	204	134	70	195	127	68
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	117	87	30	115	85	30
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	111	73	38	108	71	37
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	124	90	34	123	89	34
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	116	81	35	112	79	33
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	95	73	22	94	73	21
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	61	44	17	59	42	17
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	23	19	4	23	19	4
9 POUNDS 15 OUNCES OR MORE	22	17	5	22	17	5
UNKNOWN OR NOT STATED	254	231	23	309	276	33
TOTALS	1,127	849	278	1,160	878	282

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE				NON- WHITE TOTAL	NON-WHITE			
			LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT
STATE TOTAL	74,304	63,129	59,935	94.9	3,116	4.9	11,175	6,679	59.8	4,473	40.0
CITIES OVER 10,000	37,348	27,645	25,952	93.9	1,654	6.0	9,703	5,805	59.8	3,878	40.0
RURAL	36,956	35,484	33,983	95.8	1,462	4.1	1,472	874	59.4	595	40.4
COUNTIES INCL.											
CITIES OVER 10,000											
ADAIR	396	393	378	96.2	15	3.8	3	3	100.0	-	-
ANDREW	144	144	134	93.1	10	6.9	-	-	-	-	-
ATCHISON	125	125	119	95.2	6	4.8	-	-	-	-	-
AUDRAIN	383	354	343	96.9	11	3.1	29	15	51.7	14	48.3
BARRY	248	248	241	97.2	7	2.8	-	-	-	-	-
BARTON	124	124	120	96.8	4	3.2	-	-	-	-	-
BATES	190	182	174	95.6	8	4.4	8	7	87.5	1	12.5
BENTON	100	100	95	95.0	5	5.0	-	-	-	-	-
BOLLINGER	97	97	91	93.8	6	6.2	-	-	-	-	-
BOONE	1,323	1,242	1,195	96.2	47	3.8	81	45	55.6	36	44.4
BUCHANAN	1,342	1,290	1,197	92.8	93	7.2	52	22	42.3	30	57.7
BUTLER	467	432	400	92.6	32	7.4	35	10	28.6	25	71.4
CALDWELL	93	93	89	95.7	4	4.3	-	-	-	-	-
CALLAWAY	331	302	291	96.4	11	3.6	29	16	55.2	13	44.8
CAMDEN	136	136	129	94.9	7	5.1	-	-	-	-	-
CAPE GIRARDEAU	678	640	610	95.3	30	4.7	38	16	42.1	22	57.9
CARROLL	174	171	160	93.6	11	6.4	3	3	100.0	-	-
CARTER	64	64	59	92.2	5	7.8	-	-	-	-	-
CASS	666	661	642	97.1	18	2.7	5	4	80.0	1	20.0
CEDAR	117	117	114	97.4	3	2.6	-	-	-	-	-
CHARITON	150	139	130	93.5	8	5.8	11	4	36.4	7	63.6
CHRISTIAN	191	191	183	95.8	8	4.2	-	-	-	-	-
CLARK	129	129	120	93.0	9	7.0	-	-	-	-	-
CLAY	1,943	1,934	1,853	95.8	79	4.1	9	6	66.7	3	33.3
CLINTON	166	160	153	95.6	7	4.4	6	5	83.3	1	16.7
COLE	759	724	691	95.4	32	4.4	35	27	77.1	8	22.9
COOPER	187	179	171	95.5	8	4.5	8	3	37.5	5	62.5
CRAWFORD	235	235	222	94.5	13	5.5	-	-	-	-	-
DADE	53	53	46	86.8	7	13.2	-	-	-	-	-
DALLAS	104	104	98	94.2	6	5.8	-	-	-	-	-
DAVISS	94	94	86	91.5	8	8.5	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
DEKALB	90	90	88	97.8	2	2.2	-	-	-	-	-
DENT	125	125	119	95.2	6	4.8	-	-	-	-	-
DOUGLAS	131	131	125	95.4	6	4.6	-	-	-	-	-
DUNKLIN	515	476	446	93.7	27	5.7	39	14	35.9	25	64.1
FRANKLIN	944	934	905	96.9	28	3.0	10	9	90.0	1	10.0
GASCONADE	123	123	113	91.9	10	8.1	-	-	-	-	-
GENTRY	99	99	95	96.0	4	4.0	-	-	-	-	-
GREENE	2,499	2,441	2,327	95.3	113	4.6	58	41	70.7	17	29.3
GRUNDY	128	127	123	96.9	4	3.1	1	1	100.0	-	-
HARRISON	109	109	103	94.5	6	5.5	-	-	-	-	-
HENRY	214	209	196	93.8	13	6.2	5	1	20.0	4	80.0
HICKORY	39	39	39	100.0	-	-	-	-	-	-	-
HOLT	66	66	64	97.0	2	3.0	-	-	-	-	-
HOWARD	142	118	110	93.2	8	6.8	24	8	33.3	16	66.7
HOWELL	343	343	329	95.9	14	4.1	-	-	-	-	-
IRON	153	153	144	94.1	8	5.2	-	-	-	-	-
JACKSON	11,454	8,850	8,278	93.5	555	6.3	2,604	1,654	63.5	940	36.1
JASPER	1,263	1,245	1,193	95.8	49	3.9	18	15	83.3	3	16.7
JEFFERSON	1,877	1,855	1,803	97.2	50	2.7	22	17	77.3	5	22.7
JOHNSON	527	510	487	95.5	22	4.3	17	12	70.6	5	29.4
KNOX	78	76	71	93.4	5	6.6	2	2	100.0	-	-
LACLEDE	305	305	293	96.1	11	3.6	-	-	-	-	-
LAFAYETTE	373	357	333	93.3	22	6.2	16	13	81.3	3	18.8
LAWRENCE	323	323	311	96.3	12	3.7	-	-	-	-	-
LEWIS	145	135	124	91.9	11	8.1	10	7	70.0	2	20.0
LINCOLN	264	261	251	96.2	10	3.8	3	2	66.7	1	33.3
LINN	165	163	155	95.1	8	4.9	2	2	100.0	-	-
LIVINGSTON	227	224	215	96.0	9	4.0	3	2	66.7	1	33.3
MC DONALD	176	176	167	94.9	9	5.1	-	-	-	-	-
MACON	189	187	179	95.7	8	4.3	2	1	50.0	1	50.0
MADISON	112	112	100	89.3	12	10.7	-	-	-	-	-
MARIES	95	95	93	97.9	2	2.1	-	-	-	-	-
MARION	452	419	399	95.2	20	4.8	33	21	63.6	12	36.4
MERCER	31	31	31	100.0	-	-	-	-	-	-	-
MILLER	204	204	197	96.6	7	3.4	-	-	-	-	-
MISSISSIPPI	355	232	208	89.7	22	9.5	123	61	49.6	62	50.4

GRAND TOTAL INCLUDES NOT STATED



TABLE 8 (CONT) LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
MONITEAU	124	121	117	96.7	4	3.3	3	3	100.0	-	-
MONROE	131	122	120	98.4	2	1.6	9	4	44.4	5	55.6
MONTGOMERY	149	142	136	95.8	6	4.2	7	3	42.9	4	57.1
MORGAN	117	115	108	93.9	7	6.1	2	1	50.0	1	50.0
NEW MADRID	403	266	251	94.4	15	5.6	137	78	56.9	59	43.1
NEWTON	401	400	377	94.3	23	5.8	1	-	-	1	100.0
NODAWAY	289	289	279	96.5	8	2.8	-	-	-	-	-
OREGON	114	114	108	94.7	4	3.5	-	-	-	-	-
OSAGE	175	175	173	98.9	2	1.1	-	-	-	-	-
OZARK	72	72	70	97.2	2	2.8	-	-	-	-	-
PEMISCOT	546	310	284	91.6	25	8.1	236	116	49.2	120	50.8
PERRY	209	209	203	97.1	6	2.9	-	-	-	-	-
PETTIS	455	421	399	94.8	21	5.0	34	15	44.1	19	55.9
PHELPS	444	443	426	96.2	17	3.8	1	1	100.0	-	-
PIKE	287	263	240	91.3	22	8.4	24	12	50.0	12	50.0
PLATTE	479	477	458	96.0	18	3.8	2	2	100.0	-	-
POLK	186	185	179	96.8	6	3.2	1	1	100.0	-	-
PULASKI	338	323	293	90.7	30	9.3	15	13	86.7	2	13.3
PUTNAM	75	75	74	98.7	1	1.3	-	-	-	-	-
RALLS	92	89	88	98.9	1	1.1	3	2	66.7	1	33.3
RANDOLPH	320	297	278	93.6	19	6.4	23	10	43.5	13	56.5
RAY	218	210	199	94.8	10	4.8	8	6	75.0	2	25.0
REYNOLDS	90	90	86	95.6	4	4.4	-	-	-	-	-
RIPLEY	105	105	94	89.5	10	9.5	-	-	-	-	-
ST. CHARLES	1,832	1,814	1,756	96.8	58	3.2	18	13	72.2	5	27.8
ST. CLAIR	70	69	65	94.2	4	5.8	1	1	100.0	-	-
ST. FRANCOIS	553	549	515	93.8	34	6.2	4	4	100.0	-	-
STE. GENEVIEVE	192	191	187	97.9	4	2.1	1	1	100.0	-	-
ST. LOUIS COUNTY	14,516	13,711	13,251	96.6	449	3.3	805	549	68.2	253	31.4
ST. LOUIS CITY	12,366	6,031	5,504	91.3	511	8.5	6,335	3,676	58.0	2,650	41.8
SALINE	341	314	297	94.6	17	5.4	27	21	77.8	6	22.2
SCHUYLER	46	46	45	97.8	1	2.2	-	-	-	-	-
SCOTLAND	69	69	66	95.7	3	4.3	-	-	-	-	-
SCOTT	585	502	478	95.2	24	4.8	83	47	56.6	36	43.4
SHANNON	100	100	97	97.0	2	2.0	-	-	-	-	-
SHELBY	87	87	76	87.4	11	12.6	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STODDARD	382	352	327	92.9	25	7.1	30	16	53.3	14	46.7
STONE	122	122	117	95.9	5	4.1	-	-	-	-	-
SULLIVAN	91	91	87	95.6	4	4.4	-	-	-	-	-
TANEY	128	128	118	92.2	10	7.8	-	-	-	-	-
TEXAS	230	230	212	92.2	17	7.4	-	-	-	-	-
VERNON	224	224	217	96.9	7	3.1	-	-	-	-	-
WARREN	146	132	131	99.2	1	.8	14	12	85.7	2	14.3
WASHINGTON	281	277	256	92.4	21	7.6	4	1	25.0	3	75.0
WAYNE	106	106	100	94.3	6	5.7	-	-	-	-	-
WEBSTER	253	253	242	95.7	11	4.3	-	-	-	-	-
WORTH	42	42	39	92.9	3	7.1	-	-	-	-	-
WRIGHT	179	176	164	93.2	12	6.8	3	2	66.7	1	33.3

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BELLEFONTAINE NEIGHBORS	77	77	72	93.5	5	6.5					
BERKELEY	284	255	247	96.9	8	3.1	29	19	65.5	10	34.5
BRENTWOOD	233	223	214	96.0	9	4.0	10	10	100.0		
CAPE GIRARDEAU CITY	441	405	381	94.1	24	5.9	36	14	38.9	22	61.1
CARTHAGE	165	161	152	94.4	9	5.6	4	4	100.0		
CLAYTON	139	139	133	95.7	6	4.3					
COLUMBIA	871	801	772	96.4	29	3.6	70	39	55.7	31	44.3
CRESTWOOD	140	139	138	99.3	1	.7	1	1	100.0		
FERGUSON	388	383	367	95.8	16	4.2	5	5	100.0		
FLORISSANT	1,123	1,121	1,085	96.8	35	3.1	2	2	100.0		
FULTON	115	91	88	96.7	3	3.3	24	12	50.0	12	50.0
GLADSTONE	260	260	254	97.7	6	2.3					
HANNIBAL	303	274	258	94.2	16	5.8	29	17	58.6	12	41.4
INDEPENDENCE	1,780	1,776	1,715	96.6	57	3.2	4	2	50.0	2	50.0
JEFFERSON CITY	426	392	365	93.1	26	6.6	34	26	76.5	8	23.5
JENNINGS	243	241	233	96.7	8	3.3	2	2	100.0		
JOPLIN	627	613	585	95.4	25	4.1	14	11	78.6	3	21.4
KANSAS CITY	9,045	6,454	5,984	92.7	459	7.1	2,591	1,645	63.5	936	36.1
KIRKSVILLE	282	279	270	96.8	9	3.2	3	3	100.0		
KIRKWOOD	416	362	349	96.4	12	3.3	54	37	68.5	17	31.5
MAPLEWOOD	235	234	221	94.4	13	5.6	1	1	100.0		
MEXICO	191	174	166	95.4	8	4.6	17	7	41.2	10	58.8
MOBERLY	201	183	173	94.5	10	5.5	18	8	44.4	10	55.6
OVERLAND	445	435	409	94.0	25	5.7	10	6	60.0	4	40.0
POPLAR BLUFF	245	221	202	91.4	19	8.6	24	7	29.2	17	70.8
RAYTOWN	424	424	409	96.5	15	3.5					
RICHMOND HEIGHTS	192	157	150	95.5	7	4.5	35	22	62.9	13	37.1
ROLLA	206	205	196	95.6	9	4.4	1	1	100.0		
ST. ANN	313	312	295	94.6	17	5.4	1	1	100.0		
ST. CHARLES	734	723	705	97.5	18	2.5	11	7	63.6	4	36.4
ST. JOSEPH	1,124	1,072	986	92.0	86	8.0	52	22	42.3	30	57.7
ST. LOUIS CITY	12,366	6,031	5,504	91.3	511	8.5	6,335	3,676	58.0	2,650	41.8
SEDALIA	313	280	263	93.9	17	6.1	33	14	42.4	19	57.6
SIKESTON	259	210	198	94.3	12	5.7	49	24	49.0	25	51.0
SPRINGFIELD	1,974	1,916	1,824	95.2	91	4.7	58	41	70.7	17	29.3
UNIVERSITY CITY	479	367	346	94.3	21	5.7	112	97	86.6	14	12.5
WEBSTER GROVES	289	255	243	95.3	12	4.7	34	22	64.7	12	35.3

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1968

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	1	1	1	100.0							
JOPLIN-NEWTON	18	18	17	94.4	1	5.6					
KANSAS CITY-CLAY	979	979	947	96.7	31	3.2					
SIKESTON-NEW MADRID											
KANSAS CITY-PLATTE	175	175	170	97.1	5	2.9					

GRAND TOTAL INCLUDES NOT STATED



TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1968

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	19,577	433.7	18,033	1,544
2.	MALIGNANT NEOPLASMS (140-209)	8,397	186.0	7,549	848
3.	CEREBROVASCULAR DISEASE (430-438)	6,451	142.9	5,770	681
4.	ACCIDENTS (800-807,810-823,825-949)	2,857	63.2	2,576	281
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	2,171	48.1	1,881	290
6.	ARTERIOSCLEROSIS (440)	1,176	26.0	1,105	71
7.	DIABETES MELLITUS (250)	999	22.1	856	143
8.	BRONCHITIS, EMPHYSEMA & ASTHMA (490-493)	942	20.8	879	63
9.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	922	20.4	700	222
10.	CIRRHOSIS OF LIVER (571)	585	12.9	477	108
	ALL OTHER CAUSES	7,942		6,682	1,260
	TOTALS	52,019		46,508	5,511

TOTAL RESIDENT DEATHS - 52,019

ESTIMATED POPULATION JULY 1, 1968 - 4,513,474.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1968

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASE OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	922
2 CONGENITAL ANOMALIES (740-759)	225
3 INFLUENZA/PNEUMONIA (470-474,480-486)	156
4 ACCIDENTS (800-807,810-823,825-949)	61
5 HEART DIS. (390-398,402,404,410-429)	11
1-4 YEARS	
1 ACCIDENTS (800-807,810-823,825-949)	99
2 CONGENITAL ANOMALIES (740-759)	33
3 INFLUENZA/PNEUMONIA (470-474,480-486)	27
4 MALIGNANT NEOPLASMS (140-209)	16
5 HEART DIS. (390-398,402,404,410-429)	6
5-14 YEARS	
1 ACCIDENTS (800-807,810-823,825-949)	205
2 MALIGNANT NEOPLASMS (140-209)	55
3 CONGENITAL ANOMALIES (740-759)	28
4 INFLUENZA/PNEUMONIA (470-474,480-486)	19
5 HEART DIS. (390-398,402,404,410-429)	6
15-24 YEARS	
1 ACCIDENTS (800-807,810-823,825-949)	578
2 HOMICIDE (960-978)	84
3 MALIGNANT NEOPLASMS (140-209)	78
4 SUICIDE (950-959)	49
5 INFLUENZA/PNEUMONIA (470-474,480-486)	30
25-34-YEARS	
1 ACCIDENTS (800-807,810-823,825-949)	285
2 MALIGNANT NEOPLASMS (140-209)	109
3 HOMICIDE (960-978)	89
4 HEART DIS. (390-398,402,404,410-429)	60
5 SUICIDE (950-959)	48


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1968

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	358
2 HEART DIS. (390-398, 402, 404, 410-429)	343
3 ACCIDENTS (800-807, 810-823, 825-949)	236
4 SUICIDE (950-959)	94
5 HOMICIDE (960-978)	84
45-54 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	1,097
2 MALIGNANT NEOPLASMS (140-209)	963
3 ACCIDENTS (800-807, 810-823, 825-949)	267
4 CEREBROVASCULAR DISEASE (430-438)	215
5 CIRRHOSIS OF LIVER (571)	148
55-64 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	2,905
2 MALIGNANT NEOPLASMS (140-209)	1,937
3 CEREBROVASCULAR DISEASE (430-438)	611
4 ACCIDENTS (800-807, 810-823, 825-949)	303
5 BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	202
65-74 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	4,916
2 MALIGNANT NEOPLASMS (140-209)	2,436
3 CEREBROVASCULAR DISEASE (430-438)	1,447
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	369
5 BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	335
75-84 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	6,434
2 CEREBROVASCULAR DISEASE (430-438)	2,515
3 MALIGNANT NEOPLASMS (140-209)	1,866
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	668
5 ARTERIOSCLEROSIS (440)	434
85-YEARS & OVER	
1 HEART DIS. (390-398, 402, 404, 410-429)	3,765
2 CEREBROVASCULAR DISEASE (430-438)	1,536
3 MALIGNANT NEOPLASMS (140-209)	573
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	556
5 ARTERIOSCLEROSIS (440)	537

GRAPH C.  
MATERNAL DEATH RATES 1932-1968  
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1945	16.9	15.3	36.1	1958	3.6	2.9	8.5
1933	51.6	50.0	77.9	1946	13.8	11.9	36.7	1959	3.8	3.3	6.7
1934	58.5	55.3	109.6	1947	12.9	11.8	26.2	1960	5.1	3.9	12.9
1935	57.0	55.0	87.0	1948	10.1	8.9	23.4	1961	2.4	1.7	6.8
1936	61.0	60.0	85.0	1949	8.5	7.2	20.2	1962	4.6	4.2	6.9
1937	51.3	49.9	71.2	1950	8.2	6.8	20.5	1963	3.7	2.8	8.8
1938	38.2	36.6	61.3	1951	7.6	6.7	15.7	1964	4.1	2.6	12.6
1939	37.0	35.4	59.9	1952	7.1	6.1	16.3	1965	2.7	2.5	4.0
1940	36.5	35.0	56.7	1953	6.6	5.4	16.2	1966	2.1	1.8	3.3
1941	31.7	28.6	75.1	1954	4.9	4.1	11.0	1967	2.4	1.9	5.2
1942	24.3	23.2	38.0	1955	4.7	4.0	9.7	1968	2.0	1.4	5.3
1943	22.7	21.9	33.7	1956	5.5	3.8	17.3				
1944	20.9	18.4	50.6	1957	3.3	2.5	8.7				


Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.



TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1968

CAUSE OF DEATH	TOTAL	NUMBER		RATES		
		WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES (630-678)	15	9	6	2.0	1.4	5.3
ECTOPIC PREGNANCY (631)	2	2		.2	.3	
TOXEMIAS, EXCEPT ABORTION (636-639)	6	3	3	.8	.4	2.6
HEMORRHAGE (632,651-653)						
ABORTIONS (640-645)	1	1		.1	.1	
SEPSIS (670,671,673)	5	3	2	.6	.4	1.7
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	1		1	.1		.8
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						



MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1968

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	52,019	1,589	265	194	208	513	510	419	427	657	1,014
MALE	28,877	926	152	115	149	375	380	273	263	415	644
FEMALE	23,142	663	113	79	59	138	130	146	164	242	370
TOTAL WHITE	46,508	1,210	210	153	169	437	400	313	308	492	784
MALE	25,797	720	120	87	120	321	302	207	194	313	497
FEMALE	20,711	490	90	66	49	116	98	106	114	179	287
TOTAL NONWHITE	5,511	379	55	41	39	76	110	106	119	165	230
MALE	3,080	206	32	28	29	54	78	66	69	102	147
FEMALE	2,431	173	23	13	10	22	32	40	50	63	83
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	127			1				1	1	4	3
SYPHILIS AND ITS SEQUELAE (090-097)	13										
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	210	41	23	5	4	8	4	3	2		3
MALIGNANT NEOPLASMS (140-209)	8,397	5	16	30	25	42	36	41	68	135	223
DIGEST. ORGANS (150-209)	2,412	1			1	1	2	7	12	25	46
RESPIRATORY SYSTEM (160-163)	1,628						1	1	4	14	39
BREAST (174)	699							3	11	19	41
GENITAL ORGANS (180-187)	1,119			1	1	1	8	6	9	23	22
URINARY ORGANS (188-189)	365		2	1	1				2	3	5
LEUKEMIA (204-207)	378	3	6	8	9	14	8	7	5	11	12
OTHER (140-209)	1,796	1	8	20	13	26	17	17	25	40	58
DIABETES MELLITUS (250)	999	1		2		2	6	8	11	11	17
MAJOR CARDIOVASCULAR DISEASE (390-448)	28,061	21	8	3	6	20	18	30	62	141	301
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	19,577	11	6	2	4	11	12	17	43	101	242
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	378				1	4	4	6	9	7	14
HYPERTENSIVE HEART (402, 404)	562										13
ISCHEMIC HEART (410-414)	17,466				1	1	2	5	25	77	195
OTHER HEART DISEASE (420-429)	1,171	11	6	2	2	6	6	6	9	17	20

ALL AGES INCLUDES AGE UNKNOWN

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1968

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	284							1	4	4	5
CEREBROVASCULAR DISEASE (430-438)	6,451	8	2		1	8	5	11	12	33	46
ARTERIOSCLEROSIS (440)	1,176					1					1
OTHER CIRCULATORY (441-448)	573	2		1	1		1	1	3	3	7
INFLUENZA/PNEUMONIA (470-474,480-486)	2,171	156	27	11	8	14	16	9	5	24	25
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	942	2	1	4	2	5	1	2	2	5	11
PEPTIC ULCER (531-533)	246	1							2	3	3
CIRRHOSIS OF LIVER (571)	585					1		8	17	28	42
NEPHRITIS AND NEPHROSIS (580-584)	256			3	3	3	4	5	6	11	10
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	15					1	4	4		3	3
CONGENITAL ANOMALIES (740-759)	355	225	33	16	12	11	3	5	5	4	3
DISEASES OF EARLY INFANCY (760-769, 770-772, 774-778)	922	922									
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,485	56	8	3	1	6	11	10	9	24	42
ALL OTHER DISEASES (RESIDUAL)	3,330	93	47	19	29	28	33	35	49	53	101
ACCIDENTAL DEATHS											
(800-807, 810, 823, 825-949)	2,857	61	99	93	112	302	276	171	114	111	125
MOTOR VEHICLE (810-823)	1,437	17	40	54	42	231	218	125	72	64	75
OTHER TRANS. (800-807, 825-845)	92		2	4	9	7	9	11	6	9	4
POISONING (850-877)	59	3	7	3	1	5	7	2	4	4	3
FALLS (880-887)	541	3	5	2	3	2	3	2	1	6	9
FIRES (890-899)	215	5	15	7	4	3	8	6	5	2	13
DROWNING & SUBMERSIONS (910)	118	1	16	12	23	28	10	4	4	3	4
FIREARM MISSILES (922)	65		3	4	14	12	11	3	4	3	2
INDUSTRIAL TYPE (916-921, 923-928)	149	3	2	6	10	11	6	13	12	11	5
OTHER ACCIDENTS (900-949)	181	29	9	1	6	3	4	5	6	9	10
SUICIDE (950-959)	492			1	2	26	23	29	19	37	57
HOMICIDE (960-978)	391	2	1	2	2	31	53	46	43	50	34
ALL OTHER EXTERNAL CAUSES (980-999)	165	3	2	1	2	13	22	12	12	13	11

ALL AGES INCLUDES AGE UNKNOWN

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1968

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,528	2,204	3,324	4,477	5,424	6,616	7,633	6,859	5,001	2,404	722
MALE	942	1,422	2,167	2,893	3,373	3,831	4,050	3,239	2,134	852	260
FFEMALE	586	782	1,157	1,584	2,051	2,785	3,583	3,620	2,867	1,552	462
TOTAL WHITE	1,260	1,846	2,841	3,869	4,783	5,997	7,130	6,516	4,795	2,300	674
MALE	797	1,216	1,884	2,539	3,030	3,510	3,775	3,059	2,044	812	237
FEMALE	463	630	957	1,330	1,753	2,487	3,355	3,457	2,751	1,488	437
TOTAL NONWHITE	268	358	483	608	641	619	503	343	206	104	48
MALE	145	206	283	354	343	321	275	180	90	40	23
FFEMALE	123	152	200	254	298	298	228	163	116	64	25
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	12	8	16	19	19	10	16	10	5	1	1
SYPHILIS AND ITS SEQUELAE (090-097)			4	3	2	1	2	1			
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	7	9	13	7	13	21	21	11	12	2	1
MALIGNANT NEOPLASMS (140-209)	375	588	830	1,107	1,229	1,207	1,161	705	417	129	27
DIGEST. ORGANS (150-209)	80	139	211	284	347	369	412	253	163	51	7
RESPIRATORY SYSTEM (160-163)	78	152	213	326	296	208	173	78	28	14	3
BREAST (174)	55	69	100	72	81	77	80	45	31	11	4
GENITAL ORGANS (180-187)	54	77	74	99	150	201	180	109	76	25	3
URINARY ORGANS (188-189)	10	20	32	50	54	52	56	46	23	7	1
LEUKEMIA (204-207)	14	9	25	33	39	62	61	26	19	3	4
OTHER (140-209)	84	122	175	243	262	238	199	148	77	18	5
DIABETES MELLITUS (250)	27	46	68	102	131	192	180	107	68	19	
MAJOR CARDIOVASCULAR DISEASE (390-448)	518	862	1,477	2,198	2,846	3,904	4,869	4,782	3,659	1,797	527
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	399	698	1,179	1,726	2,154	2,762	3,342	3,092	2,307	1,124	334
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	27	46	60	53	47	37	25	19	10	6	3
HYPERTENSIVE HEART (402, 404)	9	9	19	28	39	82	105	113	80	53	12
ISCHEMIC HEART (410-414)	334	596	1,025	1,535	1,956	2,525	3,043	2,776	2,063	1,003	294
OTHER HEART DISEASE (420-429)	29	47	75	110	112	118	169	184	154	62	25

ALL AGES INCLUDES AGE UNKNOWN



TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1968

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	14	9	10	20	21	44	43	48	38	18	5
CEREBROVASCULAR DISEASE (430-438)	92	123	245	366	552	895	1,222	1,293	973	443	120
ARTERIOSCLEROSIS (440)	1	8	13	24	51	106	176	258	288	187	62
OTHER CIRCULATORY (441-448)	12	24	30	62	68	97	86	91	53	25	6
INFLUENZA/PNEUMONIA (470-474,480-486)	38	48	78	116	151	218	305	363	293	192	71
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	23	36	84	118	162	173	160	97	35	13	6
PEPTIC ULCER (531-533)	9	13	23	24	38	38	38	28	16	9	1
CIRRHOSIS OF LIVER (571)	62	86	96	85	73	37	33	10	5		1
NEPHRITIS AND NEPHROSIS (580-584)	10	10	23	27	24	22	27	33	20	13	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	8	6	4	7	4		3	2	4		
DISEASES OF EARLY INFANCY (760-769, 770-774, 775-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	69	101	148	160	171	191	172	136	94	41	26
ALL OTHER DISEASES (RESIDUAL)	128	165	231	284	359	431	461	391	243	112	37
ACCIDENTAL DEATHS (800-807, 810, 823, 825-949)	135	132	149	154	152	135	155	165	121	73	20
MOTOR VEHICLE (810-823)	73	82	73	77	73	39	44	23	9	5	
OTHER TRANS. (800-807, 825-845)	8	4	8	3	5	1		1		1	
POISONING (850-877)	6		4	4	1	2	1	1	1		
FALLS (880-887)	11	8	22	25	37	59	69	105	93	58	18
FIRES (890-899)	18	12	17	15	16	15	19	22	8	4	1
DROWNING & SUBMERSIONS (910)	5	2	1	1	1		1	1	1		
FIREARM MISSILES (922)	2	1			4		1	1			
INDUSTRIAL TYPE (916-921, 923-928)	7	12	15	14	6	5	5	4	1	1	
OTHER ACCIDENTS (900-949)	5	11	9	15	9	14	15	7	8	4	1
SUICIDE (950-959)	49	50	50	45	33	30	23	12	4	2	
HOMICIDE (960-978)	40	28	17	14	13	2	5	3	3		1
ALL OTHER EXTERNAL CAUSES (980-999)	18	16	13	7	4	4	2	3	2	1	1

ALL AGES INCLUDES AGE UNKNOWN

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1968

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT		RECORDED			
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.	INF.	MAT.		
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,513,434	52,019	1,589	15	52,834	1,655	17	11.5	21.4	2.0	11.7	21.5	2.2
COUNTIES INCL. CITIES													
ADAIR	18,699	251	6	-	434	13	-	13.4	15.2	-	23.2	19.6	-
ANDREW	9,735	135	2	-	64	-	-	13.9	13.9	-	6.6	-	-
ATCHISON	7,197	101	-	-	121	1	-	14.0	-	-	16.8	5.1	-
AUDRAIN	24,939	292	6	-	354	6	-	11.7	15.7	-	14.2	12.0	-
BARRY	15,231	284	2	-	249	1	-	18.6	8.1	-	16.3	4.1	-
BARTON	8,816	157	1	-	139	3	-	17.8	8.1	-	15.8	24.4	-
BATES	13,252	267	7	-	222	4	-	20.1	36.8	-	16.8	19.5	-
BENTON	7,502	153	3	1	93	-	-	20.4	30.0	100.0	12.4	-	-
BOLLINGER	7,187	118	2	-	52	-	-	16.4	20.6	-	7.2	-	-
BOONE	58,613	535	23	-	990	73	-	9.1	17.4	-	16.9	37.4	-
BUCHANAN	80,027	1,243	35	-	1,575	41	-	15.5	26.1	-	19.7	22.7	-
BUTLER	28,627	504	7	-	893	9	-	17.6	15.0	-	31.2	10.0	-
CALDWELL	7,121	144	2	-	60	-	-	20.2	21.5	-	8.4	-	-
CALLAWAY	22,139	274	6	-	349	2	-	12.4	18.1	-	15.8	13.2	-
CAMDEN	9,247	154	2	-	80	-	-	16.7	14.7	-	8.7	-	-
CAPE GIRARDEAU	40,544	470	13	-	686	20	-	11.6	19.2	-	16.9	16.6	-
CARROLL	11,308	197	6	-	159	8	-	17.4	34.5	-	14.1	58.4	-
CARTER	3,110	64	-	-	15	-	-	20.6	-	-	4.8	-	-
CASS	41,587	334	11	-	230	7	-	8.0	16.5	-	5.5	10.3	-
CEDAR	7,481	151	4	-	150	1	-	20.2	34.2	-	20.1	5.7	-
CHARITON	10,030	196	5	-	63	2	-	19.5	33.3	-	6.3	-	-
CHRISTIAN	11,177	149	3	-	60	-	-	13.3	15.7	-	5.4	-	-
CLARK	7,815	115	4	-	54	-	-	14.7	31.0	-	6.9	-	-
CLAY	154,722	701	31	-	697	21	-	4.5	16.0	-	4.5	13.8	-
CLINTON	10,448	169	3	-	159	3	-	16.2	18.1	-	15.2	25.9	-
COLE	41,866	383	12	-	629	12	-	9.1	15.8	-	15.0	9.0	-
COOPER	13,208	193	3	1	154	4	1	14.6	16.0	53.5	11.7	26.1	65.4
CRAWFORD	12,320	170	5	-	162	3	-	13.8	21.3	-	13.1	9.0	-
DADE	5,759	126	-	-	87	-	-	21.9	-	-	15.1	-	-
DALLAS	7,491	161	3	-	81	1	-	21.5	28.8	-	10.8	-	-
DAVISS	7,451	148	1	-	92	1	-	19.9	10.6	-	12.3	58.8	-
DEKALB	5,909	102	3	-	56	-	-	17.3	33.3	-	9.5	-	-
DENT	8,929	156	1	-	95	-	-	17.5	8.0	-	10.6	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1968

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	7,098	117	2	-	51	1	-	16.5	15.3	-	7.2	142.9	-
DUNKLIN	31,006	433	12	-	357	13	-	14.0	23.3	-	11.5	22.5	-
FRANKLIN	49,257	526	18	-	395	10	-	10.7	19.1	-	8.0	15.1	-
GASCONADE	10,761	184	2	-	146	3	-	17.1	16.3	-	13.6	38.5	-
GENTRY	6,711	161	1	-	151	1	-	24.0	10.1	-	22.5	7.2	-
GREENE	134,477	1,515	57	1	2,216	99	1	11.3	22.8	4.0	16.5	28.5	2.9
GRUNDY	10,125	217	4	-	221	3	-	21.4	31.3	-	21.8	18.2	-
HARRISON	8,769	199	5	-	187	3	-	22.7	45.9	-	21.3	28.3	-
HENRY	16,773	285	8	-	305	8	-	17.0	37.4	-	18.2	27.5	-
HICKORY	3,416	77	1	-	25	-	-	22.5	25.6	-	7.3	-	-
HOLT	5,905	129	3	-	44	-	-	21.8	45.5	-	7.5	-	-
HOWARD	9,267	148	4	-	147	2	-	16.0	28.2	-	15.9	16.8	-
HOWELL	19,109	325	10	-	355	5	-	17.0	29.2	-	18.6	10.5	-
IRON	6,427	108	3	-	154	4	-	16.8	19.6	-	24.0	26.1	-
JACKSON	632,398	7,224	266	1	7,974	306	2	11.4	23.2	.9	12.6	21.9	1.4
JASPER	70,729	1,190	40	2	1,191	38	2	16.8	31.7	15.8	16.8	27.0	14.2
JEFFERSON	105,869	667	27	-	534	8	-	6.3	14.4	-	5.0	16.6	-
JOHNSON	36,501	278	1	-	266	1	-	7.6	1.9	-	7.3	1.8	-
KNOX	5,260	92	2	-	48	-	-	17.5	25.6	-	9.1	-	-
LACLEDE	17,014	215	5	-	243	3	-	12.6	16.4	-	14.3	8.8	-
LAFAYETTE	22,749	359	4	-	283	1	-	15.8	10.7	-	12.4	3.3	-
LAWRENCE	21,081	320	5	-	344	2	-	15.2	15.5	-	16.3	7.1	-
LEWIS	10,303	150	2	-	81	-	-	14.6	13.8	-	7.9	-	-
LINCOLN	14,827	242	3	-	248	3	2	16.3	11.4	-	16.7	8.3	55.2
LINN	13,374	304	5	-	304	3	-	22.7	30.3	-	22.7	14.3	-
LIVINGSTON	13,752	207	4	-	265	4	-	15.1	17.6	-	19.3	12.8	-
MC DONALD	9,335	177	4	-	42	1	-	19.0	22.7	-	4.5	-	-
MACON	13,641	292	7	-	224	-	-	21.4	37.0	-	16.4	-	-
MADISON	7,444	138	1	-	235	6	-	18.5	8.9	-	31.6	9.9	-
MARIES	6,400	102	3	-	32	-	-	15.9	31.6	-	5.0	-	-
MARION	26,363	406	10	-	516	10	-	15.4	22.1	-	19.6	15.8	-
MERCER	4,183	93	1	-	65	-	-	22.2	32.3	-	15.5	-	-
MILLER	12,469	154	2	-	86	-	-	12.4	9.8	-	6.9	-	-
MISSISSIPPI	17,284	225	9	-	147	5	-	13.0	25.4	-	8.5	21.9	-
MONITEAU	9,311	157	1	-	74	1	-	16.9	8.1	-	7.9	500.0	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 (CONT) RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL DEATHS BY COUNTIES, WITH RATES, MISSOURI 1968

COUNTIES	POP.	NUMBER			RATES								
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,297	170	4	-	80	1	-	18.3	30.5	-	8.6	250.0	-
MONTGOMERY	9,979	173	3	-	63	-	-	17.3	20.1	-	6.3	-	-
MORGAN	7,972	155	3	-	98	-	-	19.4	25.6	-	12.3	-	-
NEW MADRID	23,635	328	22	-	142	10	-	13.9	54.6	-	6.0	122.0	-
NEWTON	28,533	342	9	-	396	8	-	12.0	22.4	-	13.9	16.0	-
NODAWAY	18,884	274	2	-	236	2	-	14.5	6.9	-	12.5	8.0	-
OREGON	7,525	139	2	-	68	-	-	18.5	17.5	-	9.0	-	-
OSAGE	9,577	148	4	-	57	1	-	15.5	22.9	-	6.0	-	-
OZARK	4,842	90	2	-	36	-	-	18.6	27.8	-	7.4	-	-
PEMISCOT	29,972	371	24	1	337	26	1	12.4	44.0	18.3	11.2	44.8	17.2
PERRY	12,736	204	3	-	220	6	-	16.0	14.4	-	17.3	15.9	-
PETTIS	34,718	484	10	-	489	11	1	13.9	22.0	-	14.1	20.3	18.5
PHELPS	26,105	300	12	-	365	12	-	11.5	27.0	-	14.0	19.6	-
PIKE	15,065	255	7	-	232	3	-	16.9	24.4	-	15.4	10.7	-
PLATTE	32,744	205	5	-	128	-	-	6.3	10.4	-	3.9	-	-
POLK	10,912	201	5	-	131	1	-	18.4	26.9	-	12.0	16.4	-
PULASKI	43,749	180	16	-	197	19	-	4.1	47.3	-	4.5	20.5	-
PUTNAM	5,071	107	1	-	95	1	-	21.1	13.3	-	18.7	11.8	-
RALLS	6,873	87	-	-	27	-	-	12.7	-	-	3.9	-	-
RANDOLPH	19,236	383	2	-	449	3	-	19.9	6.3	-	23.3	8.4	-
RAY	14,859	230	2	-	197	1	-	15.5	9.2	-	13.3	5.6	-
REYNOLDS	3,805	75	2	-	17	-	-	19.7	22.2	-	4.5	-	-
RIPLEY	6,810	127	2	-	103	2	-	18.6	19.0	-	15.1	32.8	-
ST. CHARLES	88,173	516	21	1	500	16	-	5.9	11.5	5.5	5.7	11.3	-
ST. CLAIR	6,372	127	2	-	106	-	-	19.9	28.6	-	16.6	-	-
ST. FRANCOIS	32,934	512	14	-	466	8	-	15.5	25.3	-	14.1	38.6	-
STE. GENEVIEVE	11,321	138	6	-	61	1	-	12.2	31.3	-	5.4	.0	-
ST. LOUIS COUNTY	1,068,692	6,687	239	3	5,185	157	1	6.3	16.5	2.1	4.9	13.4	.9
ST. LOUIS CITY	607,208	9,743	352	4	12,672	542	6	16.0	28.5	3.2	20.9	30.7	3.4
SALINE	21,804	319	6	-	305	3	-	14.6	17.6	-	14.0	10.9	-
SCHUYLER	4,050	81	-	-	37	-	-	20.0	-	-	9.1	-	-
SCOTLAND	5,327	76	1	-	25	-	-	14.3	14.5	-	4.7	-	-
SCOTT	29,440	377	12	-	351	15	-	12.8	20.5	-	11.9	23.8	-
SHANNON	5,768	89	4	-	37	-	-	15.4	40.0	-	6.4	-	-
SHELBY	7,659	163	2	-	73	-	-	21.3	23.0	-	9.5	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS, MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.



TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1968

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	23,752	357	7	-	190	7	-	15.0	18.3	-	8.0	26.1	-
STONE	6,608	121	2	-	42	-	-	18.3	16.4	-	6.4	-	-
SULLIVAN	6,392	157	1	-	136	1	-	24.6	11.0	-	21.3	20.0	-
TANEY	9,362	164	2	-	151	1	-	17.5	15.6	-	16.1	7.6	-
TEXAS	15,011	236	6	-	219	5	-	15.7	26.1	-	14.6	17.0	-
VERNON	17,241	272	3	-	379	2	-	15.8	13.4	-	22.0	12.0	-
WAKREN	9,070	115	1	-	58	-	-	12.7	6.8	-	6.4	-	-
WASHINGTON	12,614	153	9	-	109	5	-	12.1	32.0	-	8.6	19.6	-
WAYNE	6,713	124	1	-	47	2	-	18.5	9.4	-	7.0	.0	-
WEBSTER	11,675	194	7	-	96	-	-	16.6	27.7	-	8.2	-	-
WORTH	2,947	53	2	-	27	1	-	18.0	47.6	-	9.2	.0	-
WRIGHT	11,527	204	3	-	139	2	-	17.7	16.8	-	12.1	17.7	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	33,240	1,102	10	42,495	1,508	15
TOTAL CITIES 10,000 POP. AND OVER	26,164	900	8	34,260	1,296	11
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,076	202	2	8,235	212	4
CITIES 10,000 POP. AND OVER						
BELLEFONTAINE NEIGHBORS	115	-	-	25	-	-
BERKELEY	119	7	-	16	-	-
BRENTWOOD	98	3	-	7	-	-
CAPE GIRARDEAU CITY	269	10	-	599	20	-
CARTHAGE	166	6	1	233	11	-
CLAYTON	200	1	-	1,120	21	-
COLUMBIA	314	14	-	889	73	-
CRESTWOOD	75	2	-	5	-	-
FERGUSON	178	9	-	27	-	-
FLORISSANT	265	19	-	178	7	-
FULTON	125	4	-	290	2	-
GLADSTONE	36	1	-	12	1	-
HANNIBAL	310	6	-	480	9	-
MARION CO. PART	308	6	-	480	9	-
ROLLS CO. PART	2	-	-	-	-	-
INDEPENDENCE	751	23	-	567	14	-
JEFFERSON CITY	268	9	-	601	12	-
JENNINGS	240	5	-	32	-	-
JOPLIN	602	17	1	810	27	1
JASPER CO. PART	583	15	1	711	22	1
NEWTON CO. PART	19	2	-	99	5	-
KANSAS CITY	6,203	228	1	7,367	291	2
CLAY CO. PART	246	13	-	73	-	-
JACKSON CO. PART	5,908	214	1	7,272	291	2
PLATTE CO. PART	49	1	-	22	-	-
KIRKSVILLE	179	6	-	414	13	-
KIRKWOOD	323	7	-	441	14	-
MAPLEWOOD	184	3	-	25	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
MEXICO	168	4	-	315	6	-
MOBERLY	258	2	-	394	3	-
OVERLAND	230	9	-	39	-	-
POPLAR BLUFF	282	5	-	838	9	-
RAYTOWN	179	8	-	27	1	-
RICHMOND HEIGHTS	167	5	-	596	30	-
ROLLA	97	6	-	280	11	-
ST. ANN	99	5	-	4	-	-
ST. CHARLES	254	12	-	436	14	-
ST. JOSEPH	1,117	30	-	1,545	41	-
ST. LOUIS CITY	9,743	352	4	12,672	542	6
SEDALIA	337	5	-	431	11	1
STKESTON	151	5	-	289	14	-
NEW MADRID CO. PART	1	-	-	-	-	-
SCOTT CO. PART	150	5	-	289	14	-
SPRINGFIELD	1,229	52	1	2,119	99	1
UNIVERSITY CITY	524	10	-	87	-	-
WEBSTER GROVES.	309	10	-	50	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AUROPA	64	2	-	117	2	-
BALLWIN	50	5	-	11	-	-
BEL-RIDGE	21	1	-	3	-	-
BELTON	47	6	-	10	-	-
BETHANY	49	2	-	140	2	-
BLUE SPRINGS	52	2	-	12	-	-
BOLIVAR	62	3	-	48	-	-
BOONE TERRE	62	4	-	150	4	-
BOONVILLE	93	2	1	127	4	1
BOWLING GREEN	46	-	-	49	-	-
BRECKENRIDGE HILLS	21	1	-	2	-	-
BRIDGETON	84	3	-	10	-	-
BROOKFIELD	134	1	-	166	2	-
RUTLER	88	3	-	160	4	-
CALIFORNIA	60	-	-	34	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
CAMERON	57	-	-	98	2	-
CLINTON CO. PART	55	-	-	97	2	-
DE KALB CO. PART	2	-	-	1	-	-
CANTON	31	-	-	13	-	-
CARROLLTON	86	6	-	127	8	-
CARUTHERSVILLE	99	7	-	34	2	-
CENTRALIA	48	1	-	26	-	-
CHAFFEE	35	-	-	7	-	-
CHARLESTON	91	5	-	91	3	-
CHILLICOTHE	147	4	-	231	4	-
CLINTON	115	4	-	220	4	-
CREVE COEUR	107	11	-	534	36	1
CRYSTAL CITY	37	-	-	9	-	-
DELLWOOD	42	1	-	10	-	-
DESOTO	66	2	-	19	-	-
DES PERES	34	1	-	13	-	-
DEXTER	91	2	-	86	6	-
EAST PRAIRIE	47	-	-	15	-	-
ELDON	45	-	-	19	-	-
ELDORADO SPRINGS	69	-	-	123	1	-
ELLISVILLE	29	2	-	104	1	-
EXCELSIOR SPRINGS	111	2	-	125	1	-
CLAY CO. PART	110	2	-	125	1	-
RAY CO. PART	1	-	-	-	-	-
FARMINGTON	95	-	-	33	-	-
FAYETTE	58	-	-	113	2	-
FESTUS	70	-	-	27	-	-
FLAT RIVER	72	3	-	23	-	-
FREDERICKTOWN	69	1	-	213	6	-
FRONTENAC	25	1	-	2	-	-
GLENDALE	52	2	-	10	-	-
GRANDVIEW	57	5	-	23	-	-
HANLEY HILLS	25	-	-	1	-	-
HARRISONVILLE	54	1	-	107	3	-
HAYTI	74	3	-	243	21	1
HAZELWOOD	70	5	-	7	-	-



TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
HERMANN	39	2	-	73	3	-
HIGGINSVILLE	52	-	-	37	-	-
HILLSDALE VILLAGE	34	1	-	4	-	-
JACKSON	65	1	-	39	-	-
KENNETT	121	6	-	256	11	-
KINLOCH	50	2	-	1	-	-
LADUE	81	1	-	15	-	-
LAMAR	72	1	-	115	2	-
LERANON	119	3	-	201	3	-
LEE'S SUMMIT	76	1	-	21	-	-
LEXINGTON	91	2	-	128	1	-
LIBERTY	92	2	-	65	-	-
LOUISIANA	71	1	-	146	2	-
MACON	110	3	-	149	-	-
MALDEN	70	-	-	27	-	-
MARCELINE	58	-	-	117	1	-
MARSHALL	138	3	-	201	3	-
MARYVILLE	82	1	-	171	2	-
MOLINE ACRES	43	3	-	5	-	-
MONET	90	-	-	141	-	-
BARRY CO. PART	78	-	-	140	-	-
LAWRENCE CO. PART	12	-	-	1	-	-
MOUNTAIN GROVE	75	2	-	36	2	-
NEOSHO	101	2	-	143	1	-
NEVADA	156	-	-	169	1	-
NEW MADRID	37	-	-	18	-	-
NORMANDY	117	3	-	343	13	-
NORTH KANSAS CITY	64	3	-	288	15	-
NORTHWOODS	45	1	-	5	-	-
O'FALLON	34	2	1	6	1	-
OLIVETTE	56	-	-	7	-	-
PACIFIC	36	1	-	11	-	-
FRANKLIN CO. PART	31	1	-	10	-	-
ST. LOUIS CO. PART	5	-	-	1	-	-
PAGEDALE	46	2	-	2	-	-
PALMYRA	49	1	-	13	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1968

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PERRYVILLE	76	1	-	174	6	-
PINELAWN	73	-	-	11	-	-
PLEASANT HILL	35	-	-	5	-	-
PORTAGEVILLE	31	1	-	8	-	-
POTOSI	22	2	-	10	1	-
RICHMOND	88	-	-	37	-	-
RIVERVIEW	31	2	-	3	1	-
ROCK HILL	54	2	-	8	-	-
ST. CLAIR	32	-	-	6	-	-
ST. JOHN	53	1	-	4	-	-
STE. GENEVIEVE	54	2	-	22	1	-
SALEM	78	-	-	61	-	-
SHREWSBURY	56	-	-	9	-	-
SLATER	36	-	-	10	-	-
SUGAR CREEK	30	2	-	1	-	-
SULLIVAN	54	2	-	105	2	-
CRAWFORD CO. PART	5	1	-	94	2	-
FRANKLIN CO. PART	49	1	-	11	-	-
SUNSET HILLS	29	-	-	3	-	-
TRENTON	132	3	-	186	3	-
UNION	36	3	-	9	1	-
VALLEY PARK	45	5	-	38	-	-
VANDALIA	42	1	-	9	-	-
WARRENSBURG	106	-	-	193	-	-
WASHINGTON	88	2	-	257	7	-
WEBB CITY	103	3	-	94	5	1
WELLSTON	97	4	-	10	-	-
WENTZVILLE	24	1	-	9	-	-
WEST PLAINS	98	7	-	206	3	-
WINDSOR	32	2	-	49	3	-
WOODSON TERRACE	30	2	-	-	-	-

GRAPH D.  
INFANT DEATH RATES BY COLOR 1932-1968  
(per 1,000 live births)



INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1968

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR. UNDER 1 DAY	OVER 1 DAY UNDER 7 DAS	OVER 7 DAS UNDER 28 DAS	OVER 28 DAS UNDER 3 MOS	OVER 3 MOS UNDER 6 MOS	OVER 6 MOS UNDER 1 YEAR	UNK AGE
ALL CAUSES	WHITE	1,210	19.1	109	437	289	85	129	85	74	2
	NONWHITE	379	33.9	32	145	56	31	53	36	26	
	TOTAL	1,589	21.3	141	582	345	116	182	121	100	2
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	12	.1			1	2	4		5	
	NONWHITE	6	.5				1	2	1	2	
	TOTAL	18	.2			1	3	6	1	7	
INFLUENZA & PNEUMONIA (470-474, 480-486)	WHITE	92	1.4		3	7	9	36	27	10	
	NONWHITE	64	5.7		3		8	26	20	7	
	TOTAL	156	2.0		6	7	17	62	47	17	
CONGENITAL ANOMALIES (740-759)	WHITE	191	3.0	26	34	41	33	26	21	10	
	NONWHITE	34	3.0	2	6	7	8	7	3	1	
	TOTAL	225	3.0	28	40	48	41	33	24	11	
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	20	.3	3	5	8		4			
	NONWHITE	12	1.1		7	5					
	TOTAL	32	.4	3	12	13		4			
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	173	2.7	15	102	47	6	2	1		
	NONWHITE	43	3.8	6	29	7	1				
	TOTAL	216	2.9	21	131	54	7	2	1		
IMMATURITY, UNQUALIFIED (777)	WHITE	126	1.9	9	90	25	1		1		
	NONWHITE	104	9.3	15	65	18	5			1	
	TOTAL	230	3.0	24	155	43	6		1	1	
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	383	6.0	53	185	132	8	4			2
	NONWHITE	63	5.5	8	31	18	6				
	TOTAL	446	5.9	61	216	150	14	4			2
ALL OTHER CAUSES (RESIDUAL)	WHITE	213	3.3	3	18	28	26	53	35	49	2
	NONWHITE	53	4.7	1	4	1	2	18	12	15	
	TOTAL	266	3.5	4	22	29	28	71	47	64	2

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

NUMBER INCLUDES AGE UNKNOWN.



TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

TOTAL EST. POP. JULY 1, 1968 4,513,434	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000			
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	74,304	16.4	63,129	11,175	26,518	711	3,662	201
ATTENDED BY M.D.	66,511		55,853	10,658	22,409	474	3,084	169
ATTENDED BY D.O.	7,608		7,206	402	4,051	173	575	18
ATTENDED BY MIDWIFES	134		22	112	20	64		14
OTHERS OR UNSPECIFIED	51		48	3	38		3	
TOTAL FETAL DEATHS	1,127	15.1	849	278	326	21	65	5
ATTENDED BY M.D.	989		732	257	278	14	52	5
ATTENDED BY D.O.	122		112	10	46	4	13	
ATTENDED BY MIDWIFES	3		1	2	1	2		
OTHERS OR UNSPECIFIED	13		4	9	1	1		
TOTAL DEATHS	52,019	11.5	46,508	5,511	18,352	427	3,133	138
UNDER ONE YEAR OF AGE	1,589	21.3	1,210	379	454	33	86	4
NEONATAL DEATHS	1,184	15.9	920	264	339	12	67	4
MATERNAL DEATHS	15	2.0	9	6	4	1	1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	127	2.8	101	26	44	2	9	1
SYPHILIS AND ITS SEQUELAE (090-097)	13	.2	8	5	3			
OTHER INFECTIVE & PARASITIC DISEASES REMAINDER OF (000-136)	210	4.6	181	29	74	3	11	1
MALIGNANT NEOPLASMS (140-209)	8,397	186.0	7,549	848	2,831	51	489	15
DIGEST. ORGANS (150-159)	2,412	53.4	2,148	264	789	17	153	5
RESPIRATORY SYSTEM (160-163)	1,628	36.0	1,494	134	546	5	99	1
BREAST (174)	699	15.4	632	67	239	4	32	
GENITAL ORGANS (180-187)	1,119	24.7	990	129	391	10	66	3
URINARY ORGANS (188-189)	365	8.0	341	24	122	1	20	1
LEUKEMIA (204-207)	378	8.3	345	33	141	3	21	1
OTHER REMAINDER OF (140-209)	1,796	39.7	1,599	197	603	11	98	4
DIABETES MELLITUS (250)	999	22.1	856	143	349	10	63	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	28,061	621.7	25,670	2,391	10,192	198	1,766	75
DISEASES OF HEART (390-398, 402, 404, 410-429)	19,577	433.7	18,033	1,544	7,070	132	1,233	55

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	378	8.3	344	34	112	5
HYPERTENSIVE HEART (402,404)	562	12.4	476	86	230	9
ISCHEMIC HEART (410-414)	17,466	386.9	16,187	1,279	6,185	104
OTHER HEART DISEASE (420-429)	1,171	25.9	1,026	145	543	14
HYPERTENSION (400,401,403)	284	6.2	237	47	105	2
CEREBROVASCULAR DISEASE (430-438)	6,451	142.9	5,770	681	2,369	56
ARTERIOSCLEROSIS (440)	1,176	26.0	1,105	71	446	6
OTHER CIRCULATORY (441-448)	573	12.6	525	48	202	2
INFLUENZA/PNEUMONIA (470-474,480-486)	2,171	48.1	1,881	290	800	27
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	942	20.8	879	63	340	5
PEPTIC ULCER (531-533)	246	5.4	223	23	80	2
CIRRHOSIS OF LIVER (571)	585	12.9	477	108	114	5
NEPHRITIS AND NEPHROSIS (580-584)	256	5.6	210	46	87	3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	15	.3	9	6	4	1
CONGENITAL ANOMALIES (740-759)	355	7.8	303	52	106	3
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	922	20.4	700	222	254	10
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,485	32.9	1,246	239	490	30
ALL OTHER DISEASES (RESIDUAL)	3,330	73.7	2,883	447	1,087	38
ACCIDENTAL DEATHS						
(800-807,810,823,825-949)	2,857	63.2	2,576	281	1,230	26
MOTOR VEHICLE (810-823)	1,437	31.8	1,321	116	700	15
OTHER TRANS. (800-807,825-845)	92	2.0	88	4	43	
POISONING (850-877)	59	1.3	47	12	17	
FALLS (880-887)	541	11.9	499	42	165	2
FIRES (890-899)	215	4.7	180	35	83	4
DROWNING & SUBMERSIONS (910)	118	2.6	100	18	42	1
FIREARM MISSILES (922)	65	1.4	53	12	27	
INDUSTRIAL TYPE (916-921,923-928)	149	3.3	135	14	86	2
OTHER ACCIDENTS (900-949)	181	4.0	153	28	67	2
SUICIDE (950-959)	492	10.9	478	14	186	3
HOMICIDE (960-978)	391	8.6	167	224	52	8
ALL OTHER EXTERNAL CAUSES (980-999)	165	3.6	111	54	29	2

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	5,304	560	2,548	129	3,937	214	3,544	208
ATTENDED BY M.D.	4,812	489	2,119	88	3,681	207	3,305	190
ATTENDED BY D.O.	490	69	426	13	255	3	239	18
ATTENDED BY MIDWIFES	1	1		28	1	4		
OTHERS OR UNSPECIFIED	1	1	3					
TOTAL FETAL DEATHS	75	15	32	2	59	8	52	5
ATTENDED BY M.D.	67	12	28	2	55	8	44	5
ATTENDED BY D.O.	8	3	4		4		8	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,549	256	1,633	118	2,641	124	1,933	148
UNDER ONE YEAR OF AGE	95	17	46	1	74	8	73	3
NEONATAL DEATHS	76	15	34	1	56	7	58	3
MATERNAL DEATHS	1		1				1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4		1	3	4		6	
SYPHILIS AND ITS SEQUELAE (090-097)	2							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	13	1	3	1	12	1	8	1
MALIGNANT NEOPLASMS (140-209)	585	28	291	17	462	16	340	26
DIGEST. ORGANS (150-159)	158	8	87	2	134	4	90	8
RESPIRATORY SYSTEM (160-163)	121	7	54	5	83		86	3
BREAST (174)	47	3	21	2	45	1	31	3
GENITAL ORGANS (180-187)	80	5	44	2	53	5	31	5
URINARY ORGANS (188-189)	34	1	13	2	27		10	
LEUKEMIA (204-207)	27	2	9	1	21		19	2
OTHER REMAINDER OF (140-209)	118	2	63	3	99	6	73	5
DIABETES MELLITUS (250)	59	7	25	2	44	5	32	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,035	115	856	55	1,459	65	1,004	59
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,412	75	601	39	1,011	43	717	39

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	NON- WHITE		NON- WHITE		NON- WHITE		NON- WHITE	
	WHITE	WHITE	WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	23	5	18	1	19	2	11	
HYPERTENSIVE HEART (402,404)	49	3	17	4	11		17	1
ISCHEMIC HEART (410-414)	1,248	60	537	29	943	38	656	32
OTHER HEART DISEASE (420-429)	92	7	29	5	38	3	33	6
HYPERTENSION (400,401,403)	16	3	6	2	16		12	1
CEREBROVASCULAR DISEASE (430-438)	492	31	201	12	346	20	215	15
ARTERIOSCLEROSIS (440)	82	5	31	1	53	1	37	3
OTHER CIRCULATORY (441-448)	33	1	17	1	33	1	23	1
INFLUENZA/PNEUMONIA (470-474,480-486)	126	8	75	3	93	7	67	9
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	62	3	32	1	45	1	40	
PEPTIC ULCER (531-533)	18	2	4	1	10	1	9	
CIRRHOSIS OF LIVER (571)	37	2	14	1	30	1	25	7
NEPHRITIS AND NEPHROSIS (580-584)	16	1	5	3	13		12	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1		1				1	
CONGENITAL ANOMALIES (740-759)	23	4	16		17		23	2
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	55	11	23	1	41	7	40	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	87	26	52	10	80	6	64	9
ALL OTHER DISEASES (RESIDUAL)	184	23	125	9	153	7	112	16
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	192	10	87	6	133	6	115	7
MOTOR VEHICLE (810-823)	104	3	41	3	65	1	49	5
OTHER TRANS. (800-807,825-845)	7	1	2		9		7	
POISONING (850-877)	2		3		4	1	10	
FALLS (880-887)	35		18	1	22	1	25	
FIRES (890-899)	9	2	11	1	7	2	4	2
DROWNING & SUBMERSIONS (910)	10	1	1		7	1	6	
FIREARM MISSILES (922)	2		2		2		4	
INDUSTRIAL TYPE (916-921,923-928)	7		4		9		3	
OTHER ACCIDENTS (900-949)	16	3	5	1	8		7	
SUICIDE (950-959)	37	1	21	1	31		20	
HOMICIDE (960-978)	11	9		4	8	1	9	4
ALL OTHER EXTERNAL CAUSES (980-999)	2	5	2		6		6	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,143	116	2,988	110	6,454	2,591	6,031	6,335
ATTENDED BY M.D.	2,007	114	2,902	109	5,635	2,488	5,899	6,330
ATTENDED BY D.O.	135	2	86		819	102	130	4
ATTENDED BY MIDWIFES								1
OTHERS OR UNSPECIFIED	1			1		1	2	
TOTAL FETAL DEATHS	29	2	39	2	89	45	83	173
ATTENDED BY M.D.	26	2	37	2	64	43	81	164
ATTENDED BY D.O.	3		2		23	1	1	2
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					2	1	1	7
TOTAL DEATHS	1,245	30	2,277	69	4,933	1,270	6,812	2,931
UNDER ONE YEAR OF AGE	31	2	78	4	140	88	133	219
NEONATAL DEATHS	25	1	58	4	107	64	100	153
MATERNAL DEATHS				1	1			4
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			9		12	6	12	14
SYPHILIS AND ITS SEQUELAE (090-097)			1		1	4	1	1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	5		11	1	19	7	25	13
MALIGNANT NEOPLASMS (140-209)	216	6	370	6	834	204	1,131	479
DIGEST. ORGANS (150-159)	67	1	98	4	253	67	319	148
RESPIRATORY SYSTEM (160-163)	42	3	61	1	165	25	237	84
BREAST (174)	11		37		62	11	107	43
GENITAL ORGANS (180-187)	21		50	1	110	28	144	70
URINARY ORGANS (188-189)	8	1	19		34	7	54	11
LEUKEMIA (204-207)	10		15		40	12	42	12
OTHER REMAINDER OF (140-209)	57	1	90		170	54	228	111
DIABETES MELLITUS (250)	16		36	5	78	32	154	75
MAJOR CARDIOVASCULAR DISEASE (390-448)	691	8	1,247	32	2,512	457	3,908	1,327
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	505	8	842	17	1,738	299	2,904	837

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	15		23	1	41	4	51	14
HYPERTENSIVE HEART (402,404)	3	1	29		29	23	62	40
ISCHEMIC HEART (410-414)	467	7	755	15	1,571	238	2,711	712
OTHER HEART DISEASE (420-429)	20		35	1	97	34	80	71
HYPERTENSION (400,401,403)	7		6	3	16	10	29	26
CEREBROVASCULAR DISEASE (430-438)	126		294	8	589	119	749	402
ARTERIOSCLEROSIS (440)	31		69	4	114	13	161	36
OTHER CIRCULATORY (441-448)	22		36		55	16	65	26
INFLUENZA/PNEUMONIA (470-474,480-486)	44	1	84	1	188	67	261	159
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	22	3	44		112	16	128	34
PEPTIC ULCER (531-533)	4		15		29	3	41	14
CIRRHOSIS OF LIVER (571)	11		21	2	60	17	149	71
NEPHRITIS AND NEPHROSIS (580-584)	6	1	9	1	27	12	17	22
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1	1			4
CONGENITAL ANOMALIES (740-759)	10	1	13	1	40	16	38	25
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	19	1	51	3	83	50	75	132
SYMPTOMS & ILL-DEFINED COND. (780-796)	38	1	99	8	217	123	39	18
ALL OTHER DISEASES (RESIDUAL)	82	4	137	5	379	95	430	244
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	55	3	94	1	233	75	273	138
MOTOR VEHICLE (810-823)	26	3	45		95	37	108	48
OTHER TRANS. (800-807,825-845)	2		3		5	1	4	2
POISONING (850-877)	1		2		2	3	5	6
FALLS (880-887)	17		18		62	11	100	27
FIRES (890-899)	1		5		26	5	24	19
DROWNING & SUBMERSIONS (910)	3		1		6	3	14	8
FIREARM MISSILES (922)	1		1		6	3	3	7
INDUSTRIAL TYPE (916-921,923-928)	3		8	1	10	2	4	9
OTHER ACCIDENTS (900-949)	1		11		21	10	11	12
SUICIDE (950-959)	14		30	1	70	4	54	4
HOMICIDE (960-978)	5		3	1	32	75	35	119
ALL OTHER EXTERNAL CAUSES (980-999)	7	1	3		6	7	41	38

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	393	3	144		125		354	29
ATTENDED BY M.D.	66		136		125		253	19
ATTENDED BY D.O.	327	3	8				94	10
ATTENDED BY MIDWIFES							5	
OTHERS OR UNSPECIFIED							2	
TOTAL FETAL DEATHS	1		1		1		4	1
ATTENDED BY M.D.					1		3	1
ATTENDED BY D.O.	1		1				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	249	2	134	1	101		258	34
UNDER ONE YEAR OF AGE	6		2				6	
NEONATAL DEATHS	4		1				5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				2	
MALIGNANT NEOPLASMS (140-209)	41		27		21		53	4
DIGEST. ORGANS (150-159)	12		5		3		14	2
RESPIRATORY SYSTEM (160-163)	4		5		3		8	
BREAST (174)	3		4		4		6	
GENITAL ORGANS (180-187)	7		5		4		5	
URINARY ORGANS (188-189)	1		3		2		3	1
LEUKEMIA (204-207)	4		1		1		3	
OTHER REMAINDER OF (140-209)	10		4		4		14	1
DIABETES MELLITUS (250)	2		1		2		4	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	145	1	81		60		128	19
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	95	1	53		38		89	14

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		2					
HYPERTENSIVE HEART (402,404)			1				1	1
ISCHEMIC HEART (410-414)	89	1	49		37		82	12
OTHER HEART DISEASE (420-429)	2		1		1		6	1
HYPERTENSION (400,401,403)	1				1		4	1
CEREBROVASCULAR DISEASE (430-438)	40		26		9		31	4
ARTERIOSCLEROSIS (440)	6		2		10		2	
OTHER CIRCULATORY (441-448)	3				2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7	1	8		7		15	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5				2		12	
PEPTIC ULCER (531-533)			1				4	
CIRRHOSIS OF LIVER (571)	3				1			
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4						1	
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	2		1				4	
SYMPTOMS & ILL-DEFINED COND. (780-796)			1				7	2
ALL OTHER DISEASES (RESIDUAL)	19		4	1	4		14	4
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	12		8		4		10	3
MOTOR VEHICLE (810-823)	3		3		3		9	2
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)								
FALLS (880-887)	3		3					
FIRES (890-899)	3							
DROWNING & SUBMERSIONS (910)			1					1
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)			1		1			
OTHER ACCIDENTS (900-949)	3						1	
SUICIDE (950-959)	7						2	
HOMICIDE (960-978)			1					
ALL OTHER EXTERNAL CAUSES (980-999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	248		124		182	8	100	
ATTENDED BY M.D.	202		120		171	8	51	
ATTENDED BY D.O.	46		3		11		49	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	4				4		1	
ATTENDED BY M.D.	4				4			
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	284		157		266	1	153	
UNDER ONE YEAR OF AGE	2		1		7		3	
NEONATAL DEATHS	1		1		5		3	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				4			
MALIGNANT NEOPLASMS (140-209)	52		26		26		23	
DIGEST. ORGANS (150-159)	21		6		3		6	
RESPIRATORY SYSTEM (160-163)	10		4		3		5	
BREAST (174)	2				3		1	
GENITAL ORGANS (180-187)	6		9		5		1	
URINARY ORGANS (188-189)	2		2		1		2	
LEUKEMIA (204-207)	3				2		1	
OTHER REMAINDER OF (140-209)	8		5		9		7	
DIABETES MELLITUS (250)	4		3		7		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	152		84		153	1	91	
DISEASES OF HEART (390-398, 402, 404, 410-429)	104		55		120	1	47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		1		5		1	
HYPERTENSIVE HEART (402,404)	2				3			
ISCHEMIC HEART (410-414)	83		51		100		41	
OTHER HEART DISEASE (420-429)	15		3		12	1	5	
HYPERTENSION (400,401,403)	2						2	
CEREBROVASCULAR DISEASE (430-438)	26		25		26		34	
ARTERIOSCLEROSIS (440)	13		3		4		8	
OTHER CIRCULATORY (441-448)	7		1		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	15		14		16		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		3		4		5	
PEPTIC ULCER (531-533)	2				2			
CIRRHOSIS OF LIVER (571)	3		1		1		1	
NEPHRITIS AND NEPHROSIS (580-584)			2		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)			1		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		1		5		3	
ALL OTHER DISEASES (RESIDUAL)	16		9		19		8	
ACCIDENTAL DEATHS (800-807,810,823,825-949)	18		11		22		9	
MOTOR VEHICLE (810-823)	9		8		12		7	
OTHER TRANS. (800-807,825-845)	1				1			
POISONING (850-877)								
FALLS (880-887)	2		2		4		1	
FIRES (890-899)	3				1			
DROWNING & SUBMERSIONS (910)					1		1	
FIREARM MISSILES (922)	2				1			
INDUSTRIAL TYPE (916-921,923-928)			1		2			
OTHER ACCIDENTS (900-949)	1							
SUICIDE (950-959)	1		1					
HOMICIDE (960-978)								
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	97		1,242	81	1,290	52	432	35
ATTENDED BY M.D.	63		1,227	81	1,261	51	385	26
ATTENDED BY D.O.	34		15		29		45	2
ATTENDED BY MIDWIFES							1	7
OTHERS OR UNSPECIFIED						1	1	
TOTAL FETAL DEATHS	1		17	2	19	1	4	1
ATTENDED BY M.D.	1		16	2	18	1	4	1
ATTENDED BY D.O.			1		1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118		487	48	1,202	41	467	37
UNDER ONE YEAR OF AGE	2		23		33	2	7	
NEONATAL DEATHS	1		19		23	2	6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		3			
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2	1	6	1		
MALIGNANT NEOPLASMS (140-209)	9		77	10	198	3	60	5
DIGEST. ORGANS (150-159)	2		14	3	59	1	15	1
RESPIRATORY SYSTEM (160-163)	2		21	1	33	1	15	
BREAST (174)	2		10	1	18		3	1
GENITAL ORGANS (180-187)	1		11	2	29	1	8	1
URINARY ORGANS (188-189)					7		3	
LEUKEMIA (204-207)			6		10		6	
OTHER REMAINDER OF (140-209)	2		15	3	42		10	2
DIABETES MELLITUS (250)	2		3	2	23	4	10	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	82		270	20	642	17	273	17
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49		180	11	453	11	201	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			6		13	1		
HYPERTENSIVE HEART (402,404)	1		1		25		1	
ISCHEMIC HEART (410-414)	41		162	10	394	10	190	10
OTHER HEART DISEASE (420-429)	7		11	1	21		10	
HYPERTENSION (400,401,403)			1		7	2		
CEREBROVASCULAR DISEASE (430-438)	30		76	7	142	3	63	7
ARTERIOSCLEROSIS (440)	1		9	1	17	1	7	
OTHER CIRCULATORY (441-448)	2		4	1	23		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		21	6	51		16	3
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		9	1	22		18	
PEPTIC ULCER (531-533)					8		2	1
CIRRHOSIS OF LIVER (571)	1		2		11	1	5	
NEPHRITIS AND NEPHROSIS (580-584)	1		2		3	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4	1	5	1	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		12		22	1	6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		2		50	6	27	4
ALL OTHER DISEASES (RESIDUAL)	9		32	5	86	3	27	2
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	4		37	2	52	1	16	3
MOTOR VEHICLE (810-823)	3		17	2	27		8	2
OTHER TRANS. (800-807,825-845)			1				3	
POISONING (850-877)			3		2			
FALLS (880-887)			10		7		1	
FIRES (890-899)			2		2			
DROWNING & SUBMERSIONS (910)							1	
FIREARM MISSILES (922)			1		1			
INDUSTRIAL TYPE (916-921,923-928)			2		5	1	2	
OTHER ACCIDENTS (900-949)	1		1		8		1	1
SUICIDE (950-959)			8		17	1	1	
HOMICIDE (960-978)			2		1	1	4	
ALL OTHER EXTERNAL CAUSES (980-999)			2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	93		302	29	136		640	38
ATTENDED BY M.D.	62		247	23	93		604	38
ATTENDED BY D.O.	31		54	6	43		36	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	1		5		2		8	
ATTENDED BY M.D.	1		5		2		7	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	144		245	29	154		443	27
UNDER ONE YEAR OF AGE	2		6		2		7	6
NEONATAL DEATHS	2		5		2		5	6
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		1	
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		3	1
MALIGNANT NEOPLASMS (140-209)	29		40	3	19		85	4
DIGEST. ORGANS (150-159)	12		13		4		29	1
RESPIRATORY SYSTEM (160-163)	2		3	1	3		11	
BREAST (174)	3		3	1	2		7	
GENITAL ORGANS (180-187)	1		5	1	2		7	3
URINARY ORGANS (188-189)	1		2		1		4	
LEUKEMIA (204-207)	1		1		4		5	
OTHER REMAINDER OF (140-209)	9		13		3		22	
DIABETES MELLITUS (250)			5		5		7	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	84		120	14	94		259	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63		73	10	63		184	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)				1	1		5	2
HYPERTENSIVE HEART (402,404)			3	3	3		5	1
ISCHEMIC HEART (410-414)	58		65	5	58		166	2
OTHER HEART DISEASE (420-429)	5		5	1	1		8	1
HYPERTENSION (400,401,403)	2		1				4	
CEREBROVASCULAR DISEASE (430-438)	15		38	3	22		58	4
ARTERIOSCLEROSIS (440)	3		5	1	7		9	
OTHER CIRCULATORY (441-448)	1		3		2		4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	8		14		5		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		4		7	
PEPTIC ULCER (531-533)	1		1				3	
CIRRHOSIS OF LIVER (571)			1		1		3	
NEPHRITIS AND NEPHROSIS (580-584)				1				
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		3		2		3	6
SYMPTOMS & ILL-DEFINED COND. (780-796)			12		2		16	1
ALL OTHER DISEASES (RESIDUAL)	10		19	6	6		18	1
ACCIDENTAL DEATHS (800-807,810,823,825-949)	4		19	2	9		24	2
MOTOR VEHICLE (810-823)	3		9		7		14	
OTHER TRANS. (800-807,825-845)							1	
POISONING (850-877)								1
FALLS (880-887)			4		1		4	
FIRES (890-899)			2	1			1	
DROWNING & SUBMERSIONS (910)			1		1		1	
FIREARM MISSILES (922)			2				1	1
INDUSTRIAL TYPE (916-921,923-928)	1		1				2	
OTHER ACCIDENTS (900-949)				1				
SUICIDE (950-959)	4		3	1	3		1	
HOMICIDE (960-978)			1	2	1		1	
ALL OTHER EXTERNAL CAUSES (980-999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	171	3	64		661	5	117	
ATTENDED BY M.D.	133	1	59		510	5	78	
ATTENDED BY D.O.	38	2	5		151		39	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1	1			10		4	
ATTENDED BY M.D.	1	1			6		3	
ATTENDED BY D.O.					4		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	195	2	64		330	4	151	
UNDER ONE YEAR OF AGE	6				10	1	4	
NEONATAL DEATHS	5				8	1	4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3				2		1	
MALIGNANT NEOPLASMS (140-209)	27		12		48		19	
DIGEST. ORGANS (150-159)	6		4		21		9	
RESPIRATORY SYSTEM (160-163)	6		1		8		1	
BREAST (174)							1	
GENITAL ORGANS (180-187)	5				4		4	
URINARY ORGANS (188-189)			1		3			
LEUKEMIA (204-207)	1		2		4		1	
OTHER REMAINDER OF (140-209)	9		4		8		3	
DIABETES MELLITUS (250)	4		1		8		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	112	2	34		175	3	98	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	83	1	25		119	1	57	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		1			
HYPERTENSIVE HEART (402,404)	3		1					
ISCHEMIC HEART (410-414)	70	1	23		113	1	53	
OTHER HEART DISEASE (420-429)	9				5		4	
HYPERTENSION (400,401,403)					1		3	
CEREBROVASCULAR DISEASE (430-438)	21	1	7		46	2	36	
ARTERIOSCLEROSIS (440)	6		1		4		1	
OTHER CIRCULATORY (441-448)	2		1		5		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		3		7		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		10		1	
PEPTIC ULCER (531-533)					1		1	
CIRRHOSIS OF LIVER (571)	1				1			
NEPHRITIS AND NEPHROSIS (580-584)	1		4		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6				6	1	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		3		14			
ALL OTHER DISEASES (RESIDUAL)	14		2		16		9	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	10		2		32		8	
MOTOR VEHICLE (810-823)	7				14		5	
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)								
FALLS (880-887)	2		1		6		1	
FIRES (890-899)					5		1	
DROWNING & SUBMERSIONS (910)					3			
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)	1		1		1		1	
OTHER ACCIDENTS (900-949)					3			
SUICIDE (950-959)					4			
HOMICIDE (960-978)	1		1				1	
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	139	11	191		129		1,934	9
ATTENDED BY M.D.	105	9	181		111		1,744	7
ATTENDED BY D.O.	34	2	9		18		190	2
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	4		1				24	
ATTENDED BY M.D.	3		1				17	
ATTENDED BY D.O.	1						7	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	177	19	148	1	115		689	12
UNDER ONE YEAR OF AGE	4	1	3		4		31	
NEONATAL DEATHS	3		3		3		22	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		2		5	
MALIGNANT NEOPLASMS (140-209)	26	1	21	1	12		125	3
DIGEST. ORGANS (150-159)	10	1	6	1	4		43	1
RESPIRATORY SYSTEM (160-163)	2		1		2		18	1
BREAST (174)	2		1		1		4	
GENITAL ORGANS (180-187)	3		4		3		22	
URINARY ORGANS (188-189)	1		2				5	1
LEUKEMIA (204-207)	1						9	
OTHER REMAINDER OF (140-209)	7		7		2		24	
DIABETES MELLITUS (250)	3		3		5		10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	101	9	80		65		363	6
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	7	50		47		229	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				5	1
HYPERTENSIVE HEART (402,404)	1	1	1		1		5	
ISCHEMIC HEART (410-414)	54	5	45		44		209	4
OTHER HEART DISEASE (420-429)	2	1	3		2		10	1
HYPERTENSION (400,401,403)	1		2		1		3	
CEREBROVASCULAR DISEASE (430-438)	35	2	18		12		103	
ARTERIOSCLEROSIS (440)	6		8		2		15	
OTHER CIRCULATORY (441-448)	1		2		3		13	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		11		3		15	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		6		2		10	
PEPTIC ULCER (531-533)	1						4	
CIRRHOSIS OF LIVER (571)	2						13	
NEPHRITIS AND NEPHROSIS (580-584)		1					3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1		9	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		2		2		15	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9	1	4		7		4	1
ALL OTHER DISEASES (RESIDUAL)	13	4	5		11		48	2
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7	2	8		4		48	
MOTOR VEHICLE (810-823)	5	1	6		2		25	
OTHER TRANS. (800-807,825-845)							2	
POISONING (850-877)								
FALLS (880-887)			1		1		6	
FIRES (890-899)	1	1					2	
DROWNING & SUBMERSIONS (910)							3	
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)	1						4	
OTHER ACCIDENTS (900-949)			1		1		6	
SUICIDE (950-959)			2		1		13	
HOMICIDE (960-978)		1					2	
ALL OTHER EXTERNAL CAUSES (980-999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	160	6	724	35	179	8	235	
ATTENDED BY M.D.	115	5	580	20	175	8	208	
ATTENDED BY D.O.	45	1	144	15	4		26	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	2		11	1	3	1	2	
ATTENDED BY M.D.	1		7	1	3	1	2	
ATTENDED BY D.O.	1		4					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	166	3	364	19	173	20	170	
UNDER ONE YEAR OF AGE	3		12		3		5	
NEONATAL DEATHS	2		8		3		4	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2					
MALIGNANT NEOPLASMS (140-209)	29	1	60	5	30	1	30	
DIGEST. ORGANS (150-159)	12		19	2	7		6	
RESPIRATORY SYSTEM (160-163)	4		13		3		7	
BREAST (174)	2		6		4		4	
GENITAL ORGANS (180-187)	2		4	1	7	1	2	
URINARY ORGANS (188-189)	2		4		2		2	
LEUKEMIA (204-207)	2		1	1	1		2	
OTHER REMAINDER OF (140-209)	5	1	13	1	6		7	
DIABETES MELLITUS (250)	3	1	8		4			
MAJOR CARDIOVASCULAR DISEASE (390-448)	96	1	195	12	91	11	96	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	74		149	10	69	9	69	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1	1	2	
HYPERTENSIVE HEART (402,404)	2		4	1	1		1	
ISCHEMIC HEART (410-414)	66		134	7	61	8	55	
OTHER HEART DISEASE (420-429)	4		10	2	6		11	
HYPERTENSION (400,401,403)			3				1	
CEREBROVASCULAR DISEASE (430-438)	19	1	36	1	13	1	22	
ARTERIOSCLEROSIS (440)	2		4	1	7	1	2	
OTHER CIRCULATORY (441-448)	1		3		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8	1	6		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4		1		1	
PEPTIC ULCER (531-533)			2		1	1	1	
CIRRHOSIS OF LIVER (571)			7		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	1		2				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		8		3		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		10	1	3	3	1	
ALL OTHER DISEASES (RESIDUAL)	13		21		11	3	6	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7		23		17		11	
MOTOR VEHICLE (810-823)	5		12		7		7	
OTHER TRANS. (800-807,825-845)			1				1	
POISONING (850-877)	1							
FALLS (880-887)			4		4			
FIRES (890-899)	1		2		2			
DROWNING & SUBMERSIONS (910)			1		1			
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)			3		1		2	
OTHER ACCIDENTS (900-949)					2		1	
SUICIDE (950-959)	1		6		2		3	
HOMICIDE (960-978)			3		1	1	1	
ALL OTHER EXTERNAL CAUSES (980-999)	1		2				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	DADE		DALLAS		DAVIESS		DEKALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	53		104		94		90	
ATTENDED BY M.D.	49		79		59		60	
ATTENDED BY D.O.	4		25		35		30	
ATTENDED BY MIDWIFES OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS			2		3		5	
ATTENDED BY M.D.			2		3		5	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES OTHERS OR UNSPECIFIED								
TOTAL DEATHS	126		161		145	3	102	
UNDER ONE YEAR OF AGE			3		1		3	
NEONATAL DEATHS			3				3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	19		29		22	1	13	
DIGEST. ORGANS (150-159)	6		6		7		5	
RESPIRATORY SYSTEM (160-163)	2		7		3	1	1	
BREAST (174)	1		4		3			
GENITAL ORGANS (180-187)	6		3		3		2	
URINARY ORGANS (188-189)					1			
LEUKEMIA (204-207)							1	
OTHER REMAINDER OF (140-209)	4		9		5		4	
DIABETES MELLITUS (250)	1		5		7		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	70		79		80	1	61	
DISEASES OF HEART (390-398, 402, 404, 410-429)	44		57		51	1	46	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	DADE		DALLAS		DAVISS		DEKALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				2			
HYPERTENSIVE HEART (402,404)	1		7		4			
ISCHEMIC HEART (410-414)	38		47		39	1	42	
OTHER HEART DISEASE (420-429)	4		3		6		4	
HYPERTENSION (400,401,403)	1		4		1			
CEREBROVASCULAR DISEASE (430-438)	22		15		22		11	
ARTERIOSCLEROSIS (440)			2		3		2	
OTHER CIRCULATORY (441-448)	3		1		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		8		7		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		4		3			
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	1				1		1	
NEPHRITIS AND NEPHROSIS (580-584)			1		2		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		12		1		3	
ALL OTHER DISEASES (RESIDUAL)	8		12		9		9	
ACCIDENTAL DEATHS (800-807,810,823,825-949)	5		5		9	1	5	
MOTOR VEHICLE (810-823)	3		3		7		2	
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)								
FALLS (880-887)	2		1		1		1	
FIRES (890-899)						1		
DROWNING & SUBMERSIONS (910)			1					
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)								
OTHER ACCIDENTS (900-949)					1		2	
SUICIDE (950-959)	1		1		2		2	
HOMICIDE (960-978)			1					
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	125		131		476	39	934	10
ATTENDED BY M.D.	92		85		454	26	839	10
ATTENDED BY D.O.	33		41		20	12	95	
ATTENDED BY MIDWIFES						1		
OTHERS OR UNSPECIFIED			5		2			
TOTAL FETAL DEATHS	2		3		8	2	11	
ATTENDED BY M.D.	1		1		8	1	10	
ATTENDED BY D.O.			2			1	1	
ATTENDED BY MIDWIFES	1							
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	156		117		419	14	521	5
UNDER ONE YEAR OF AGE	1		2		12		17	1
NEONATAL DEATHS	1		1		9		11	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			1
SYPHILIS AND ITS SEQUELAE (090-097)					2			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2		3	
MALIGNANT NEOPLASMS (140-209)	15		16		64	2	67	1
DIGEST. ORGANS (150-159)	5		4		14	1	20	
RESPIRATORY SYSTEM (160-163)	4		2		12		19	
BREAST (174)	1				8	1	4	
GENITAL ORGANS (180-187)			2		8		8	1
URINARY ORGANS (188-189)			1		4		5	
LEUKEMIA (204-207)	1				2		3	
OTHER REMAINDER OF (140-209)	4		7		16		8	
DIABETES MELLITUS (250)	2		2		5		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	95		58		235	10	302	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56		27		181	6	235	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					2		4	1
HYPERTENSIVE HEART (402,404)	3		2		3	2	1	
ISCHEMIC HEART (410-414)	51		24		154	4	218	
OTHER HEART DISEASE (420-429)	2		1		22		12	
HYPERTENSION (400,401,403)			4		1		4	
CEREBROVASCULAR DISEASE (430-438)	28		22		42	3	41	
ARTERIOSCLEROSIS (440)	8		4		8	1	16	
OTHER CIRCULATORY (441-448)	3		1		3		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		9		17		24	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		11		6	
PEPTIC ULCER (531-533)	1		1		3	1	2	
CIRRHOSIS OF LIVER (571)					3		6	
NEPHRITIS AND NEPHROSIS (580-584)					3		1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				4		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				6		11	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		3		3		15	
ALL OTHER DISEASES (RESIDUAL)	9		13		28	1	32	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	14		13		24		44	
MOTOR VEHICLE (810-823)	10		6		11		32	
OTHER TRANS. (800-807,825-845)					4			
POISONING (850-877)			1					
FALLS (880-887)	2		2		5		4	
FIRES (890-899)	1		1				2	
DROWNING & SUBMERSIONS (910)							2	
FIREARM MISSILES (922)					1			
INDUSTRIAL TYPE (916-921,923-928)			3		1		2	
OTHER ACCIDENTS (900-949)	1				2		2	
SUICIDE (950-959)	1		1		7		1	
HOMICIDE (960-978)					1		1	
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	123		99		2,441	58	127	1
ATTENDED BY M.D.	77		85		2,354	58	111	1
ATTENDED BY D.O.	45		14		87		16	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	1				26	1	3	
ATTENDED BY M.D.	1				25	1	3	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	184		161		1,487	28	217	
UNDER ONE YEAR OF AGE	2		1		55	2	4	
NEONATAL DEATHS	2				44	2	4	
MATERNAL DEATHS						1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					6			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		8			
MALIGNANT NEOPLASMS (140-209)	37		26		242	3	26	
DIGEST. ORGANS (150-159)	11		11		58	3	11	
RESPIRATORY SYSTEM (160-163)	6		4		40		5	
BREAST (174)	2				22		2	
GENITAL ORGANS (180-187)	6		3		31		1	
URINARY ORGANS (188-189)	1		2		14		3	
LEUKEMIA (204-207)					11		1	
OTHER REMAINDER OF (140-209)	11		6		66		3	
DIABETES MELLITUS (250)	1		2		20	1	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	112		92		832	15	133	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	85		59		544	6	97	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				15			
HYPERTENSIVE HEART (402,404)			2		7		21	
ISCHEMIC HEART (410-414)	78		56		501	5	65	
OTHER HEART DISEASE (420-429)	5		1		21	1	11	
HYPERTENSION (400,401,403)	3				2	1	1	
CEREBROVASCULAR DISEASE (430-438)	19		28		197	5	30	
ARTERIOSCLEROSIS (440)	4		3		72	3	4	
OTHER CIRCULATORY (441-448)	1		2		17		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		4		44	1	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			8		29		6	
PEPTIC ULCER (531-533)			1		9		2	
CIRRHOSIS OF LIVER (571)			2		11	1		
NEPHRITIS AND NEPHROSIS (580-584)					6			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						1		
CONGENITAL ANOMALIES (740-759)					10		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2				37	2	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		1		60	2	3	
ALL OTHER DISEASES (RESIDUAL)	9		11		73	2	17	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	9		8		79		11	
MOTOR VEHICLE (810-823)	3		3		41		3	
OTHER TRANS. (800-807,825-845)	1				4			
POISONING (850-877)					1			
FALLS (880-887)	2		2		15		4	
FIRES (890-899)	1				5		1	
DROWNING & SUBMERSIONS (910)			1		3		2	
FIREARM MISSILES (922)	1							
INDUSTRIAL TYPE (916-921,923-928)			1		5			
OTHER ACCIDENTS (900-949)	1		1		5		1	
SUICIDE (950-959)			4		16		6	
HOMICIDE (960-978)	1				3		1	
ALL OTHER EXTERNAL CAUSES (980-999)					2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	109		209	5	39		66	
ATTENDED BY M.D.	80		98	2	29		65	
ATTENDED BY D.O.	29		111	3	10		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		2		1		1	
ATTENDED BY M.D.	1				1		1	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	199		282	3	77		129	
UNDER ONE YEAR OF AGE	5		8		1		3	
NEONATAL DEATHS	3		5		1		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				1	
MALIGNANT NEOPLASMS (140-209)	23		44		12		14	
DIGEST. ORGANS (150-159)	10		13		3		3	
RESPIRATORY SYSTEM (160-163)	4		7		1		3	
BREAST (174)	3		1		2		3	
GENITAL ORGANS (180-187)	3		7		1			
URINARY ORGANS (188-189)			1		1			
LEUKEMIA (204-207)	1		2		1		2	
OTHER REMAINDER OF (140-209)	2		13		3		3	
DIABETES MELLITUS (250)	4		5		1		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	106		156	3	43		85	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	68		96	2	34		58	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2					
HYPERTENSIVE HEART (402,404)	14				1		1	
ISCHEMIC HEART (410-414)	48		84	1	25		56	
OTHER HEART DISEASE (420-429)	5		10	1	8		1	
HYPERTENSION (400,401,403)	2		1	1			1	
CEREBROVASCULAR DISEASE (430-438)	29		50		7		24	
ARTERIOSCLEROSIS (440)	6		6		2		2	
OTHER CIRCULATORY (441-448)	1		3					
INFLUENZA/PNEUMONIA (470-474,480-486)	16		13		2		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		6		2		1	
PEPTIC ULCER (531-533)	1		1				1	
CIRRHOSIS OF LIVER (571)			1		1			
NEPHRITIS AND NEPHROSIS (580-584)	9		2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		3		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		7		2			
ALL OTHER DISEASES (RESIDUAL)	11		16		8		10	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7		21		4		5	
MOTOR VEHICLE (810-823)	5		11		2		3	
OTHER TRANS. (800-807,825-845)			3					
POISONING (850-877)								
FALLS (880-887)	2		1		1		2	
FIRES (890-899)			4					
DROWNING & SUBMERSIONS (910)			1					
FIREARM MISSILES (922)			1					
INDUSTRIAL TYPE (916-921,923-928)					1			
OTHER ACCIDENTS (900-949)								
SUICIDE (950-959)	2		3				1	
HOMICIDE (960-978)					1			
ALL OTHER EXTERNAL CAUSES (980-999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	118	24	343		153		8,850	2,604
ATTENDED BY M.D.	109	24	325		140		7,664	2,500
ATTENDED BY D.O.	9		18		13		1,185	103
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							1	1
TOTAL FETAL DEATHS	2		5		1		126	45
ATTENDED BY M.D.	2		4		1		99	43
ATTENDED BY D.O.			1				25	1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							2	1
TOTAL DEATHS	134	14	325		107	1	5,936	1,288
UNDER ONE YEAR OF AGE	4		10		3		176	90
NEONATAL DEATHS	2		7		3		139	66
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				13	6
SYPHILIS AND ITS SEQUELAE (090-097)			1				1	4
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				23	7
MALIGNANT NEOPLASMS (140-209)	15	1	44		13		1,010	207
DIGEST. ORGANS (150-159)	5	1	10		1		288	68
RESPIRATORY SYSTEM (160-163)	2		5		3		205	26
BREAST (174)	1		6		1		74	11
GENITAL ORGANS (180-187)	4		11		2		128	28
URINARY ORGANS (188-189)			4				44	7
LEUKEMIA (204-207)			2		1		46	12
OTHER REMAINDER OF (140-209)	3		6		5		225	55
DIABETES MELLITUS (250)	2		6		2		92	32
MAJOR CARDIOVASCULAR DISEASE (390-448)	78	11	197		56		3,015	461
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49	8	137		33		2,131	303

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1				54	4
HYPERTENSIVE HEART (402,404)	1				1		34	24
ISCHEMIC HEART (410-414)	44	7	133		29		1,926	241
OTHER HEART DISEASE (420-429)	2	1	3		3		117	34
HYPERTENSION (400,401,403)		2	5		2		25	10
CEREBROVASCULAR DISEASE (430-438)	21	1	48		19		660	119
ARTERIOSCLEROSIS (440)	7		5				132	13
OTHER CIRCULATORY (441-448)	1		2		2		67	16
INFLUENZA/PNEUMONIA (470-474,480-486)	4	1	9		11	1	226	68
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		7		2		134	18
PEPTIC ULCER (531-533)			2				34	3
CIRRHOSIS OF LIVER (571)	1		1		1		67	17
NEPHRITIS AND NEPHROSIS (580-584)			1				35	12
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)			3				48	17
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		5		2		112	51
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		1		5		243	123
ALL OTHER DISEASES (RESIDUAL)	9		22		5		449	98
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	14	1	21		9		298	78
MOTOR VEHICLE (810-823)	8		12		6		131	40
OTHER TRANS. (800-807,825-845)	1						10	1
POISONING (850-877)							4	3
FALLS (880-887)	1		2		2		74	11
FIRES (890-899)	2	1	1				28	5
DROWNING & SUBMERSIONS (910)			1				9	3
FIREARM MISSILES (922)			1		1		6	3
INDUSTRIAL TYPE (916-921,923-928)	1		1				15	2
OTHER ACCIDENTS (900-949)			3				21	10
SUICIDE (950-959)	1		2		1		88	4
HOMICIDE (960-978)			1				35	75
ALL OTHER EXTERNAL CAUSES (980-999)							12	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,245	18	1,855	22	510	17	76	2
ATTENDED BY M.D.	1,054	16	1,771	18	461	15	36	
ATTENDED BY D.O.	190	2	82	4	48	2	40	2
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1		2		1			
TOTAL FETAL DEATHS	19	1	24		2	3		
ATTENDED BY M.D.	16	1	23		2	3		
ATTENDED BY D.O.	3		1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,171	19	652	15	264	14	91	1
UNDER ONE YEAR OF AGE	40		27		1		2	
NEONATAL DEATHS	31		21		1		2	
MATERNAL DEATHS	2							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		1				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	8		3		1			
MALIGNANT NEOPLASMS (140-209)	182		100	2	43	3	15	
DIGEST. ORGANS (150-159)	45		28	2	12	1	3	
RESPIRATORY SYSTEM (160-163)	55		26		8		3	
BREAST (174)	11		4		5	1	2	
GENITAL ORGANS (180-187)	26		14		6		5	
URINARY ORGANS (188-189)	5		3				1	
LEUKEMIA (204-207)	9		4		3			
OTHER REMAINDER OF (140-209)	31		21		9	1	1	
DIABETES MELLITUS (250)	20		10		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	633	10	345	8	167	6	57	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	453	6	242	7	107	4	39	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	6		6			1	2	
HYPERTENSIVE HEART (402,404)	18		2		2		3	
ISCHEMIC HEART (410-414)	405	5	218	7	92	3	29	1
OTHER HEART DISEASE (420-429)	24	1	16		13		5	
HYPERTENSION (400,401,403)	4		3				2	
CEREBROVASCULAR DISEASE (430-438)	129	3	71	1	53	1	13	
ARTERIOSCLEROSIS (440)	37	1	21		5		1	
OTHER CIRCULATORY (441-448)	10		8		2	1	2	
INFLUENZA/PNEUMONIA (470-474,480-486)	42		28		13	2	2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	24		9		7		1	
PEPTIC ULCER (531-533)	6		1					
CIRRHOSIS OF LIVER (571)	8		3		1			
NEPHRITIS AND NEPHROSIS (580-584)	8	1	1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	2							
CONGENITAL ANOMALIES (740-759)	9		9				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	26		15				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	48	3	10		1		1	
ALL OTHER DISEASES (RESIDUAL)	64	3	48	4	11	2	5	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	74	2	54	1	12	1	3	
MOTOR VEHICLE (810-823)	36	1	34		6	1	2	
OTHER TRANS. (800-807,825-845)	6		1		1			
POISONING (850-877)	5		5					
FALLS (880-887)	16		7		1			
FIRES (890-899)	1	1	1	1				
DROWNING & SUBMERSIONS (910)	2		2		1			
FIREARM MISSILES (922)	2		1					
INDUSTRIAL TYPE (916-921,923-928)	3		1		2			
OTHER ACCIDENTS (900-949)	3		2		1		1	
SUICIDE (950-959)	12		7		3			
HOMICIDE (960-978)			4		2			
ALL OTHER EXTERNAL CAUSES (980-999)	2		4					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	305		357	16	323		135	10
ATTENDED BY M.D.	291		307	12	282		116	6
ATTENDED BY D.O.	14		50	4	41		19	4
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		8		6			
ATTENDED BY M.D.	3		7		6			
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	213	2	338	21	320		146	4
UNDER ONE YEAR OF AGE	5		4		5		2	
NEONATAL DEATHS	3		3		5		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	34		58	3	40		20	
DIGEST. ORGANS (150-159)	8		19	1	9		5	
RESPIRATORY SYSTEM (160-163)	12		8		6		3	
BREAST (174)	1		6		5			
GENITAL ORGANS (180-187)	7		14		4		4	
URINARY ORGANS (188-189)	3		1		2		1	
LEUKEMIA (204-207)	2				3		2	
OTHER REMAINDER OF (140-209)	1		10	2	11		5	
DIABETES MELLITUS (250)	2		8	2	4		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	115	1	191	11	188		95	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	80	1	147	8	135		61	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3	1	6		1	
HYPERTENSIVE HEART (402,404)	3		5		6		1	
ISCHEMIC HEART (410-414)	73		134	7	117		56	
OTHER HEART DISEASE (420-429)	3	1	5		6		3	
HYPERTENSION (400,401,403)					1		3	
CEREBROVASCULAR DISEASE (430-438)	27		33	2	39		28	1
ARTERIOSCLEROSIS (440)	6		9	1	10		2	
OTHER CIRCULATORY (441-448)	2		2		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	19		15		28		5	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		4		6		3	
PEPTIC ULCER (531-533)			1		3		1	
CIRRHOSIS OF LIVER (571)	1				6		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		4		3			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		3		5			
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		2		1		1	
ALL OTHER DISEASES (RESIDUAL)	14	1	23	3	20		5	2
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	8		23	1	12		7	
MOTOR VEHICLE (810-823)	2		7		7		5	
OTHER TRANS. (800-807,825-845)			4					
POISONING (850-877)	1							
FALLS (880-887)	3		8	1	4		2	
FIRES (890-899)								
DROWNING & SUBMERSIONS (910)	1		2		1			
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)			2					
OTHER ACCIDENTS (900-949)	1							
SUICIDE (950-959)			2					
HOMICIDE (960-978)				1	2			
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	LINCOLN		LINN		LIVINGSTON		MCDONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	261	3	163	2	224	3	176	
ATTENDED BY M.D.	189		106	2	161	2	133	
ATTENDED BY D.O.	72	3	57		63	1	43	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		6		1		8	
ATTENDED BY M.D.			4		1		6	
ATTENDED BY D.O.	1		2				2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	235	7	297	7	199	8	177	
UNDER ONE YEAR OF AGE	3		5		4		4	
NEONATAL DEATHS	3		4		2		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		2	
MALIGNANT NEOPLASMS (140-209)	25		53		28	2	26	
DIGEST. ORGANS (150-159)	5		13		4	1	10	
RESPIRATORY SYSTEM (160-163)	9		9		7	1	3	
BREAST (174)	3		6		3		1	
GENITAL ORGANS (180-187)			9		5		4	
URINARY ORGANS (188-189)	3		3		3		2	
LEUKEMIA (204-207)			2		1		1	
OTHER REMAINDER OF (140-209)	5		11		5		5	
DIABETES MELLITUS (250)	4		3		5		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	152	5	193	5	120	3	103	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	100	3	122	4	75	2	70	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	LINCOLN		LINN		LIVINGSTON		MCDONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3					
HYPERTENSIVE HEART (402,404)	5		1		4		1	
ISCHEMIC HEART (410-414)	87	2	102	4	55	2	53	
OTHER HEART DISEASE (420-429)	8	1	16		16		16	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	44	2	57	1	38		27	
ARTERIOSCLEROSIS (440)	5		12		6	1	2	
OTHER CIRCULATORY (441-448)	2		2		1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	7	1	5		8	2	12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		5		4		2	
PEPTIC ULCER (531-533)			2		2		1	
CIRRHOSIS OF LIVER (571)		1	1	1	2	1	2	
NEPHRITIS AND NEPHROSIS (580-584)	1		2		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		4		2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	10		2		1		3	
ALL OTHER DISEASES (RESIDUAL)	7		14		13		11	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	21		10	1	10		9	
MOTOR VEHICLE (810-823)	13		5		7		4	
OTHER TRANS. (800-807,825-845)	1							
POISONING (850-877)								
FALLS (880-887)	2		3		2		2	
FIRES (890-899)	1		1	1			2	
DROWNING & SUBMERSIONS (910)	1							
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)	2							
OTHER ACCIDENTS (900-949)	1		1		1		1	
SUICIDE (950-959)	2		2		1			
HOMICIDE (960-978)	1							
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	187	2	112		95		419	33
ATTENDED BY M.D.	62	1	107		46		418	33
ATTENDED BY D.O.	125	1	5		49		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		2		1		4	1
ATTENDED BY M.D.	2		2		1		4	1
ATTENDED BY D.O.	2							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	287	5	137	1	102		375	31
UNDER ONE YEAR OF AGE	7		1		3		8	2
NEONATAL DEATHS	6		1		3		5	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1		1		2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	44		19		17		45	7
DIGEST. ORGANS (150-159)	12		8		3		14	3
RESPIRATORY SYSTEM (160-163)	13		5		2		11	
BREAST (174)	5				1		5	
GENITAL ORGANS (180-187)	8		2		5		5	1
URINARY ORGANS (188-189)	1		2				2	
LEUKEMIA (204-207)					3		1	
OTHER REMAINDER OF (140-209)	5		2		3		7	3
DIABETES MELLITUS (250)	7		1		1		3	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	187	3	92	1	48		228	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	123	3	66	1	38		154	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1					2	
HYPERTENSIVE HEART (402,404)	15		1		3			
ISCHEMIC HEART (410-414)	98	1	63	1	32		144	5
OTHER HEART DISEASE (420-429)	10	1	2		3		8	1
HYPERTENSION (400,401,403)	2						1	
CEREBROVASCULAR DISEASE (430-438)	51		20		10		57	5
ARTERIOSCLEROSIS (440)	6		6				10	
OTHER CIRCULATORY (441-448)	5						6	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		7		3		18	3
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6	1					12	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1		1				2	
NEPHRITIS AND NEPHROSIS (580-584)			1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				3		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		1		1		4	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		7		7		9	2
ALL OTHER DISEASES (RESIDUAL)	13		2		8		21	1
ACCIDENTAL DEATHS (800-807,810,823,825-949)	12	1	5		13		20	4
MOTOR VEHICLE (810-823)	4		1		5		8	
OTHER TRANS. (800-807,825-845)					1			
POISONING (850-877)		1					1	
FALLS (880-887)	2				2		8	1
FIRES (890-899)	1		1		2			2
DROWNING & SUBMERSIONS (910)					1			1
FIREARM MISSILES (922)			1		2			
INDUSTRIAL TYPE (916-921,923-928)	1		2				1	
OTHER ACCIDENTS (900-949)	4						2	
SUICIDE (950-959)							5	
HOMICIDE (960-978)	1						1	1
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	31		204		232	123	121	3
ATTENDED BY M.D.	6		92		113	12	101	2
ATTENDED BY D.O.	25		112		118	107	18	1
ATTENDED BY MIDWIFES					1	4		
OTHERS OR UNSPECIFIED							2	
TOTAL FETAL DEATHS			5		5	6	4	
ATTENDED BY M.D.			2		3	4	3	
ATTENDED BY D.O.			3		2	2	1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	93		154		174	51	154	3
UNDER ONE YEAR OF AGE	1		2		3	6	1	
NEONATAL DEATHS	1		2		2	5		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	
MALIGNANT NEOPLASMS (140-209)	12		24		23	1	22	1
DIGEST. ORGANS (150-159)	5		13		2	1	5	
RESPIRATORY SYSTEM (160-163)			5		8		4	
BREAST (174)			1		2		1	
GENITAL ORGANS (180-187)	4		1		5		3	
URINARY ORGANS (188-189)					1		1	
LEUKEMIA (204-207)	1		1		2		3	
OTHER REMAINDER OF (140-209)	2		3		3		5	1
DIABETES MELLITUS (250)	3		6		1	2	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	63		80		86	29	90	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	46		63		60	15	68	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1	1	1	
HYPERTENSIVE HEART (402,404)	4				2			
ISCHEMIC HEART (410-414)	38		59		50	13	60	
OTHER HEART DISEASE (420-429)	4		3		7	1	7	1
HYPERTENSION (400,401,403)							2	
CEREBROVASCULAR DISEASE (430-438)	12		8		22	14	15	
ARTERIOSCLEROSIS (440)	5		4				2	
OTHER CIRCULATORY (441-448)			5		4		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		5		5		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2		1	1	1	
PEPTIC ULCER (531-533)			2		3		1	
CIRRHOSIS OF LIVER (571)					3			
NEPHRITIS AND NEPHROSIS (580-584)	1		1		1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1	4		
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		1		21	10	1	
ALL OTHER DISEASES (RESIDUAL)	3		10		11	1	12	1
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	4		17		12	1	13	
MOTOR VEHICLE (810-823)	1		8		4		8	
OTHER TRANS. (800-807,825-845)			1			1		
POISONING (850-877)								
FALLS (880-887)	2		3		1		1	
FIRES (890-899)	1		1		4		2	
DROWNING & SUBMERSIONS (910)					1		1	
FIREARM MISSILES (922)							1	
INDUSTRIAL TYPE (916-921,923-928)			2		1			
OTHER ACCIDENTS (900-949)			2		1			
SUICIDE (950-959)	1		2		3		1	
HOMICIDE (960-978)					1			
ALL OTHER EXTERNAL CAUSES (980-999)			1			1	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MONROE		MCNTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	122	9	142	7	115	2	266	137
ATTENDED BY M.D.	99	9	91	5	97	2	209	54
ATTENDED BY D.O.	23		51	2	17		54	35
ATTENDED BY MIDWIFES							1	48
CTHERS OR UNSPECIFIED					1		2	
TOTAL FETAL DEATHS	2	1	1	1	1		6	6
ATTENDED BY M.D.	2	1	1		1		5	1
ATTENDED BY D.O.				1				3
ATTENDED BY MIDWIFES								1
CTHERS OR UNSPECIFIED							1	1
TOTAL DEATHS	160	10	163	10	149	6	256	72
UNDER ONE YEAR OF AGE	2	2	3		3		10	12
NEONATAL DEATHS	1	2	3		2		7	5
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		1	1
MALIGNANT NEOPLASMS (140-209)	31	1	27		22	1	39	8
DIGEST. ORGANS (150-159)	9		4		3	1	11	
RESPIRATORY SYSTEM (160-163)	3		5		10		11	1
BREAST (174)	2		2		2		1	1
GENITAL ORGANS (180-187)	7	1	7		2		7	1
URINARY ORGANS (188-189)			3		1		1	
LEUKEMIA (204-207)	5				1		2	1
OTHER REMAINDER OF (140-209)	5		6		3		6	4
DIABETES MELLITUS (250)	1		2	1	2		2	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	88	5	97	8	82	5	134	26
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	4	58	7	62	3	92	16

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1		1	
HYPERTENSIVE HEART (402,404)	5			1	2		2	1
ISCHEMIC HEART (410-414)	49	4	55	6	58	2	85	12
OTHER HEART DISEASE (420-429)	12		3		1	1	4	3
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	19		35	1	17	2	35	9
ARTERIOSCLEROSIS (440)	2	1	2		2		4	1
OTHER CIRCULATORY (441-448)			1		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	10	1	8	1	12		12	5
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		4		6	
PEPTIC ULCER (531-533)					1		2	
CIRRHOSIS OF LIVER (571)	3							1
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	2	1		1		5	4
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		2		1		19	12
ALL OTHER DISEASES (RESIDUAL)	7		13		9		12	5
ACCIDENTAL DEATHS (800-807,810,823,825-949)	8	1	6		9		20	6
MOTOR VEHICLE (810-823)	4	1	3		7		14	1
OTHER TRANS. (800-807,825-845)					1			
POISONING (850-877)	1		1				1	
FALLS (880-887)	2		2				1	
FIRES (890-899)	1				1		2	
DROWNING & SUBMERSIONS (910)								3
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)							2	2
OTHER ACCIDENTS (900-949)								
SUICIDE (950-959)	1		2		2		2	
HOMICIDE (960-978)							1	3
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	400	1	289		114		175	
ATTENDED BY M.D.	302		282		74		120	
ATTENDED BY D.O.	98	1	6		40		55	
ATTENDED BY MIDWIFES			1					
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		2		2			
ATTENDED BY M.D.	2		2		2			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	339	3	274		139		148	
UNDER ONE YEAR OF AGE	9		2		2		4	
NEONATAL DEATHS	8		1		2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				1	
MALIGNANT NEOPLASMS (140-209)	48	1	40		19		17	
DIGEST. ORGANS (150-159)	14	1	16		3		5	
RESPIRATORY SYSTEM (160-163)	15		7		6		2	
BREAST (174)	3		2		1		1	
GENITAL ORGANS (180-187)	2		4		4		3	
URINARY ORGANS (188-189)	1		1					
LEUKEMIA (204-207)	4		5		1		2	
OTHER REMAINDER OF (140-209)	9		5		4		4	
DIABETES MELLITUS (250)	4	1	6		8		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	190	1	159		86		99	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	131	1	94		65		77	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							2	
HYPERTENSIVE HEART (402,404)	1		6		1			
ISCHEMIC HEART (410-414)	120	1	81		62		65	
OTHER HEART DISEASE (420-429)	10		7		2		10	
HYPERTENSION (400,401,403)	5		3		1			
CEREBROVASCULAR DISEASE (430-438)	40		49		19		20	
ARTERIOSCLEROSIS (440)	8		6		1		2	
OTHER CIRCULATORY (441-448)	6		7					
INFLUENZA/PNEUMONIA (470-474,480-486)	11		18		4		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		5		1		2	
PEPTIC ULCER (531-533)	3		1					
CIRRHOSIS OF LIVER (571)	1		2				1	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4						1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	4		1		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15		3		1		2	
ALL OTHER DISEASES (RESIDUAL)	20		18		13		7	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	25		18		6		10	
MOTOR VEHICLE (810-823)	13		9		3		4	
OTHER TRANS. (800-807,825-845)	1							
POISONING (850-877)	1							
FALLS (880-887)	7		3				4	
FIRES (890-899)			1		1		1	
DROWNING & SUBMERSIONS (910)	2		4		1			
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)	1		1				1	
OTHER ACCIDENTS (900-949)					1			
SUICIDE (950-959)	4		2				2	
HOMICIDE (960-978)	2							
ALL OTHER EXTERNAL CAUSES (980-999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	72		310	236	209		421	34
ATTENDED BY M.D.	53		305	230	205		343	33
ATTENDED BY D.O.	19		3	3	4		78	1
ATTENDED BY MIDWIFES				3				
OTHERS OR UNSPECIFIED			2					
TOTAL FETAL DEATHS			3	9	1		5	3
ATTENDED BY M.D.			3	8	1		4	3
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES				1				
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	90		251	120	203	1	455	29
UNDER ONE YEAR OF AGE	2		9	15	3		10	
NEONATAL DEATHS	1		5	6	3		8	
MATERNAL DEATHS				1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3	3	2		3	
MALIGNANT NEOPLASMS (140-209)	11		36	9	37		70	2
DIGEST. ORGANS (150-159)	4		7	3	9		20	1
RESPIRATORY SYSTEM (160-163)	3		6		9		12	
BREAST (174)			3	1	4		5	
GENITAL ORGANS (180-187)	1		5	4	4		14	
URINARY ORGANS (188-189)			1		1		2	
LEUKEMIA (204-207)	1		1		3		4	
OTHER REMAINDER OF (140-209)	2		13	1	7		13	1
DIABETES MELLITUS (250)	4		6	1			5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	50		130	56	121		278	22
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		85	40	105		170	15

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1			1	1		2	
HYPERTENSIVE HEART (402,404)			1	4	4		5	
ISCHEMIC HEART (410-414)	29		75	34	98		154	15
OTHER HEART DISEASE (420-429)	2		9	1	2		9	
HYPERTENSION (400,401,403)			1				6	
CEREBROVASCULAR DISEASE (430-438)	13		38	14	9		77	7
ARTERIOSCLEROSIS (440)	3		4	1	7		16	
OTHER CIRCULATORY (441-448)	2		2	1			9	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8	6	7	1	17	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3	1	4		8	1
PEPTIC ULCER (531-533)	1		1		1		2	
CIRRHOSIS OF LIVER (571)			2	2	2		6	
NEPHRITIS AND NEPHROSIS (580-584)	1		1	1	1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1				
CONGENITAL ANOMALIES (740-759)			2	1			6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4	4	3		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		18	14	4		1	
ALL OTHER DISEASES (RESIDUAL)	4		11	6	10		16	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	9		15	7	10		29	2
MOTOR VEHICLE (810-823)	5		8	5	7		15	1
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)			1					1
FALLS (880-887)			1		3		2	
FIRES (890-899)	1		2				1	
DROWNING & SUBMERSIONS (910)			1	1			3	
FIREARM MISSILES (922)				1				
INDUSTRIAL TYPE (916-921,923-928)	3		1				3	
OTHER ACCIDENTS (900-949)			1				5	
SUICIDE (950-959)			2	2	1		4	
HOMICIDE (960-978)			4	6			1	
ALL OTHER EXTERNAL CAUSES (980-999)	1		4					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	72		310	236	209		421	34
ATTENDED BY M.D.	53		305	230	205		343	33
ATTENDED BY D.O.	19		3	3	4		78	1
ATTENDED BY MIDWIFES				3				
OTHERS OR UNSPECIFIED			2					
TOTAL FETAL DEATHS			3	9	1		5	3
ATTENDED BY M.D.			3	8	1		4	3
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES				1				
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	90		251	120	203	1	455	29
UNDER ONE YEAR OF AGE	2		9	15	3		10	
NEONATAL DEATHS	1		5	6	3		8	
MATERNAL DEATHS				1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3	3	2		3	
MALIGNANT NEOPLASMS (140-209)	11		36	9	37		70	2
DIGEST. ORGANS (150-159)	4		7	3	9		20	1
RESPIRATORY SYSTEM (160-163)	3		6		9		12	
BREAST (174)			3	1	4		5	
GENITAL ORGANS (180-187)	1		5	4	4		14	
URINARY ORGANS (188-189)			1		1		2	
LEUKEMIA (204-207)	1		1		3		4	
OTHER REMAINDER OF (140-209)	2		13	1	7		13	1
DIABETES MELLITUS (250)	4		6	1			5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	50		130	56	121		278	22
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		85	40	105		170	15

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1			1	1		2	
HYPERTENSIVE HEART (402,404)			1	4	4		5	
ISCHEMIC HEART (410-414)	29		75	34	98		154	15
OTHER HEART DISEASE (420-429)	2		9	1	2		9	
HYPERTENSION (400,401,403)			1				6	
CEREBROVASCULAR DISEASE (430-438)	13		38	14	9		77	7
ARTERIOSCLEROSIS (440)	3		4	1	7		16	
OTHER CIRCULATORY (441-448)	2		2	1			9	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8	6	7	1	17	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3	1	4		8	1
PEPTIC ULCER (531-533)	1		1		1		2	
CIRRHOSIS OF LIVER (571)			2	2	2		6	
NEPHRITIS AND NEPHROSIS (580-584)	1		1	1	1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1				
CONGENITAL ANOMALIES (740-759)			2	1			6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4	4	3		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		18	14	4		1	
ALL OTHER DISEASES (RESIDUAL)	4		11	6	10		16	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	9		15	7	10		29	2
MOTOR VEHICLE (810-823)	5		8	5	7		15	1
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)			1					1
FALLS (880-887)			1		3		2	
FIRES (890-899)	1		2				1	
DROWNING & SUBMERSIONS (910)			1	1			3	
FIREARM MISSILES (922)				1				
INDUSTRIAL TYPE (916-921,923-928)	3		1				3	
OTHER ACCIDENTS (900-949)			1				5	
SUICIDE (950-959)			2	2	1		4	
HOMICIDE (960-978)			4	6			1	
ALL OTHER EXTERNAL CAUSES (980-999)	1		4					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	443	1	263	24	477	2	185	1
ATTENDED BY M.D.	318	1	200	21	440	1	150	1
ATTENDED BY D.O.	124		57	3	37	1	35	
ATTENDED BY MIDWIFES			6					
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	5		6	1	2		2	
ATTENDED BY M.D.	3		5	1	2		1	
ATTENDED BY D.O.	2		1				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	299	1	229	26	205		201	
UNDER ONE YEAR OF AGE	12		6	1	5		5	
NEONATAL DEATHS	8		4		5		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1		2		2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				1		1	
MALIGNANT NEOPLASMS (140-209)	44		38	8	30		24	
DIGEST. ORGANS (150-159)	10		8	3	11		5	
RESPIRATORY SYSTEM (160-163)	7		9		5		4	
BREAST (174)	3		6		2		3	
GENITAL ORGANS (180-187)	8		4	2	4		3	
URINARY ORGANS (188-189)	2		2	1	1		3	
LEUKEMIA (204-207)	2		2	1	3		2	
OTHER REMAINDER OF (140-209)	12		7	1	4		4	
DIABETES MELLITUS (250)	4		2		1		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	163		126	14	98		106	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	111		89	9	75		70	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2	1			1	
HYPERTENSIVE HEART (402,404)	11		3		3			
ISCHEMIC HEART (410-414)	90		84	8	71		57	
OTHER HEART DISEASE (420-429)	9				1		12	
HYPERTENSION (400,401,403)			1				2	
CEREBROVASCULAR DISEASE (430-438)	48		24	3	14		26	
ARTERIOSCLEROSIS (440)	2		9	2	5		6	
OTHER CIRCULATORY (441-448)	2		3		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	23		21	3	9		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		5		4		2	
PEPTIC ULCER (531-533)	2		1		2		1	
CIRRHOSIS OF LIVER (571)	3						1	
NEPHRITIS AND NEPHROSIS (580-584)	1		5		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1		3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		4		3		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14				21		9	
ALL OTHER DISEASES (RESIDUAL)	10		13	1	9		16	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	17	1	10		17		10	
MOTOR VEHICLE (810-823)	7	1	5		8		5	
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)								
FALLS (880-887)	4		2		4		2	
FIRES (890-899)	2		2				1	
DROWNING & SUBMERSIONS (910)					1			
FIREARM MISSILES (922)	3		1		1			
INDUSTRIAL TYPE (916-921,923-928)	1				3		1	
OTHER ACCIDENTS (900-949)							1	
SUICIDE (950-959)	5		1		2		1	
HOMICIDE (960-978)			1		1			
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	323	15	75		89	3	297	23
ATTENDED BY M.D.	208	9	8		84	3	213	21
ATTENDED BY D.O.	114	6	67		5		83	2
ATTENDED BY MIDWIFES	1							
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	10		1		1		6	
ATTENDED BY M.D.	7				1		6	
ATTENDED BY D.O.	3		1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	175	5	107		85	2	355	28
UNDER ONE YEAR OF AGE	14	2	1				1	1
NEONATAL DEATHS	8	1					1	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3							1
MALIGNANT NEOPLASMS (140-209)	26	1	15		13		52	6
DIGEST. ORGANS (150-159)	2		6		4		16	
RESPIRATORY SYSTEM (160-163)	6	1	2				9	4
BREAST (174)	2				3		2	1
GENITAL ORGANS (180-187)	3		4		3		8	
URINARY ORGANS (188-189)					1		3	1
LEUKEMIA (204-207)	1							
OTHER REMAINDER OF (140-209)	12		3		2		14	
DIABETES MELLITUS (250)					3		9	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	79		65		46	2	195	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63		42		38	1	139	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1		4	
HYPERTENSIVE HEART (402,404)	8		3		1		14	
ISCHEMIC HEART (410-414)	46		34		30	1	114	5
OTHER HEART DISEASE (420-429)	7		5		6		7	1
HYPERTENSION (400,401,403)							4	1
CEREBROVASCULAR DISEASE (430-438)	12		18		5	1	32	4
ARTERIOSCLEROSIS (440)	3		4		3		16	1
OTHER CIRCULATORY (441-448)	1		1				4	
INFLUENZA/PNEUMONIA (470-474,480-486)	12		6		3		18	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		3		1		7	
PEPTIC ULCER (531-533)	1		2					1
CIRRHOSIS OF LIVER (571)	1		1				3	
NEPHRITIS AND NEPHROSIS (580-584)			4				4	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6	1					1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	10				3		12	1
ALL OTHER DISEASES (RESIDUAL)	7		4		7		24	1
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	13	2	5		8		25	2
MOTOR VEHICLE (810-823)	8	1	2		4		6	
OTHER TRANS. (800-807,825-845)	3						1	
POISONING (850-877)							1	
FALLS (880-887)	1		2		4		7	1
FIRES (890-899)			1				9	1
DROWNING & SUBMERSIONS (910)								
FIREARM MISSILES (922)	1							
INDUSTRIAL TYPE (916-921,923-928)							1	
OTHER ACCIDENTS (900-949)		1						
SUICIDE (950-959)	5	1	1		1			
HOMICIDE (960-978)	3						2	
ALL OTHER EXTERNAL CAUSES (980-999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	210	8	90		105		1,814	18
ATTENDED BY M.D.	189	8	83		97		1,645	15
ATTENDED BY D.O.	21		7		6		169	3
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					2			
TOTAL FETAL DEATHS	3		1		2		20	1
ATTENDED BY M.D.	3		1		2		16	1
ATTENDED BY D.O.							4	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	221	9	75		127		503	13
UNDER ONE YEAR OF AGE	2		2		2		20	1
NEONATAL DEATHS	2		2		1		13	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							4	
MALIGNANT NEOPLASMS (140-209)	30	2	9		15		90	
DIGEST. ORGANS (150-159)	5	1	4		3		33	
RESPIRATORY SYSTEM (160-163)	9	1	2		5		13	
BREAST (174)	3						8	
GENITAL ORGANS (180-187)	6		1		4		5	
URINARY ORGANS (188-189)			1		1		5	
LEUKEMIA (204-207)					1		3	
OTHER REMAINDER OF (140-209)	7		1		1		23	
DIABETES MELLITUS (250)	6				6		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	138	6	44		72		242	7
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	68	3	30		51		165	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC	1				1		4	
RHEUMATIC HEART DISEASE (390-398)	2				2		2	
HYPERTENSIVE HEART (402,404)	51	3	29		47		151	5
ISCHEMIC HEART (410-414)	14		1		3		8	
OTHER HEART DISEASE (420-429)	3						6	
HYPERTENSION (400,401,403)	48	3	10		19		55	2
CEREBROVASCULAR DISEASE (430-438)	15		3		1		7	
ARTERIOSCLEROSIS (440)	4		1		1		9	
OTHER CIRCULATORY (441-448)	12		6		6		32	1
INFLUENZA/PNEUMONIA (470-474,480-486)	2		1		6		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1							
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	2				4		5	1
NEPHRITIS AND NEPHROSIS (580-584)					3		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	1						5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		1		9	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				5		22	2
ALL OTHER DISEASES (RESIDUAL)	9		7		4		22	1
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	10		5		4		47	1
MOTOR VEHICLE (810-823)	6		3		2		28	
OTHER TRANS. (800-807,825-845)							5	
POISONING (850-877)								
FALLS (880-887)	1				1		5	
FIRES (890-899)	1		1		1		1	
DROWNING & SUBMERSIONS (910)							5	1
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)	1						2	
OTHER ACCIDENTS (900-949)	1		1				1	
SUICIDE (950-959)	5		1		1		5	
HOMICIDE (960-978)	1						4	
ALL OTHER EXTERNAL CAUSES (980-999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	69	1	549	4	191	1	13,711	805
ATTENDED BY M.D.	41	1	449	3	182	1	13,165	793
ATTENDED BY D.O.	27		100	1	9		543	11
ATTENDED BY MIDWIFES							1	
OTHERS OR UNSPECIFIED	1						2	1
TOTAL FETAL DEATHS	1		5		1		191	15
ATTENDED BY M.D.	1		4		1		183	15
ATTENDED BY D.O.			1				8	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	125	2	511	1	136	2	6,377	310
UNDER ONE YEAR OF AGE	2		14		6		226	13
NEONATAL DEATHS	1		8		6		180	12
MATERNAL DEATHS							3	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		1		6	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				16	1
MALIGNANT NEOPLASMS (140-209)	20	1	74		24		1,229	42
DIGEST. ORGANS (150-159)	5	1	20		8		361	8
RESPIRATORY SYSTEM (160-163)	3		18		6		258	10
BREAST (174)			5				126	5
GENITAL ORGANS (180-187)	4		7		3		131	7
URINARY ORGANS (188-189)	3		4				52	2
LEUKEMIA (204-207)	1		5		2		49	5
OTHER REMAINDER OF (140-209)	4		15		5		252	5
DIABETES MELLITUS (250)			12		2		142	10
MAJOR CARDIOVASCULAR DISEASE (390-448)	77		282		68	2	3,281	114
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	60		180		54	2	2,394	78

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7		2		64	3
HYPERTENSIVE HEART (402,404)	1		5		1		28	3
ISCHEMIC HEART (410-414)	53		165		49	2	2,203	63
OTHER HEART DISEASE (420-429)	5		3		2		99	9
HYPERTENSION (400,401,403)	2						33	3
CEREBROVASCULAR DISEASE (430-438)	11		82		13		638	28
ARTERIOSCLEROSIS (440)	3		13		1		126	4
OTHER CIRCULATORY (441-448)	1		7				90	1
INFLUENZA/PNEUMONIA (470-474,480-486)	3		32		3		203	16
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		6		3		102	4
PEPTIC ULCER (531-533)		1	5		1		27	1
CIRRHOSIS OF LIVER (571)			3				81	11
NEPHRITIS AND NEPHROSIS (580-584)			3				24	3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							3	
CONGENITAL ANOMALIES (740-759)	1		4				57	6
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			5		5		138	11
SYMPTOMS & ILL-DEFINED COND. (780-796)			22		6		206	25
ALL OTHER DISEASES (RESIDUAL)	11		31		10		404	34
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7		26		12		333	14
MOTOR VEHICLE (810-823)	2		16		10		184	9
OTHER TRANS. (800-807,825-845)	1		1		2		11	
POISONING (850-877)							12	
FALLS (880-887)	2		4				47	1
FIRES (890-899)	1		4				15	1
DROWNING & SUBMERSIONS (910)							17	
FIREARM MISSILES (922)							7	
INDUSTRIAL TYPE (916-921,923-928)	1						17	
OTHER ACCIDENTS (900-949)			1				23	3
SUICIDE (950-959)	1		1		1		76	1
HOMICIDE (960-978)			1				27	10
ALL OTHER EXTERNAL CAUSES (980-999)				1			22	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	6,031	6,335	314	27	46		69	
ATTENDED BY M.D.	5,899	6,330	302	26	5		26	
ATTENDED BY D.O.	130	4	12	1	41		43	
ATTENDED BY MIDWIFES		1						
OTHERS OR UNSPECIFIED	2							
TOTAL FETAL DEATHS	83	173	5		1		1	
ATTENDED BY M.D.	81	164	5		1		1	
ATTENDED BY D.O.	1	2						
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1	7						
TOTAL DEATHS	6,812	2,931	298	21	81		76	
UNDER ONE YEAR OF AGE	133	219	6				1	
NEONATAL DEATHS	100	153	5				1	
MATERNAL DEATHS		4						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	12	14						
SYPHILIS AND ITS SEQUELAE (090-097)	1	1						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	25	13	2					
MALIGNANT NEOPLASMS (140-209)	1,131	479	58	4	10		15	
DIGEST. ORGANS (150-159)	319	148	18		3		5	
RESPIRATORY SYSTEM (160-163)	237	84	6	1	1		1	
BREAST (174)	107	43	4		2		2	
GENITAL ORGANS (180-187)	144	70	8	1	3		3	
URINARY ORGANS (188-189)	54	11	6				2	
LEUKEMIA (204-207)	42	12	2	1				
OTHER REMAINDER OF (140-209)	228	111	14	1	1		2	
DIABETES MELLITUS (250)	154	75	6	1				
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,908	1,327	145	14	61		45	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,904	837	103	10	39		33	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	51	14	1					
HYPERTENSIVE HEART (402,404)	62	40	9	1	1		1	
ISCHEMIC HEART (410-414)	2,711	712	87	9	27		31	
OTHER HEART DISEASE (420-429)	80	71	6		11		1	
HYPERTENSION (400,401,403)	29	26	1				1	
CEREBROVASCULAR DISEASE (430-438)	749	402	39	4	17		10	
ARTERIOSCLEROSIS (440)	161	36	1		4		1	
OTHER CIRCULATORY (441-448)	65	26	1		1			
INFLUENZA/PNEUMONIA (470-474,480-486)	261	159	13		1		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	128	34	10		1			
PEPTIC ULCER (531-533)	41	14					1	
CIRRHOSIS OF LIVER (571)	149	71						
NEPHRITIS AND NEPHROSIS (580-584)	17	22	1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		4						
CONGENITAL ANOMALIES (740-759)	38	25	2					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	75	132	3				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	39	18	4					
ALL OTHER DISEASES (RESIDUAL)	430	244	24	1	3		4	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	273	138	29		3		4	
MOTOR VEHICLE (810-823)	108	48	19				1	
OTHER TRANS. (800-807,825-845)	4	2	1					
POISONING (850-877)	5	6						
FALLS (880-887)	100	27	5		1			
FIRES (890-899)	24	19			1		1	
DROWNING & SUBMERSIONS (910)	14	8					1	
FIREARM MISSILES (922)	3	7	2					
INDUSTRIAL TYPE (916-921,923-928)	4	9	1				1	
OTHER ACCIDENTS (900-949)	11	12	1		1			
SUICIDE (950-959)	54	4	1		1		2	
HOMICIDE (960-978)	35	119		1				
ALL OTHER EXTERNAL CAUSES (980-999)	41	38						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	502	83	100		87		352	30
ATTENDED BY M.D.	408	33	85		62		233	2
ATTENDED BY D.O.	93	7	15		25		119	23
ATTENDED BY MIDWIFES	1	43						5
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3	1	2		1		3	
ATTENDED BY M.D.	2	1	1		1		2	
ATTENDED BY D.O.	1		1				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	334	43	89		159	4	347	10
UNDER ONE YEAR OF AGE	11	1	4		2		6	1
NEONATAL DEATHS	7		4		1		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2	1					2	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3							
MALIGNANT NEOPLASMS (140-209)	42	5	15		13		49	1
DIGEST. ORGANS (150-159)	8		5		5		17	1
RESPIRATORY SYSTEM (160-163)	11		3		2		8	
BREAST (174)	5		2		1		3	
GENITAL ORGANS (180-187)	3	2	2				5	
URINARY ORGANS (188-189)	3				1		3	
LEUKEMIA (204-207)	1		1				2	
OTHER REMAINDER OF (140-209)	11	3	2		4		11	
DIABETES MELLITUS (250)	6	2	1		1		11	
MAJOR CARDIOVASCULAR DISEASE (390-448)	197	18	50		104	4	210	5
DISEASES OF HEART (390-398, 402, 404, 410-429)	136	12	33		80	3	158	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				2		1	
HYPERTENSIVE HEART (402,404)	2	1			11	1	6	
ISCHEMIC HEART (410-414)	123	7	33		62	2	139	2
OTHER HEART DISEASE (420-429)	9	4			5		12	2
HYPERTENSION (400,401,403)	2		2		4		3	
CEREBROVASCULAR DISEASE (430-438)	51	5	8		18	1	37	1
ARTERIOSCLEROSIS (440)	5		7		2		8	
OTHER CIRCULATORY (441-448)	3	1					4	
INFLUENZA/PNEUMONIA (470-474,480-486)	18	2	2		1		12	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6	1	1		3		7	1
PEPTIC ULCER (531-533)			1		2		1	
CIRRHOSIS OF LIVER (571)	4				1		3	
NEPHRITIS AND NEPHROSIS (580-584)	1	1					2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		2		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		3					
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	8	2		5		6	
ALL OTHER DISEASES (RESIDUAL)	19	3	3		9		16	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	19		4		16		22	
MOTOR VEHICLE (810-823)	7		2		8		17	
OTHER TRANS. (800-807,825-845)			1		3			
POISONING (850-877)								
FALLS (880-887)	3		1		2		1	
FIRES (890-899)	3				1			
DROWNING & SUBMERSIONS (910)							1	
FIREARM MISSILES (922)	3				1			
INDUSTRIAL TYPE (916-921,923-928)					1		1	
OTHER ACCIDENTS (900-949)	3						2	
SUICIDE (950-959)	1		2		2		2	
HOMICIDE (960-978)	1	2	3					1
ALL OTHER EXTERNAL CAUSES (980-999)	2						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	122		91		128		230	
ATTENDED BY M.D.	122		49		121		172	
ATTENDED BY D.O.			41		5		57	
ATTENDED BY MIDWIFES							1	
OTHERS OR UNSPECIFIED			1		2			
TOTAL FETAL DEATHS			3		1		1	
ATTENDED BY M.D.			1		1			
ATTENDED BY D.O.			2				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	121		157		164		235	1
UNDER ONE YEAR OF AGE	2		1		2		6	
NEONATAL DEATHS	1				1		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		1	
MALIGNANT NEOPLASMS (140-209)	18		22		32		33	
DIGEST. ORGANS (150-159)	6		6		14		11	
RESPIRATORY SYSTEM (160-163)	2		4		8		2	
BREAST (174)	4		2				1	
GENITAL ORGANS (180-187)	2		4		4		5	
URINARY ORGANS (188-189)					1		2	
LEUKEMIA (204-207)			1		1		1	
OTHER REMAINDER OF (140-209)	4		5		4		11	
DIABETES MELLITUS (250)	3		7		3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	63		102		82		138	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	39		63		58		86	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	5							
HYPERTENSIVE HEART (402,404)			4				9	
ISCHEMIC HEART (410-414)	33		47		50		70	
OTHER HEART DISEASE (420-429)	1		12		8		7	
HYPERTENSION (400,401,403)	2		1		1		3	
CEREBROVASCULAR DISEASE (430-438)	18		32		13		46	
ARTERIOSCLEROSIS (440)	3		5		7		1	
OTHER CIRCULATORY (441-448)	1		1		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		4		7		8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		7		6	
PEPTIC ULCER (531-533)					2		1	
CIRRHOSIS OF LIVER (571)	1				4		1	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)							2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		12		1	
ALL OTHER DISEASES (RESIDUAL)	8		5		4		14	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	13		8		8		23	
MOTOR VEHICLE (810-823)	6		2		5		18	
OTHER TRANS. (800-807,825-845)	1							
POISONING (850-877)								
FALLS (880-887)	1		2		2		1	
FIRES (890-899)	1						1	
DROWNING & SUBMERSIONS (910)							1	
FIREARM MISSILES (922)			2				1	
INDUSTRIAL TYPE (916-921,923-928)	1		2					
OTHER ACCIDENTS (900-949)	3				1		1	
SUICIDE (950-959)	6		4				3	
HOMICIDE (960-978)					1		1	
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	224		132	14	277	4	106	
ATTENDED BY M.D.	190		98	8	232	4	96	
ATTENDED BY D.O.	33		33	6	36		10	
ATTENDED BY MIDWIFES	1				2			
OTHERS OR UNSPECIFIED			1		7			
TOTAL FETAL DEATHS	4				9			
ATTENDED BY M.D.	3				8			
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	271	1	113	2	152	1	124	
UNDER ONE YEAR OF AGE	3		1		9		1	
NEONATAL DEATHS	1		1		4		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2			
MALIGNANT NEOPLASMS (140-209)	44		20	1	32		17	
DIGEST. ORGANS (150-159)	12		5	1	8		4	
RESPIRATORY SYSTEM (160-163)	10		3		5		2	
BREAST (174)	5		2		3		2	
GENITAL ORGANS (180-187)	4		2		5		3	
URINARY ORGANS (188-189)			1		2		1	
LEUKEMIA (204-207)	3				2		1	
OTHER REMAINDER OF (140-209)	10		7		7		4	
DIABETES MELLITUS (250)	1		3		4	1	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	160		66		70		65	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	101		48		50		39	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		1		2	
HYPERTENSIVE HEART (402,404)	10							
ISCHEMIC HEART (410-414)	79		45		45		36	
OTHER HEART DISEASE (420-429)	11		2		4		1	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	52		16		17		24	
ARTERIOSCLEROSIS (440)	5		1		3		2	
OTHER CIRCULATORY (441-448)	1		1					
INFLUENZA/PNEUMONIA (470-474,480-486)	7		4		9		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4		2		2	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)	3				1		1	
NEPHRITIS AND NEPHROSIS (580-584)	4		1	1	1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	10		2		2		12	
ALL OTHER DISEASES (RESIDUAL)	14	1	6		16		7	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	22		4		9		8	
MOTOR VEHICLE (810-823)	16		3		4		3	
OTHER TRANS. (800-807,825-845)							3	
POISONING (850-877)								
FALLS (880-887)			1				2	
FIRES (890-899)	2				3			
DROWNING & SUBMERSIONS (910)	1							
FIREARM MISSILES (922)					1			
INDUSTRIAL TYPE (916-921,923-928)	2				1			
OTHER ACCIDENTS (900-949)	1							
SUICIDE (950-959)	2		1				1	
HOMICIDE (960-978)							1	
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	WEBSTER		WORTH		WRIGHT		
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE NON- WHITE
TOTAL LIVE BIRTHS	253		42		176	3	
ATTENDED BY M.D.	176		37		117	3	
ATTENDED BY D.O.	76		5		59		
ATTENDED BY MIDWIFES							
OTHERS OR UNSPECIFIED	1						
TOTAL FETAL DEATHS	1				6		
ATTENDED BY M.D.					3		
ATTENDED BY D.O.	1				3		
ATTENDED BY MIDWIFES							
OTHERS OR UNSPECIFIED							
TOTAL DEATHS	194		53		202	2	
UNDER ONE YEAR OF AGE	7		2		3		
NEONATAL DEATHS	6		2		1		
MATERNAL DEATHS							
CAUSE OF DEATH							
TUBERCULOSIS, ALL FORMS (010-019)	1						
SYPHILIS AND ITS SEQUELAE (090-097)							
OTHER INFECTIVE & PARASITIC DISEASES							
REMAINDER OF (000-136)					1		
MALIGNANT NEOPLASMS (140-209)	27		6		29	1	
DIGEST. ORGANS (150-159)	5		1		11		
RESPIRATORY SYSTEM (160-163)	7		1		6		
BREAST (174)	2						
GENITAL ORGANS (180-187)	3		2		4	1	
URINARY ORGANS (188-189)	3		1		1		
LEUKEMIA (204-207)	2		1		1		
OTHER REMAINDER OF (140-209)	5				6		
DIABETES MELLITUS (250)	3		3		7		
MAJOR CARDIOVASCULAR DISEASE (390-448)	119		33		114	1	
DISEASES OF HEART							
(390-398, 402, 404, 410-429)	70		23		70	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	WEBSTER		WORTH		WRIGHT		
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE NON- WHITE WHITE
RHEUMATIC FEVER & CHRONIC							
RHEUMATIC HEART DISEASE (390-398)							
HYPERTENSIVE HEART (402,404)	4				3	1	
ISCHEMIC HEART (410-414)	63		22		63		
OTHER HEART DISEASE (420-429)	3		1		4		
HYPERTENSION (400,401,403)	1				1		
CEREBROVASCULAR DISEASE (430-438)	40		5		34		
ARTERIOSCLEROSIS (440)	5		4		7		
OTHER CIRCULATORY (441-448)	3		1		2		
INFLUENZA/PNEUMONIA (470-474,480-486)	15		2		15		
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		1		1		
PEPTIC ULCER (531-533)							
CIRRHOSIS OF LIVER (571)					1		
NEPHRITIS AND NEPHROSIS (580-584)	1		2				
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							
CONGENITAL ANOMALIES (740-759)	2				1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6		1				
SYMPTOMS & ILL-DEFINED COND. (780-796)					2		
ALL OTHER DISEASES (RESIDUAL)	14		1		14		
ACCIDENTAL DEATHS							
(800-807,810,823,825-949)	1		2		14		
MOTOR VEHICLE (810-823)	1		1		6		
OTHER TRANS. (800-807,825-845)							
POISONING (850-877)							
FALLS (880-887)					3		
FIRES (890-899)					1		
DROWNING & SUBMERSIONS (910)							
FIREARM MISSILES (922)					1		
INDUSTRIAL TYPE (916-921,923-928)					2		
OTHER ACCIDENTS (900-949)			1		1		
SUICIDE (950-959)			2		3		
HOMICIDE (960-978)							
ALL OTHER EXTERNAL CAUSES (980-999)							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	77		255	29	223	10	405	36
ATTENDED BY M.D.	77		227	28	220	9	386	36
ATTENDED BY D.O.			28	1	3	1	19	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		4	2	1		6	
ATTENDED BY M.D.	2		4	2	1		5	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	115		116	3	91	7	248	21
UNDER ONE YEAR OF AGE			7		3		5	5
NEONATAL DEATHS			4		2		4	5
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	1
MALIGNANT NEOPLASMS (140-209)	25		29		22		47	2
DIGEST. ORGANS (150-159)	7		7		7		18	
RESPIRATORY SYSTEM (160-163)	5		8		8		5	
BREAST (174)	3		3				2	
GENITAL ORGANS (180-187)	3		2		2		4	2
URINARY ORGANS (188-189)	1		1		1		2	
LEUKEMIA (204-207)			1				3	
OTHER REMAINDER OF (140-209)	6		7		4		13	
DIABETES MELLITUS (250)	1		2			1	2	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	60		51	2	46	4	141	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	42		40	2	30	2	99	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2		2		4	2
HYPERTENSIVE HEART (402,404)					2		3	
ISCHEMIC HEART (410-414)	40		36	2	24	2	89	2
OTHER HEART DISEASE (420-429)			2		2		3	1
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	14		8		13	2	34	4
ARTERIOSCLEROSIS (440)	2		2		1		6	
OTHER CIRCULATORY (441-448)	2		1		2		2	1
INFLUENZA/PNEUMONIA (470-474,480-486)	7		3	1	3	1	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		1		5	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	1		1			1	2	
NEPHRITIS AND NEPHROSIS (580-584)			2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			4		1		2	5
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		4		4		10	1
ALL OTHER DISEASES (RESIDUAL)	8		8		7		12	1
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	5		8		5		15	
MOTOR VEHICLE (810-823)	2		4		4		9	
OTHER TRANS. (800-807,825-845)							1	
POISONING (850-877)	1							
FALLS (880-887)			1				2	
FIRES (890-899)							1	
DROWNING & SUBMERSIONS (910)			1				1	
FIREARM MISSILES (922)							1	
INDUSTRIAL TYPE (916-921,923-928)	1		1		1		1	
OTHER ACCIDENTS (900-949)	1		1					
SUICIDE (950-959)	1		2		1		1	
HOMICIDE (960-978)							1	
ALL OTHER EXTERNAL CAUSES (980-999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	161	4	139		801	70	139	1
ATTENDED BY M.D.	157	4	139		800	70	138	1
ATTENDED BY D.O.	3				1		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	1		6		10	2	3	
ATTENDED BY M.D.	1		6		10	2	3	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	165	1	198	2	278	36	75	
UNDER ONE YEAR OF AGE	6		1		14		2	
NEONATAL DEATHS	6		1		12			
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		1	1		
MALIGNANT NEOPLASMS (140-209)	24		38		44	9	11	
DIGEST. ORGANS (150-159)	9		13		10	3	2	
RESPIRATORY SYSTEM (160-163)	7		4		9	1	1	
BREAST (174)			7		6	1	2	
GENITAL ORGANS (180-187)	4		9		2	2	3	
URINARY ORGANS (188-189)			2					
LEUKEMIA (204-207)	1				5			
OTHER REMAINDER OF (140-209)	3		3		12	2	3	
DIABETES MELLITUS (250)	3		3		1	1	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	91	1	112	1	154	15	37	
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	1	77	1	104	9	25	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		3		1	
HYPERTENSIVE HEART (402,404)			1					
ISCHEMIC HEART (410-414)	62	1	74		93	8	23	
OTHER HEART DISEASE (420-429)	3		1	1	8	1	1	
HYPERTENSION (400,401,403)	2		1					
CEREBROVASCULAR DISEASE (430-438)	15		24		43	5	9	
ARTERIOSCLEROSIS (440)	6		5		5	1	2	
OTHER CIRCULATORY (441-448)	2		5		2		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		1		12	4	1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		7		1	
PEPTIC ULCER (531-533)	1		2					
CIRRHOSIS OF LIVER (571)	1		4		2			
NEPHRITIS AND NEPHROSIS (580-584)			2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	2				3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		1		6			
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		5				4	
ALL OTHER DISEASES (RESIDUAL)	8		13	1	18	5	12	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7		7		23	1	6	
MOTOR VEHICLE (810-823)	4		1		9	1	5	
OTHER TRANS. (800-807,825-845)	1		3		1			
POISONING (850-877)					3			
FALLS (880-887)	2		1		7		1	
FIRES (890-899)			1		1			
DROWNING & SUBMERSIONS (910)								
FIREARM MISSILES (922)					1			
INDUSTRIAL TYPE (916-921,923-928)			1					
OTHER ACCIDENTS (900-949)					1			
SUICIDE (950-959)	4		4		3		1	
HOMICIDE (960-978)			1		2			
ALL OTHER EXTERNAL CAUSES (980-999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	383	5	1,121	2	91	24	260	
ATTENDED BY M.D.	353	5	1,063	2	87	21	255	
ATTENDED BY D.O.	30		58		4	3	5	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	5		14		2		3	
ATTENDED BY M.D.	4		13		2		3	
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	177	1	265		103	22	36	
UNDER ONE YEAR OF AGE	9		19		4		1	
NEONATAL DEATHS	8		17		4			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								
MALIGNANT NEOPLASMS (140-209)	31		44		13	2	8	
DIGEST. ORGANS (150-159)	13		9		3		4	
RESPIRATORY SYSTEM (160-163)	7		10		2	1		
BREAST (174)			5		1	1		
GENITAL ORGANS (180-187)	2		2		2		2	
URINARY ORGANS (188-189)			1		1			
LEUKEMIA (204-207)	1		2		1			
OTHER REMAINDER OF (140-209)	8		15		3		2	
DIABETES MELLITUS (250)	4		9		4		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	91		118		56	12	14	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55		89		33	9	12	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		2			1		
HYPERTENSIVE HEART (402,404)	1		1		2	3		
ISCHEMIC HEART (410-414)	47		82		28	4	12	
OTHER HEART DISEASE (420-429)	3		4		3	1		
HYPERTENSION (400,401,403)	3		2					
CEREBROVASCULAR DISEASE (430-438)	28		21		19	2	2	
ARTERIOSCLEROSIS (440)	3		2		3	1		
OTHER CIRCULATORY (441-448)	2		4		1			
INFLUENZA/PNEUMONIA (470-474,480-486)	6		7		6		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4					
PEPTIC ULCER (531-533)			3					
CIRRHOSIS OF LIVER (571)	2		5		1			
NEPHRITIS AND NEPHROSIS (580-584)	1		2			1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		7		2		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	6		12		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		8		4			
ALL OTHER DISEASES (RESIDUAL)	12	1	14		9	3	4	
ACCIDENTAL DEATHS (800-807,810,823,825-949)	10		22		5	1	2	
MOTOR VEHICLE (810-823)	7		13		2		1	
OTHER TRANS. (800-807,825-845)								
POISONING (850-877)	1		1					
FALLS (880-887)	1		1		2			
FIRES (890-899)	1							
DROWNING & SUBMERSIONS (910)			3		1			
FIREARM MISSILES (922)			1					
INDUSTRIAL TYPE (916-921,923-928)			1					
OTHER ACCIDENTS (900-949)			2			1	1	
SUICIDE (950-959)	2		5			1	3	
HOMICIDE (960-978)			3			2		
ALL OTHER EXTERNAL CAUSES (980-999)	1		2				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	274	29	1,776	4	392	34	241	2
ATTENDED BY M.D.	274	29	1,646	3	311	19	230	2
ATTENDED BY D.O.			129	1	81	15	11	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	4	1	27		11	1	3	
ATTENDED BY M.D.	4	1	24		7	1	3	
ATTENDED BY D.O.			3		4			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	282	28	734	17	250	18	240	
UNDER ONE YEAR OF AGE	4	2	22	1	9		5	
NEONATAL DEATHS	2	1	17	1	5		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3		2			
MALIGNANT NEOPLASMS (140-209)	36	7	121	3	40	5	48	
DIGEST. ORGANS (150-159)	9	3	27	1	14	2	19	
RESPIRATORY SYSTEM (160-163)	10		26	1	10		8	
BREAST (174)	4		5		3		5	
GENITAL ORGANS (180-187)	3	1	12		2	1	6	
URINARY ORGANS (188-189)	2		4		3		4	
LEUKEMIA (204-207)	1		8			1		
OTHER REMAINDER OF (140-209)	7	3	39	1	8	1	6	
DIABETES MELLITUS (250)	2	1	8		5		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	179	10	379	4	133	11	135	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	119	6	286	4	103	9	95	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			11		1		3	
HYPERTENSIVE HEART (402,404)			2	1	2	1		
ISCHEMIC HEART (410-414)	113	5	262	3	94	6	90	
OTHER HEART DISEASE (420-429)	6	1	11		6	2	2	
HYPERTENSION (400,401,403)	1		4		2			
CEREBROVASCULAR DISEASE (430-438)	46	4	64		26	1	31	
ARTERIOSCLEROSIS (440)	7		12		1	1	7	
OTHER CIRCULATORY (441-448)	6		13		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	10	2	30	1	6	1	10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		17	2	3		5	
PEPTIC ULCER (531-533)			3		2		1	
CIRRHOSIS OF LIVER (571)	2		6		5		3	
NEPHRITIS AND NEPHROSIS (580-584)	2		6		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		5		2		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2	1	15	1	5		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	2	25	1	9	1	7	
ALL OTHER DISEASES (RESIDUAL)	17	1	58	2	12		17	
ACCIDENTAL DEATHS (800-807,810,823,825-949)	12	3	41	3	15		4	
MOTOR VEHICLE (810-823)	4		21	3	8		1	
OTHER TRANS. (800-807,825-845)			2		1			
POISONING (850-877)	1							
FALLS (880-887)	5	1	10		3		1	
FIRES (890-899)		2	1		1		1	
DROWNING & SUBMERSIONS (910)			2		1			
FIREARM MISSILES (922)			1					
INDUSTRIAL TYPE (916-921,923-928)	1		3		1			
OTHER ACCIDENTS (900-949)	1		1				1	
SUICIDE (950-959)	3		12		4		2	
HOMICIDE (960-978)		1	2		3			
ALL OTHER EXTERNAL CAUSES (980-999)			3		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	613	14	6,454	2,591	5,300	2,591	979	
ATTENDED BY M.D.	517	12	5,635	2,488	4,582	2,488	888	
ATTENDED BY D.O.	96	2	819	102	718	102	91	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED				1		1		
TOTAL FETAL DEATHS	8	1	89	45	75	45	14	
ATTENDED BY M.D.	5	1	64	43	54	43	10	
ATTENDED BY D.O.	3		23	1	19	1	4	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			2	1	2	1		
TOTAL DEATHS	584	18	4,933	1,270	4,639	1,269	245	1
UNDER ONE YEAR OF AGE	17		140	88	126	88	13	
NEONATAL DEATHS	13		107	64	96	64	10	
MATERNAL DEATHS	1		1		1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		12	6	12	6		
SYPHILIS AND ITS SEQUELAE (090-097)			1	4	1	4		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4		19	7	19	7		
MALIGNANT NEOPLASMS (140-209)	102		834	204	779	204	49	
DIGEST. ORGANS (150-159)	20		253	67	231	67	18	
RESPIRATORY SYSTEM (160-163)	39		165	25	158	25	6	
BREAST (174)	2		62	11	60	11	1	
GENITAL ORGANS (180-187)	15		110	28	102	28	8	
URINARY ORGANS (188-189)	1		34	7	33	7	1	
LEUKEMIA (204-207)	3		40	12	33	12	7	
OTHER REMAINDER OF (140-209)	22		170	54	162	54	8	
DIABETES MELLITUS (250)	6		78	32	74	32	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	296	9	2,512	457	2,371	457	117	
DISEASES OF HEART								
(390-398,402,404,410-429)	202	5	1,738	299	1,654	299	67	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		41	4	39	4	2	
HYPERTENSIVE HEART (402,404)	12		29	23	29	23		
ISCHEMIC HEART (410-414)	179	4	1,571	238	1,495	238	59	
OTHER HEART DISEASE (420-429)	8	1	97	34	91	34	6	
HYPERTENSION (400,401,403)	1		16	10	15	10	1	
CEREBROVASCULAR DISEASE (430-438)	70	3	589	119	544	119	40	
ARTERIOSCLEROSIS (440)	17	1	114	13	109	13	4	
OTHER CIRCULATORY (441-448)	6		55	16	49	16	5	
INFLUENZA/PNEUMONIA (470-474,480-486)	21		188	67	181	67	4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	17		112	16	107	16	5	
PEPTIC ULCER (531-533)	3		29	3	27	3	1	
CIRRHOSIS OF LIVER (571)	6		60	17	55	17	5	
NEPHRITIS AND NEPHROSIS (580-584)	5	1	27	12	26	12	1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1		1		1			
CONGENITAL ANOMALIES (740-759)	6		40	16	36	16	4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	10		83	50	76	50	6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	29	3	217	123	209	122	1	1
ALL OTHER DISEASES (RESIDUAL)	35	3	379	95	356	95	20	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	36	2	233	75	211	75	19	
MOTOR VEHICLE (810-823)	10	1	95	37	86	37	7	
OTHER TRANS. (800-807,825-845)	4		5	1	4	1	1	
POISONING (850-877)	5		2	3	2	3		
FALLS (880-887)	11		62	11	59	11	3	
FIRES (890-899)	1	1	26	5	25	5	1	
DROWNING & SUBMERSIONS (910)	1		6	3	5	3	1	
FIREARM MISSILES (922)	2		6	3	5	3		
INDUSTRIAL TYPE (916-921,923-928)			10	2	8	2	2	
OTHER ACCIDENTS (900-949)	2		21	10	17	10	4	
SUICIDE (950-959)	3		70	4	62	4	7	
HOMICIDE (960-978)			32	75	30	75	2	
ALL OTHER EXTERNAL CAUSES (980-999)	1		6	7	6	7		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	175		279	3	362	54	234	1
ATTENDED BY M.D.	165		52		359	53	233	1
ATTENDED BY D.O.	10		227	3	3	1	1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS			1		5	1	2	
ATTENDED BY M.D.					5	1	2	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	49		177	2	284	39	183	1
UNDER ONE YEAR OF AGE	1		6		6	1	3	
NEONATAL DEATHS	1		4		4	1	3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	6		29		56	5	37	1
DIGEST. ORGANS (150-159)	4		10		21	2	13	
RESPIRATORY SYSTEM (160-163)	1		3		4	1	8	
BREAST (174)	1		2		7	1	2	
GENITAL ORGANS (180-187)			6		5		5	
URINARY ORGANS (188-189)			1		3			
LEUKEMIA (204-207)			2		6		1	1
OTHER REMAINDER OF (140-209)			5		10	1	8	
DIABETES MELLITUS (250)					3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	24		104	1	161	13	99	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	17		70	1	112	7	78	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3				3	
HYPERTENSIVE HEART (402,404)							1	
ISCHEMIC HEART (410-414)	17		65	1	111	6	70	
OTHER HEART DISEASE (420-429)			2		1	1	4	
HYPERTENSION (400,401,403)					5		2	
CEREBROVASCULAR DISEASE (430-438)	5		29		31	6	16	
ARTERIOSCLEROSIS (440)	1		2		7		2	
OTHER CIRCULATORY (441-448)	1		3		6		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		4	1	9	2	7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			5		1		4	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)			2		5	2	3	
NEPHRITIS AND NEPHROSIS (580-584)			1		2	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4		3	1	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		2	1	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7				13	2	9	
ALL OTHER DISEASES (RESIDUAL)	3		14		16	5	10	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	3		7		8	3	5	
MOTOR VEHICLE (810-823)	2		1		5	3	3	
OTHER TRANS. (800-807,825-845)					1			
POISONING (850-877)								
FALLS (880-887)			2		2		1	
FIRES (890-899)			3					
DROWNING & SUBMERSIONS (910)								
FIREARM MISSILES (922)	1						1	
INDUSTRIAL TYPE (916-921,923-928)								
OTHER ACCIDENTS (900-949)			1					
SUICIDE (950-959)	1		5		4		1	
HOMICIDE (960-978)						4		
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	174	17	183	18	435	10	221	24
ATTENDED BY M.D.	135	14	126	16	394	10	200	19
ATTENDED BY D.O.	38	3	57	2	41		21	1
ATTENDED BY MIDWIFES								4
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	2	1	3		11		1	1
ATTENDED BY M.D.	1	1	3		10		1	1
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	138	30	237	21	228	2	259	23
UNDER ONE YEAR OF AGE	4		1	1	9		5	
NEONATAL DEATHS	3		1	1	5		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)		1	1	1				
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1			1	3			
MALIGNANT NEOPLASMS (140-209)	32	4	36	6	43		25	2
DIGEST. ORGANS (150-159)	11	2	10		11		3	
RESPIRATORY SYSTEM (160-163)	5		3	4	9		7	
BREAST (174)	2		2	1	5		2	1
GENITAL ORGANS (180-187)	5		7		5		3	
URINARY ORGANS (188-189)	3	1	3	1	3		3	
LEUKEMIA (204-207)	1				2		2	
OTHER REMAINDER OF (140-209)	5	1	11		8		5	1
DIABETES MELLITUS (250)	2		6		11		5	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	65	17	128	7	115	1	158	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49	13	89	3	83		118	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1			
HYPERTENSIVE HEART (402,404)	1		9					
ISCHEMIC HEART (410-414)	44	12	74	3	76		113	9
OTHER HEART DISEASE (420-429)	4	1	3		6		5	
HYPERTENSION (400,401,403)		1	1	1	1			
CEREBROVASCULAR DISEASE (430-438)	15	3	25	3	24	1	36	3
ARTERIOSCLEROSIS (440)			11		6		3	
OTHER CIRCULATORY (441-448)	1		2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		14		6		12	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		5		1		7	
PEPTIC ULCER (531-533)	2			1	2		1	1
CIRRHOSIS OF LIVER (571)			2		1		3	
NEPHRITIS AND NEPHROSIS (580-584)			3	1	1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				3		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		1	1	4		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	2	5	1	10		15	2
ALL OTHER DISEASES (RESIDUAL)	10	4	17		14	1	18	2
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7	2	19	2	11		8	
MOTOR VEHICLE (810-823)	7	2	4		6		4	
OTHER TRANS. (800-807,825-845)			1				1	
POISONING (850-877)			1		1			
FALLS (880-887)			6	1	2		1	
FIRES (890-899)			7	1	1			
DROWNING & SUBMERSIONS (910)							1	
FIREARM MISSILES (922)								
INDUSTRIAL TYPE (916-921,923-928)							1	
OTHER ACCIDENTS (900-949)					1			
SUICIDE (950-959)	2				2		1	
HOMICIDE (960-978)					1		1	
ALL OTHER EXTERNAL CAUSES (980-999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	424		157	35	205	1	312	1
ATTENDED BY M.D.	399		154	35	176	1	288	1
ATTENDED BY D.O.	25		2		28		24	
ATTENDED BY MIDWIFES			1					
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	4		1	1	3		8	
ATTENDED BY M.D.	4		1	1	2		7	
ATTENDED BY D.O.					1		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	179		156	11	96	1	99	
UNDER ONE YEAR OF AGE	8		4	1	6		5	
NEONATAL DEATHS	7		4	1	5		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1							
MALIGNANT NEOPLASMS (140-209)	35		29	3	15		23	
DIGEST. ORGANS (150-159)	10		6		4		5	
RESPIRATORY SYSTEM (160-163)	4		3		1		5	
BREAST (174)	3		5		1		3	
GENITAL ORGANS (180-187)	4		5	2	3		2	
URINARY ORGANS (188-189)	2		3		1		1	
LEUKEMIA (204-207)	1		3		1		1	
OTHER REMAINDER OF (140-209)	11		4	1	4		6	
DIABETES MELLITUS (250)	1		4	1			1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	86		84	5	53		38	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63		63	3	28		30	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		1	
HYPERTENSIVE HEART (402,404)			2		2			
ISCHEMIC HEART (410-414)	61		60	3	22		27	
OTHER HEART DISEASE (420-429)	2				3		2	
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	19		14	1	22		8	
ARTERIOSCLEROSIS (440)	1		3	1	1			
OTHER CIRCULATORY (441-448)	1		4		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	4		8	1	7		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		1		2	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)	2		3				1	
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		1		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		2	1	3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		6		4	
ALL OTHER DISEASES (RESIDUAL)	7		12		4		14	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	18		5		3	1	9	
MOTOR VEHICLE (810-823)	10		1		2	1	4	
OTHER TRANS. (800-807,825-845)	2		1					
POISONING (850-877)	1						1	
FALLS (880-887)	2		2		1		2	
FIRES (890-899)	1							
DROWNING & SUBMERSIONS (910)								
FIREARM MISSILES (922)			1					
INDUSTRIAL TYPE (916-921,923-928)	2						2	
OTHER ACCIDENTS (900-949)								
SUICIDE (950-959)	6		1		3			
HOMICIDE (960-978)	1		1					
ALL OTHER EXTERNAL CAUSES (980-999)	2		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	723	11	1,072	52	6,031	6,335	280	33
ATTENDED BY M.D.	701	11	1,047	51	5,899	6,330	224	32
ATTENDED BY D.O.	22		25		130	4	56	1
ATTENDED BY MIDWIFES						1		
OTHERS OR UNSPECIFIED				1	2			
TOTAL FETAL DEATHS	11		17	1	83	173	3	3
ATTENDED BY M.D.	10		16	1	81	164	3	3
ATTENDED BY D.O.	1		1		1	2		
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1	7		
TOTAL DEATHS	247	7	1,076	41	6,812	2,931	311	26
UNDER ONE YEAR OF AGE	12		28	2	133	219	5	
NEONATAL DEATHS	10		19	2	100	153	3	
MATERNAL DEATHS						4		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			3		12	14		
SYPHILIS AND ITS SEQUELAE (090-097)			1		1	1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		4	1	25	13	3	
MALIGNANT NEOPLASMS (140-209)	50		176	3	1,131	479	51	2
DIGEST. ORGANS (150-159)	10		53	1	319	148	15	1
RESPIRATORY SYSTEM (160-163)	9		30	1	237	84	9	
BREAST (174)	6		17		107	43	3	
GENITAL ORGANS (180-187)	3		23	1	144	70	7	
URINARY ORGANS (188-189)	3		7		54	11	2	
LEUKEMIA (204-207)	3		8		42	12	4	
OTHER REMAINDER OF (140-209)	16		38		228	111	11	1
DIABETES MELLITUS (250)	3		20	4	154	75	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	116	4	585	17	3,908	1,327	191	20
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	82	3	412	11	2,904	837	117	14

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		12	1	51	14	1	
HYPERTENSIVE HEART (402,404)			23		62	40	4	
ISCHEMIC HEART (410-414)	77	3	359	10	2,711	712	107	14
OTHER HEART DISEASE (420-429)	3		18		80	71	5	
HYPERTENSION (400,401,403)	4		4	2	29	26	4	
CEREBROVASCULAR DISEASE (430-438)	23	1	129	3	749	402	59	6
ARTERIOSCLEROSIS (440)	4		17	1	161	36	6	
OTHER CIRCULATORY (441-448)	3		23		65	26	5	
INFLUENZA/PNEUMONIA (470-474,480-486)	18		45		261	159	10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		21		128	34	6	1
PEPTIC ULCER (531-533)			8		41	14	1	
CIRRHOSIS OF LIVER (571)	1	1	11	1	149	71	6	
NEPHRITIS AND NEPHROSIS (580-584)	2		3	1	17	22	1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						4		
CONGENITAL ANOMALIES (740-759)	2		4	1	38	25	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	8		18	1	75	132	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11	1	44	6	39	18	1	
ALL OTHER DISEASES (RESIDUAL)	11		76	3	430	244	12	
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	18	1	40	1	273	138	17	2
MOTOR VEHICLE (810-823)	11		18		108	48	7	1
OTHER TRANS. (800-807,825-845)	1				4	2		
POISONING (850-877)			1		5	6		1
FALLS (880-887)	3		7		100	27	1	
FIRES (890-899)			2		24	19	1	
DROWNING & SUBMERSIONS (910)	3	1			14	8	2	
FIREARM MISSILES (922)			1		3	7		
INDUSTRIAL TYPE (916-921,923-928)			3	1	4	9	2	
OTHER ACCIDENTS (900-949)			8		11	12	4	
SUICIDE (950-959)	3		15	1	54	4	4	
HOMICIDE (960-978)	1		1	1	35	119	1	
ALL OTHER EXTERNAL CAUSES (980-999)	1		1		41	38		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	210	49	1,916	58	367	112	255	34
ATTENDED BY M.D.	175	20	1,855	58	361	111	255	34
ATTENDED BY D.O.	35	1	61		6	1		
ATTENDED BY MIDWIFES		28						
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1	1	22	1	2	2	4	
ATTENDED BY M.D.	1	1	21	1	2	2	4	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118	33	1,201	28	511	13	272	37
UNDER ONE YEAR OF AGE	5		50	2	9	1	8	2
NEONATAL DEATHS	2		39	2	8		7	2
MATERNAL DEATHS				1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)		1	6					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		7		2			
MALIGNANT NEOPLASMS (140-209)	16	4	194	3	95	3	54	7
DIGEST. ORGANS (150-159)	2		45	3	40		16	1
RESPIRATORY SYSTEM (160-163)	6		31		16	2	14	1
BREAST (174)	3		20		6		8	1
GENITAL ORGANS (180-187)		2	27		9		5	2
URINARY ORGANS (188-189)	1		12		4	1	2	
LEUKEMIA (204-207)	1		7		2		3	1
OTHER REMAINDER OF (140-209)	3	2	52		18		6	1
DIABETES MELLITUS (250)	2	1	16	1	8		8	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	65	13	662	15	312	4	142	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49	10	430	6	219	4	107	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF CAUSES OF DEATH, 1967.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1968

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		11		4		2	
HYPERTENSIVE HEART (402,404)		1	6		1		2	
ISCHEMIC HEART (410-414)	46	6	396	5	205	4	97	8
OTHER HEART DISEASE (420-429)	2	3	17	1	9		6	1
HYPERTENSION (400,401,403)	1		2	1	3		2	1
CEREBROVASCULAR DISEASE (430-438)	14	2	165	5	62		24	
ARTERIOSCLEROSIS (440)	1		52	3	19		5	
OTHER CIRCULATORY (441-448)		1	13		9		4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	9	1	39	1	14		12	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2	1	23		5	1	8	
PEPTIC ULCER (531-533)			7		1		1	
CIRRHOSIS OF LIVER (571)	3		10	1	5		2	5
NEPHRITIS AND NEPHROSIS (580-584)	1	1	6			1	2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1				
CONGENITAL ANOMALIES (740-759)	1		9		5	1	2	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		33	2	4		5	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	1	7	55	2	13		5	3
ALL OTHER DISEASES (RESIDUAL)	8	2	61	2	24	2	17	3
ACCIDENTAL DEATHS								
(800-807,810,823,825-949)	7		54		14		11	1
MOTOR VEHICLE (810-823)	2		27		5		4	
OTHER TRANS. (800-807,825-845)			3					
POISONING (850-877)			1		1		1	
FALLS (880-887)	1		11		7		1	
FIRES (890-899)	1		3				1	1
DROWNING & SUBMERSIONS (910)			1		1		1	
FIREARM MISSILES (922)	1							
INDUSTRIAL TYPE (916-921,923-928)			5				1	
OTHER ACCIDENTS (900-949)	2		3				2	
SUICIDE (950-959)			15		2		1	
HOMICIDE (960-978)		2	2		3		1	
ALL OTHER EXTERNAL CAUSES (980-999)			2		4	1	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 17

## RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1968

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	2,043	962	97	66	155	56	487	132	427	119	435	188	186	114	254	287
10. WORK TOTAL	145	2	-	-	6	-	15	-	46	-	55	-	16	1	7	1
11. AGRICULTURE	52	-	-	-	5	-	7	-	4	-	20	-	10	-	6	-
12. MINING, QUARRYING, OIL/GAS WELL	9	-	-	-	-	-	2	-	2	-	5	-	-	-	-	-
13. CONSTRUCTION	33	-	-	-	-	-	1	-	15	-	15	-	2	-	-	-
14. MANUFACTURING	6	-	-	-	-	-	2	-	1	-	2	-	-	-	1	-
15. TRANS. AND PUBLIC UTILITIES	15	-	-	-	-	-	2	-	8	-	5	-	-	-	-	-
16. TRADE	9	1	-	-	-	-	-	-	5	-	-	-	4	-	-	1
17. SERVICE	13	1	-	-	-	-	-	-	7	-	6	-	-	1	-	-
18. GOVERNMENT	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
19. OTHER AND UNSPECIFIED IND.	5	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-
20. HOME TOTAL	385	328	55	33	31	11	27	10	39	23	70	47	58	49	105	155
21. POISONINGS (GAS EXCEPTED)	11	9	3	4	2	-	2	1	2	-	1	4	1	-	-	-
22. POISONINGS BY GAS AND VAPOR	11	7	2	-	-	1	2	1	4	2	3	3	-	-	-	-
23. FALLS	133	187	4	5	1	1	-	1	5	2	21	16	33	33	69	129
24. FIRES	122	81	14	9	7	4	8	5	14	11	33	20	17	12	29	20
25. DROWNING	7	7	5	5	1	1	1	-	-	-	-	-	-	-	-	1
26. SUFFOCATION, INGESTED OBJECTS	5	4	3	-	-	1	-	-	2	2	-	-	-	1	-	-
27. SUFFOCATION, MECHANICAL	26	8	20	5	3	1	-	-	1	1	1	1	-	-	1	-
28. FIREARMS	33	6	1	2	9	2	12	1	4	1	2	-	3	-	2	-
29. OTHER AND UNSPECIFIED ACC.	37	19	3	3	8	-	2	1	9	4	7	3	4	3	4	5
30. MOTOR VEHICLE TOTAL	1,107	448	27	24	66	36	370	116	277	80	226	123	76	45	64	24
31. INJURY TO PEDESTRIAN	141	52	11	5	29	9	13	5	22	7	39	9	12	11	15	6
32. INJURY TO PEDAL CYCLIST	12	-	-	-	8	-	3	-	-	-	-	-	-	-	1	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	4	1	-	-	1	-	-	-	-	1	3	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	29	20	-	-	-	4	7	5	5	3	11	7	4	1	2	-
35. COLLISION WITH OTHR MOTOR VEC	443	233	11	10	13	12	134	61	115	34	97	79	39	23	33	14
36. COLLISION WITH FIXED OBJECT	60	17	-	-	1	-	28	5	21	5	7	5	3	1	-	1
37. NONCOLLISION	398	114	4	9	13	9	178	36	111	29	64	19	17	9	11	3
38. OTHER AND UNSPECIFIED ACC.	20	11	1	-	1	2	7	4	3	1	5	4	1	-	2	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE

TABLE 17 (CONT)


RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1968

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	399	180	14	9	52	9	75	6	62	16	81	16	36	19	78	105
51. RAILROAD NOT WITH MOTOR VECH.	12	2	-	1	2	1	2	-	1	-	4	-	1	-	2	-
52. OTHER VECH NOT WITH MOTOR VECH.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53. WATER TRANSPORT	4	1	-	-	-	1	1	-	1	-	1	-	1	-	-	-
54. AIR-TRANSPORT	23	4	-	1	4	1	-	-	14	2	5	-	-	-	-	-
55. FALLS	102	105	1	-	2	-	4	1	3	3	16	4	17	10	59	87
56. FIRES	28	8	1	1	2	-	1	-	5	2	13	2	3	1	3	2
57. DROWNING	117	16	6	3	33	5	43	3	18	-	13	4	3	1	1	-
58. FIREARMS	24	1	-	-	6	-	10	1	5	-	2	-	1	-	-	-
59. OTHER AND UNSPECIFIED ACC.	89	43	6	3	3	1	14	1	15	9	27	6	10	7	13	16
60. TYPE OF ACCIDENT UNKNOWN	7	4	1	-	-	-	-	-	3	-	3	2	-	-	-	2

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE

# MARRIAGES

GRAPH E.  
MARRIAGE RATES 1949-1968  
(per 1,000 population)



## MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1959	34,352	8.1
1950	34,300	8.7	1960	35,368	8.2
1951	30,880	7.7	1961	34,640	7.9
1952	28,373	7.0	1962	35,192	8.0
1953	33,012	8.1	1963	37,667	8.5
1954	33,520	8.2	1964	38,802	8.7
1955	34,162	8.3	1965	39,882	8.9
1956	34,382	8.3	1966	42,597	9.5
1957	31,395	7.5	1967	44,055	9.8
1958	31,965	7.5	1968	48,155	10.7

**SOURCE:** Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949 to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 18

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1968

		AGE OF BRIDE														
AGE OF GROOM	TOTAL	15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	48,155	623	1,663	2,855	5,291	6,054	5,445	5,191	4,035	2,346	1,670	1,339	1,113	816	668	526
15 AND UNDER	24	8	5	2	5	1	2									
16 YEARS	161	31	55	41	23	8	2									
17 YEARS	1,116	103	259	354	237	106	28	12	6	3	1		2	2		1
18 YEARS	2,437	157	382	610	733	347	107	56	20	9	1	4	2	1	3	
19 YEARS	3,536	132	337	573	1,033	936	309	115	47	13	15	6	6	4	2	2
20 YEARS	4,498	64	221	496	973	1,181	955	386	93	46	29	14	15	8	4	1
21 YEARS	5,284	46	145	279	803	1,156	1,175	1,054	379	97	46	38	14	7	11	6
22 YEARS	5,244	30	88	186	593	858	1,032	1,068	894	220	106	52	29	27	17	6
23 YEARS	3,621	17	48	101	309	435	584	694	687	383	136	70	61	32	17	16
24 YEARS	2,889	11	42	67	173	327	402	507	502	350	212	107	60	30	24	15
25 YEARS	2,391	5	28	44	126	228	272	360	386	288	224	167	94	46	36	28
26 YEARS	1,956	4	16	30	99	152	163	268	294	228	197	178	111	65	43	23
27 YEARS	1,476	4	11	24	46	92	119	163	190	154	149	145	124	78	58	27
28 YEARS	1,144	1	6	14	31	48	83	118	126	117	121	94	95	69	57	33
29 YEARS	960	2	4	3	17	40	59	99	100	101	90	83	76	65	43	41
30 YEARS	805	2	6	7	21	36	43	57	60	64	61	65	61	66	52	42
31 YEARS	591	1	2	3	16	20	15	42	38	52	52	44	45	37	38	32
32 YEARS	561		3	3	7	8	14	34	44	41	36	42	55	45	40	27
33 YEARS	534	1	1	2	4	16	13	35	33	33	24	40	48	35	36	31
34 YEARS	534		1	5	6	13	14	24	29	25	30	30	31	30	31	25
35-39 YEARS	1,982	1	2	5	23	28	31	58	72	65	72	81	116	110	99	88
40-44 YEARS	1,585	1	1	2	5	10	13	23	21	33	34	45	38	28	30	45
45-49 YEARS	1,283	2		1	2	5	6	11	8	15	20	19	20	16	17	24
50-54 YEARS	973			1	5	1	1	4	2	4	8	10	4	5	7	9
55-59 YEARS	745				1		1	2	1	4	3	3	5	4	2	3
60-64 YEARS	628						1			1	1		1	5		1
65-69 YEARS	490			1				1			1	1		1		
70-74 YEARS	384										1				1	
75 YEARS	310															
AND OVER																
NOT STATED	13			1		2	1		3			1				



TABLE 18 (CONT)

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1968

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	481	454	387	345	360	1,495	1,351	1,052	790	675	474	328	189	114	25
15 AND UNDER							1								
16 YEARS	1														
17 YEARS					1				1						
18 YEARS						1									4
19 YEARS	1			1	1	2									1
20 YEARS	3	2		1	2	1									3
21 YEARS	9	2	4		2	4	2								5
22 YEARS	15	4	5	3	1	6	1				1				2
23 YEARS	8	5	1	3	3	6	2	2	1						
24 YEARS	11	7	9	6	9	13	4	1							
25 YEARS	15	3	5	5	5	15	9	2							
26 YEARS	20	18	9	19	2	11	4								2
27 YEARS	19	17	8	5	7	27	5	2	2						
28 YEARS	22	14	24	18	14	28	9	1		1					
29 YEARS	29	27	17	10	6	38	9		1						
30 YEARS	36	23	20	11	11	42	15	3							1
31 YEARS	31	27	20	12	11	34	14	4	1						
32 YEARS	21	37	23	11	14	35	16	3	2						
33 YEARS	31	24	20	20	11	47	19	5	5						
34 YEARS	32	49	30	20	29	48	25	7							
35-39 YEARS	90	92	97	89	113	384	183	62	17	3	1				
40-44 YEARS	52	53	57	60	66	371	361	157	58	18	3				
45-49 YEARS	18	32	27	30	28	218	315	262	122	38	22	3	1		1
50-54 YEARS	8	8	5	7	18	91	198	263	189	85	27	10	1		2
55-59 YEARS	6	4	4	10	4	48	90	143	172	168	51	12	3	1	
60-64 YEARS	2	3	2	2	1	17	37	80	117	173	118	54	9	3	
65-69 YEARS		1		1	1	6	20	35	67	110	120	84	31	9	
70-74 YEARS	1			1		2	8	15	27	49	87	92	69	31	
75 YEARS		2					4	4	8	30	44	73	75	70	
AND OVER															
NOT STATED								1							4

TABLE 19

REPORTED MARRIAGES BY MARTIAL STATUS AND SELECTED AGE GROUPS,  
GROOMS AND BRIDES, MISSOURI 1968

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED
TOTAL	48,155	35,219	13	2,360	10,508	48,155	35,497	27	2,841	9,727
15 AND UNDER	24	23			1	623	623			
16 YEARS	161	161				1,663	1,658	1	1	2
17 YEARS	1,116	1,114			1	2,855	2,819		4	29
18 YEARS	2,437	2,429			5	5,291	5,180	4	9	93
19 YEARS	3,536	3,499	1	2	32	6,054	5,811	2	13	225
20 YEARS	4,498	4,424	1	4	67	5,445	5,091	8	13	332
21 YEARS	5,284	5,097	2	5	178	5,191	4,687	2	23	478
22 YEARS	5,244	4,923		8	312	4,035	3,485	2	23	524
23 YEARS	3,621	3,248	1	9	362	2,346	1,837		18	488
24 YEARS	2,889	2,450		14	423	1,670	1,134	2	21	513
25 YEARS	2,391	1,892		11	486	1,339	798	1	24	516
26 YEARS	1,956	1,455		10	491	1,113	592		27	494
27 YEARS	1,476	976	2	14	483	816	374		25	416
28 YEARS	1,144	682	1	8	450	668	230	1	29	407
29 YEARS	960	503		6	451	526	156		24	345
30 YEARS	805	380		15	410	481	139		29	312
31 YEARS	591	247		11	333	454	121		23	309
32 YEARS	561	220	1	9	331	387	87		27	272
33 YEARS	534	184		23	326	345	74		33	237
34 YEARS	534	163		20	351	360	56		31	272
35-39 YEARS	1,982	467	1	91	1,421	1,495	180		175	1,135
40-44 YEARS	1,585	281	2	157	1,143	1,351	126	3	287	932
45-49 YEARS	1,283	139		208	933	1,052	74		348	627
50-54 YEARS	973	102		239	625	790	42		390	353
55-59 YEARS	745	52		283	407	675	47	1	393	229
60-64 YEARS	628	48		346	231	474	30		342	100
65-69 YEARS	490	32	1	317	137	328	17		254	51
70-74 YEARS	384	11		289	80	189	7		154	24
75 YEARS AND OVER	310	10		258	36	114	5		99	8
NOT STATED	13	7		3	2	25	17		2	4

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARTIAL STATUS,  
MISSOURI 1968

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	35,219	31,905	407	2,872	16	19
WIDOWED	2,360	282	1,360	712	2	4
DIVORCED	10,508	3,293	1,072	6,133	4	6
ANNULLED	13	4		4	5	
NOT STATED	55	13	2	6		34
TOTAL	48,155	35,497	2,841	9,727	27	63

TABLE 21


## REPORTED MARRIAGES BY COLOR OF GROOM, MISSOURI 1968

COLOR	NUMBER
WHITE	43,574
NONWHITE	4,546
OTHER *	
NOT STATED	35
TOTAL	48,155

\* INCLUDES INDIANS, MEXICANS, JAPANESE &amp; CHINESE

# DIVORCES

GRAPH F.  
DIVORCE RATES 1949-1968  
(per 1,000 population)



## DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1959	11,695	2.8
1950	12,177	3.1	1960	11,320	2.6
1951	12,131	3.0	1961	11,574	2.7
1952	12,943	3.2	1962	11,882	2.7
1953	12,342	3.0	1963	12,652	2.9
1954	11,705	2.9	1964	12,785	2.9
1955	11,351	2.8	1965	13,261	3.0
1956	10,993	2.6	1966	13,758	3.1
1957	10,861	2.6	1967	14,520	3.2
1958	10,747	2.5	1968	16,473	3.6

Source: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 22

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.  
HUSBAND VS WIFE, MISSOURI 1968

HUSBAND	WIFE							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	16,380	11,133	3,725	1,077	250	76	38	81
NONE	11,099	9,565	1,228	215	43	14	4	30
ONE	3,760	1,283	1,350	474	97	29	15	12
TWO	999	190	444	269	65	19	9	3
THREE	283	48	119	69	29	6	10	2
FOUR	89	13	39	21	10	5		1
FIVE OR MORE	45	4	17	18	4	2		
NOT STATED	105	30	28	11	2	1		33
ANNULMENTS								
TOTAL	93	44	38	7	1		1	2
NONE	43	32	8	2				1
ONE	35	9	22	3				1
TWO	9	1	5	2	1			
THREE	3	2					1	
FOUR								
FIVE OR MORE	1		1					
NOT STATED	2		2					



TABLE 23

## REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1968

DURATION OF MARRIAGE  
(IN YEARS)

## TOTAL

## DIVORCES

## ANNULMENTS

## TOTAL

16,473

16,380

93

## UNDER 1 YEAR

466

440

26

## 1 YEAR

1,754

1,710

44

## 2 YEARS

1,727

1,719

8

## 3 YEARS

1,620

1,613

7

## 4 YEARS

1,313

1,312

1

## 5 YEARS

1,160

1,158

2

## 6 YEARS

883

883

## 7 YEARS

774

773

1

## 8 YEARS

712

711

1

## 9 YEARS

601

601

## 10 YEARS

471

471

## 11 YEARS

443

443

## 12 YEARS

416

416

## 13 YEARS

382

382

## 14 YEARS

345

344

1

## 15 YEARS

334

333

1

## 16 YEARS

291

291

## 17 YEARS

274

274

## 18 YEARS

286

286

## 19 YEARS

244

244

## 20-24 YEARS

1,015

1,014

1

## 25-29 YEARS

533

533

## 30-34 YEARS

233

233

## 35-39 YEARS

96

96

## 40 YEARS AND OVER

71

71

## NOT STATED

29

29

TABLE 24

## REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1968

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	16,473	16,380	93
NO CHILDREN	7,116	7,029	87
ONE CHILD	3,923	3,921	2
TWO CHILDREN	2,682	2,681	1
THREE CHILDREN	1,485	1,485	
FOUR CHILDREN	715	715	
FIVE CHILDREN	293	293	
SIX CHILDREN	122	122	
SEVEN CHILDREN	65	65	
EIGHT CHILDREN	17	17	
NINE OR MORE CHILDREN	22	22	
NOT STATED	33	30	3

TABLE 25

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT VS TO WHOM DECREE GRANTED  
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES						ANNULMENTS					
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT.			TOTAL	HUSBAND	WIFE	SEPARATE MAINT.		
				HUSBAND	WIFE	NOT STATED				HUSBAND	WIFE	NOT STATED
TOTAL	16,380	3,574	12,766	1		39	93	25	66			2
HUSBAND	4,143	3,432	702			9	24	22	2			
WIFE	12,172	135	12,009	1		27	64	1	63			
OTHERS	2		2				1					1
NOT STATED	63	7	53			3	4	2	1			1

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT VS DISPOSITION OF CHILDREN  
DISPOSITION OF CHILDREN

COMPLAINANT	TOT.	DIVORCES							ANNULMENTS						
		HUS- BAND	WIFE	GUARD- IAN	JNT	CUST. OTHER	NOT STAT	NO CHILD	HUS- BAND	WIFE	GUARD- IAN	JNT	CUST. OTHER	NOT STAT	NO CHILD
TOTAL	16,380	714	8,203	3	174	50	164	7,072	93		1				92
HUSBAND	4,143	547	1,248		63	25	97	2,163	24						24
WIFE	12,172	166	6,923	3	111	25	65	4,879	64	1					63
OTHERS	2							2	1						1
NOT STATED	63	1	32				2	28	4						4

TABLE 27

## REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1968

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	16,473	16,380	93
NO ALIMONY OR SUPPORT	8,168	8,078	90
ALIMONY TO WIFE	824	824	
ALIMONY TO HUSBAND	1	1	
PROPERTY SETTLEMENT	11	11	
SUPPORT TO CHILDREN	3,732	3,731	1
ALIMONY AND CHILD SUPPORT	3,631	3,631	
ALIMONY OR SUPPORT TO OTHERS	1	1	
NOT STATED	105	103	2

TABLE 28

## REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	16,473	16,380	93
ADULTERY	154	154	
CRUELTY	228	228	
DESERTION	922	922	
DRUNKENNESS	80	80	
NON-SUPPORT	90	90	
BIGAMY	7	7	
CONVICTION OF CRIME	54	54	
GENERAL INDIGNITIES	14,827	14,827	
INSANITY	1	1	
ANNULMENTS	93		93
SOCIAL DISEASE			
NOT STATED	17	17	

TABLE 24

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1968

CHILDREN AFFECTED  
 0 1 2 3 4 5 6 7 8 9 10 11 12  
 TOTAL

TOTAL DIVORCES ANNULMENTS

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND VS WIFE, MISSOURI 1968


HUSBAND	DIVORCES	TOTAL	WIFE			NOT STATED
			WHITE	NONWHITE	OTHER	
TOTAL		16,380	14,257	1,954		169
WHITE		14,226	14,173	9		44
NONWHITE		1,969	13	1,943		13
OTHER		2	2			
NOT STATED		183	69	2		112
ANNULMENTS						
TOTAL		93	87	4		2
WHITE		88	87			1
NONWHITE		4		4		
OTHER						
NOT STATED		1				1

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1968

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	16,473	16,380	93
HUSBAND	833	830	3
WIFE	671	669	2
NO CONTEST	14,872	14,789	83
NOT STATED	97	92	5





Department of Public Health and Welfare  
THE DIVISION OF HEALTH OF MISSOURI  
Statistical Services  
State Office Building  
Jefferson City, Missouri 65101